

2025 Medicare Part D Prior Authorization Grid

Please Note:

- 1. Drugs not reflected on this authorization grid do not require authorization.
- 2. All services must be medically necessary, subject to CMS regulations.
- 3. Payment is based on benefits in effect at the time of service, member eligibility and medical necessity.
- 4. Members require a prior authorization for ALL non-formulary drugs.
- 5. Retroactive requests (services already rendered) need to be submitted as a claim.
- 6. Codes may not be categorized in an area that you are familiar, please search the entire document.

ABALOPARATIDE

Products Affected

• TYMLOS

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	24 MONTHS
Other Criteria	OSTEOPOROSIS: HAS NOT RECEIVED A TOTAL OF 24 MONTHS CUMULATIVE TREATMENT WITH ANY PARATHYROID HORMONE THERAPY.
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No

ABATACEPT IV

Products Affected

• ORENCIA (WITH MALTOSE)

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	INITIAL: RHEUMATOID ARTHRITIS (RA), POLYARTICULAR JUVENILE IDIOPATHIC ARTHRITIS (PJIA): PRESCRIBED BY OR IN CONSULTATION WITH A RHEUMATOLOGIST. PSORIATIC ARTHRITIS (PSA): PRESCRIBED BY OR IN CONSULTATION WITH A DERMATOLOGIST OR RHEUMATOLOGIST.
Coverage Duration	RA, PJIA, PSA: INITIAL: 6 MOS, RENEWAL: 12 MOS. ACUTE GRAFT VERSUS HOST DISEASE (AGVHD): 1 MO.
Other Criteria	INITIAL: RA: TRIAL OF OR CONTRAINDICATION TO 3 MONTHS OF TREATMENT WITH ONE DMARD (DISEASE-MODIFYING ANTIRHEUMATIC DRUG) - IF PATIENT TRIED METHOTREXATE, THEN TRIAL AT A DOSE GREATER THAN OR EQUAL TO 20 MG PER WEEK OR MAXIMALLY TOLERATED DOSE IS REQUIRED. PJIA: NO CONCURRENT USE WITH ANOTHER SYSTEMIC BIOLOGIC OR TARGETED SMALL MOLECULES (E.G., JAK INHIBITOR, PDE-4 INHIBITOR) FOR PJIA. PSA: NO CONCURRENT USE WITH ANOTHER SYSTEMIC BIOLOGIC OR TARGETED SMALL MOLECULES FOR PSA. RENEWAL: RA: CONTINUES TO BENEFIT FROM THE MEDICATION. PJIA: 1) CONTINUES TO BENEFIT FROM THE MEDICATION, AND 2) NO CONCURRENT USE WITH ANOTHER SYSTEMIC BIOLOGIC OR TARGETED SMALL MOLECULES FOR PJIA. PSA: 1) CONTINUES TO BENEFIT FROM THE MEDICATION, AND 2) NO CONCURRENT USE WITH ANOTHER SYSTEMIC BIOLOGIC OR TARGETED SMALL MOLECULES FOR PSA.

PA Criteria	Criteria Details
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No

ABATACEPT SQ

- ORENCIA
- ORENCIA CLICKJECT

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	INITIAL: RHEUMATOID ARTHRITIS (RA), POLYARTICULAR JUVENILE IDIOPATHIC ARTHRITIS (PJIA): PRESCRIBED BY OR IN CONSULTATION WITH A RHEUMATOLOGIST. PSORIATIC ARTHRITIS (PSA): PRESCRIBED BY OR IN CONSULTATION WITH A DERMATOLOGIST OR RHEUMATOLOGIST.
Coverage Duration	INITIAL: 6 MONTHS. RENEWAL: 12 MONTHS.
Other Criteria	INITIAL: RA: TRIAL OF OR CONTRAINDICATION TO 3 MONTHS OF TREATMENT WITH ONE DMARD (DISEASE-MODIFYING ANTIRHEUMATIC DRUG) - IF PATIENT TRIED METHOTREXATE, THEN TRIAL AT A DOSE GREATER THAN OR EQUAL TO 20 MG PER WEEK OR MAXIMALLY TOLERATED DOSE IS REQUIRED. PJIA: NO CONCURRENT USE WITH ANOTHER SYSTEMIC BIOLOGIC OR TARGETED SMALL MOLECULES (E.G., JAK INHIBITOR, PDE-4 INHIBITOR) FOR PJIA. PSA: NO CONCURRENT USE WITH ANOTHER SYSTEMIC BIOLOGIC OR TARGETED SMALL MOLECULES FOR PSA. RENEWAL: RA: CONTINUES TO BENEFIT FROM THE MEDICATION. PJIA: 1) CONTINUES TO BENEFIT FROM THE MEDICATION, AND 2) NO CONCURRENT USE WITH ANOTHER SYSTEMIC BIOLOGIC OR TARGETED SMALL MOLECULES FOR PJIA. PSA: 1) CONTINUES TO BENEFIT FROM THE MEDICATION, AND 2) NO CONCURRENT USE WITH ANOTHER SYSTEMIC BIOLOGIC OR TARGETED SMALL MOLECULES FOR PSA.

PA Criteria	Criteria Details
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No

ABEMACICLIB

Products Affected

VERZENIO

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	12 MONTHS
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No

ABIRATERONE

- abiraterone
- abirtega

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	12 MONTHS
Other Criteria	METASTATIC HIGH-RISK CASTRATION-SENSITIVE PROSTATE CANCER (MCSPC), METASTATIC CASTRATION-RESISTANT PROSTATE CANCER (MCRPC): 1) RECEIVED A BILATERAL ORCHIECTOMY, 2) CASTRATE LEVEL OF TESTOSTERONE (I.E., LESS THAN 50 NG/DL), OR 3) CONCURRENT USE WITH A GONADOTROPIN RELEASING HORMONE (GNRH) ANALOG
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No

ABIRATERONE SUBMICRONIZED

Products Affected

YONSA

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	12 MONTHS
Other Criteria	METASTATIC CASTRATION-RESISTANT PROSTATE CANCER (MCRPC): 1) RECEIVED A BILATERAL ORCHIECTOMY, 2) CASTRATE LEVEL OF TESTOSTERONE (I.E., LESS THAN 50 NG/DL), OR 3) CONCURRENT USE WITH A GONADOTROPIN RELEASING HORMONE (GNRH) ANALOG.
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No

ACALABRUTINIB

- CALQUENCE
- CALQUENCE (ACALABRUTINIB MAL)

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	12 MONTHS
Other Criteria	PREVIOUSLY TREATED MANTLE CELL LYMPHOMA: INTOLERANCE TO BRUKINSA.
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No

ADAGRASIB

Products Affected

KRAZATI

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	12 MONTHS
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No

ADALIMUMAB

- HUMIRA PEN
- HUMIRA PEN CROHNS-UC-HS START
- HUMIRA PEN PSOR-UVEITS-ADOL HS
- HUMIRA SUBCUTANEOUS SYRINGE KIT 40 MG/0.8 ML
- HUMIRA(CF)

- HUMIRA(CF) PEDI CROHNS STARTER
- HUMIRA(CF) PEN
- HUMIRA(CF) PEN CROHNS-UC-HS
- HUMIRA(CF) PEN PEDIATRIC UC
- HUMIRA(CF) PEN PSOR-UV-ADOL HS

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	INITIAL: PLAQUE PSORIASIS (PSO): PSORIASIS COVERING 3 PERCENT OR MORE OF BODY SURFACE AREA OR PSORIATIC LESIONS AFFECTING THE HANDS, FEET, FACE, SCALP, OR GENITAL AREA.
Age Restrictions	
Prescriber Restrictions	INITIAL: RA, PJIA, ANKYLOSING SPONDYLITIS (AS): PRESCRIBED BY OR IN CONSULTATION WITH RHEUMATOLOGIST. PSORIATIC ARTHRITIS (PSA): PRESCRIBED BY OR IN CONSULTATION WITH DERMATOLOGIST OR RHEUMATOLOGIST. PSO, HIDRADENITIS SUPPURATIVA (HS): PRESCRIBED BY OR IN CONSULTATION WITH DERMATOLOGIST. CROHNS DISEASE (CD), ULCERATIVE COLITIS (UC): PRESCRIBED BY OR IN CONSULTATION WITH GASTROENTEROLOGIST. UVEITIS: PRESCRIBED BY OR IN CONSULTATION WITH OPHTHALMOLOGIST
Coverage Duration	INITIAL: RA, PSO, PJIA, AS, PSA, CD, UC, UVEITIS: 6 MONTHS, HS: 12 MONTHS. RENEWAL: 12 MONTHS.

PA Criteria	Criteria Details
PA Criteria Other Criteria	INITIAL: RHEUMATOID ARTHRITIS (RA): TRIAL OF OR CONTRAINDICATION TO 3 MONTHS OF TREATMENT WITH ONE DMARD (DISEASE-MODIFYING ANTIRHEUMATIC DRUG) - IF PATIENT TRIED METHOTREXATE, THEN TRIAL AT A DOSE GREATER THAN OR EQUAL TO 20 MG PER WEEK OR MAXIMALLY TOLERATED DOSE IS REQUIRED. POLYARTICULAR JUVENILE IDIOPATHIC ARTHRITIS (PJIA): NO CONCURRENT USE WITH ANOTHER SYSTEMIC BIOLOGIC OR TARGETED SMALL MOLECULES (E.G., JAK INHIBITOR, PDE-4 INHIBITOR) FOR PJIA. PSA: NO CONCURRENT USE WITH ANOTHER SYSTEMIC BIOLOGIC OR TARGETED SMALL MOLECULES FOR PSA. AS: 1) TRIAL OF OR CONTRAINDICATION TO AN NSAID AND 2) NO CONCURRENT USE WITH ANOTHER SYSTEMIC BIOLOGIC OR TARGETED SMALL MOLECULES FOR AS. PSO: 1) ONE OF THE FOLLOWING: (A) AT LEAST A 3 MONTH TRIAL OF ONE ORAL IMMUNOSUPPRESSANT (CYCLOSPORINE, METHOTREXATE, TACROLIMUS) OR PUVA (PHOTOTHERAPY) FOR THE TREATMENT OF PSO, (B) CONTRAINDICATION OR INTOLERANCE TO BOTH IMMUNOSUPPRESSANT AND PUVA FOR THE TREATMENT OF PSO, OR (C) PATIENT IS SWITCHING FROM A DIFFERENT BIOLOGIC, PDE-4 INHIBITOR, OR JAK INHIBITOR FOR THE SAME INDICATION, AND 2) NO CONCURRENT USE WITH ANOTHER SYSTEMIC BIOLOGIC OR TARGETED SMALL MOLECULES FOR PSO. CD: NO CONCURRENT USE WITH ANOTHER SYSTEMIC BIOLOGIC OR TARGETED SMALL MOLECULES FOR CD. UC: NO CONCURRENT USE WITH ANOTHER SYSTEMIC BIOLOGIC OR TARGETED SMALL MOLECULES FOR CD. UC: NO CONCURRENT USE WITH ANOTHER SYSTEMIC BIOLOGIC OR TARGETED
	SMALL MOLECULES FOR UC. HS: NO CONCURRENT USE WITH ANOTHER SYSTEMIC BIOLOGIC OR TARGETED SMALL MOLECULES FOR HS. UVEITIS: NO ISOLATED ANTERIOR UVEITIS. RENEWAL: RA, HS, UVEITIS: CONTINUES TO BENEFIT
	FROM THE MEDICATION. PJIA: 1) CONTINUES TO BENEFIT FROM MEDICATION, AND 2) NO CONCURRENT USE WITH ANOTHER SYSTEMIC BIOLOGIC OR TARGETED SMALL

PA Criteria	Criteria Details
	MOLECULES FOR PJIA. PSA: 1) CONTINUES TO BENEFIT FROM MEDICATION, AND 2) NO CONCURRENT USE WITH ANOTHER SYSTEMIC BIOLOGIC OR TARGETED SMALL MOLECULES FOR PSA. AS: 1) CONTINUES TO BENEFIT FROM MEDICATION, AND 2) NO CONCURRENT USE WITH ANOTHER SYSTEMIC BIOLOGIC OR TARGETED SMALL MOLECULES FOR AS. PSO: 1) CONTINUES TO BENEFIT FROM THE MEDICATION, AND 2) NO CONCURRENT USE WITH ANOTHER SYSTEMIC BIOLOGIC OR TARGETED SMALL MOLECULES FOR PSO. CD: NO CONCURRENT USE WITH ANOTHER SYSTEMIC BIOLOGIC OR TARGETED SMALL MOLECULES FOR CD. UC: NO CONCURRENT USE WITH ANOTHER SYSTEMIC BIOLOGIC OR TARGETED SMALL MOLECULES FOR CD. TARGETED SMALL MOLECULES FOR CD. UC: NO CONCURRENT USE WITH ANOTHER SYSTEMIC BIOLOGIC OR TARGETED SMALL MOLECULES FOR UC.
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No

ADALIMUMAB-AATY

- YUFLYMA(CF)
- YUFLYMA(CF) AI CROHN'S-UC-HS
- YUFLYMA(CF) AUTOINJECTOR

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	INITIAL: PLAQUE PSORIASIS (PSO): PSORIASIS COVERING 3 PERCENT OR MORE OF BODY SURFACE AREA OR PSORIATIC LESIONS AFFECTING THE HANDS, FEET, FACE, SCALP, OR GENITAL AREA.
Age Restrictions	
Prescriber Restrictions	INITIAL: RA, PJIA, ANKYLOSING SPONDYLITIS (AS): PRESCRIBED BY OR IN CONSULTATION WITH RHEUMATOLOGIST. PSORIATIC ARTHRITIS (PSA): PRESCRIBED BY OR IN CONSULTATION WITH DERMATOLOGIST OR RHEUMATOLOGIST. PSO, HIDRADENITIS SUPPURATIVA (HS): PRESCRIBED BY OR IN CONSULTATION WITH DERMATOLOGIST. CROHNS DISEASE (CD), ULCERATIVE COLITIS (UC): PRESCRIBED BY OR IN CONSULTATION WITH GASTROENTEROLOGIST. UVEITIS: PRESCRIBED BY OR IN CONSULTATION WITH OPHTHALMOLOGIST
Coverage Duration	INITIAL: RA, PSO, PJIA, AS, PSA, CD, UC, UVEITIS: 6 MONTHS, HS: 12 MONTHS. RENEWAL: 12 MONTHS.

PA Criteria	Criteria Details
Other Criteria	INITIAL: RHEUMATOID ARTHRITIS (RA): TRIAL OF OR CONTRAINDICATION TO 3 MONTHS OF TREATMENT WITH ONE DMARD (DISEASE-MODIFYING ANTIRHEUMATIC DRUG) - IF PATIENT TRIED METHOTREXATE, THEN TRIAL AT A DOSE GREATER THAN OR EQUAL TO 20 MG PER WEEK OR MAXIMALLY TOLERATED DOSE IS REQUIRED. POLYARTICULAR JUVENILE IDIOPATHIC ARTHRITIS (PJIA): NO CONCURRENT USE WITH ANOTHER SYSTEMIC BIOLOGIC OR TARGETED SMALL MOLECULES (E.G., JAK INHIBITOR, PDE-4 INHIBITOR) FOR PJIA. PSA: NO CONCURRENT USE WITH ANOTHER SYSTEMIC BIOLOGIC OR TARGETED SMALL MOLECULES FOR PSA. AS: 1) TRIAL OF OR CONTRAINDICATION TO AN NSAID AND 2) NO CONCURRENT USE WITH ANOTHER SYSTEMIC BIOLOGIC OR TARGETED SMALL MOLECULES FOR AS. PSO: 1) ONE OF THE FOLLOWING: (A) AT LEAST A 3 MONTH TRIAL OF ONE ORAL IMMUNOSUPPRESSANT (CYCLOSPORINE, METHOTREXATE, TACROLIMUS) OR PUVA (PHOTOTHERAPY) FOR THE TREATMENT OF PSO, (B) CONTRAINDICATION OR INTOLERANCE TO BOTH IMMUNOSUPPRESSANT AND PUVA FOR THE TREATMENT OF PSO, OR (C) PATIENT IS SWITCHING FROM A DIFFERENT BIOLOGIC, PDE-4 INHIBITOR, OR JAK INHIBITOR FOR THE SAME INDICATION, AND 2) NO CONCURRENT USE WITH ANOTHER SYSTEMIC BIOLOGIC OR TARGETED SMALL MOLECULES FOR PSO. CD: NO CONCURRENT USE WITH ANOTHER SYSTEMIC BIOLOGIC OR TARGETED SMALL MOLECULES FOR CD. UC: NO CONCURRENT USE WITH ANOTHER SYSTEMIC BIOLOGIC OR TARGETED SMALL MOLECULES FOR CD. UC: NO CONCURRENT USE WITH ANOTHER SYSTEMIC BIOLOGIC OR TARGETED SMALL MOLECULES FOR UC. HS: NO CONCURRENT USE WITH ANOTHER SYSTEMIC BIOLOGIC OR TARGETED SMALL MOLECULES FOR HS. UVEITIS: NO ISOLATED ANTERIOR UVEITIS. RENEWAL: RA, HS, UVEITIS: CONTINUES TO BENEFIT FROM MEDICATION, AND 2) NO CONCURRENT USE WITH ANOTHER SYSTEMIC BIOLOGIC OR TARGETED SMALL MOLECULES FOR HS. UVEITIS: CONTINUES TO BENEFIT FROM MEDICATION, AND 2) NO CONCURRENT USE WITH ANOTHER
	SYSTEMIC BIOLOGIC OR TARGETED SMALL MOLECULES FOR

PA Criteria	Criteria Details
	PJIA. PSA: 1) CONTINUES TO BENEFIT FROM MEDICATION, AND 2) NO CONCURRENT USE WITH ANOTHER SYSTEMIC BIOLOGIC OR TARGETED SMALL MOLECULES FOR PSA. AS: 1) CONTINUES TO BENEFIT FROM MEDICATION, AND 2) NO CONCURRENT USE WITH ANOTHER SYSTEMIC BIOLOGIC OR TARGETED SMALL MOLECULES FOR AS. PSO: 1) CONTINUES TO BENEFIT FROM MEDICATION, AND 2) NO CONCURRENT USE WITH ANOTHER SYSTEMIC BIOLOGIC OR TARGETED SMALL MOLECULES FOR PSO. CD: NO CONCURRENT USE WITH ANOTHER SYSTEMIC BIOLOGIC OR TARGETED SMALL MOLECULES FOR CD. UC: NO CONCURRENT USE WITH ANOTHER SYSTEMIC BIOLOGIC OR TARGETED SMALL MOLECULES FOR CD. UC: NO CONCURRENT USE WITH ANOTHER SYSTEMIC BIOLOGIC OR TARGETED SMALL MOLECULES FOR UC.
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No

ADALIMUMAB-ADBM

- CYLTEZO(CF)
- CYLTEZO(CF) PEN
- CYLTEZO(CF) PEN CROHN'S-UC-HS
- CYLTEZO(CF) PEN PSORIASIS-UV

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	INITIAL: PLAQUE PSORIASIS (PSO): PSORIASIS COVERING 3 PERCENT OR MORE OF BODY SURFACE AREA OR PSORIATIC LESIONS AFFECTING THE HANDS, FEET, FACE, SCALP, OR GENITAL AREA.
Age Restrictions	
Prescriber Restrictions	INITIAL: RA, PJIA, ANKYLOSING SPONDYLITIS (AS): PRESCRIBED BY OR IN CONSULTATION WITH RHEUMATOLOGIST. PSORIATIC ARTHRITIS (PSA): PRESCRIBED BY OR IN CONSULTATION WITH DERMATOLOGIST OR RHEUMATOLOGIST. PSO, HIDRADENITIS SUPPURATIVA (HS): PRESCRIBED BY OR IN CONSULTATION WITH DERMATOLOGIST. CROHNS DISEASE (CD), ULCERATIVE COLITIS (UC): PRESCRIBED BY OR IN CONSULTATION WITH GASTROENTEROLOGIST. UVEITIS: PRESCRIBED BY OR IN CONSULTATION WITH OPHTHALMOLOGIST
Coverage Duration	INITIAL: RA, PSO, PJIA, AS, PSA, CD, UC, UVEITIS: 6 MONTHS, HS: 12 MONTHS. RENEWAL: 12 MONTHS.

PA Criteria	Criteria Details
PA Criteria Other Criteria	INITIAL: RHEUMATOID ARTHRITIS (RA): TRIAL OF OR CONTRAINDICATION TO 3 MONTHS OF TREATMENT WITH ONE DMARD (DISEASE-MODIFYING ANTIRHEUMATIC DRUG) - IF PATIENT TRIED METHOTREXATE, THEN TRIAL AT A DOSE GREATER THAN OR EQUAL TO 20 MG PER WEEK OR MAXIMALLY TOLERATED DOSE IS REQUIRED. POLYARTICULAR JUVENILE IDIOPATHIC ARTHRITIS (PJIA): NO CONCURRENT USE WITH ANOTHER SYSTEMIC BIOLOGIC OR TARGETED SMALL MOLECULES (E.G., JAK INHIBITOR, PDE-4 INHIBITOR) FOR PJIA. PSA: NO CONCURRENT USE WITH ANOTHER SYSTEMIC BIOLOGIC OR TARGETED SMALL MOLECULES FOR PSA. AS: 1) TRIAL OF OR CONTRAINDICATION TO AN NSAID AND 2) NO CONCURRENT USE WITH ANOTHER SYSTEMIC BIOLOGIC OR TARGETED SMALL MOLECULES FOR AS. PSO: 1) ONE OF THE FOLLOWING: (A) AT LEAST A 3 MONTH TRIAL OF ONE ORAL IMMUNOSUPPRESSANT (CYCLOSPORINE, METHOTREXATE, TACROLIMUS) OR PUVA (PHOTOTHERAPY) FOR THE TREATMENT OF PSO, (B) CONTRAINDICATION OR INTOLERANCE TO BOTH IMMUNOSUPPRESSANT AND PUVA FOR THE TREATMENT OF PSO, OR (C) PATIENT IS SWITCHING FROM A DIFFERENT BIOLOGIC, PDE-4 INHIBITOR, OR JAK INHIBITOR FOR THE SAME INDICATION, AND 2) NO CONCURRENT USE WITH ANOTHER SYSTEMIC BIOLOGIC OR TARGETED SMALL MOLECULES FOR PSO. CD: NO CONCURRENT USE WITH ANOTHER SYSTEMIC BIOLOGIC OR TARGETED SMALL MOLECULES FOR CD. UC: NO CONCURRENT
	USE WITH ANOTHER SYSTEMIC BIOLOGIC OR TARGETED SMALL MOLECULES FOR UC. HS: NO CONCURRENT USE WITH
	ANOTHER SYSTEMIC BIOLOGIC OR TARGETED SMALL MOLECULES FOR HS. UVEITIS: NO ISOLATED ANTERIOR UVEITIS. RENEWAL: RA, HS, UVEITIS: CONTINUES TO BENEFIT
	FROM MEDICATION. PJIA: 1) CONTINUES TO BENEFIT FROM MEDICATION, AND 2) NO CONCURRENT USE WITH ANOTHER SYSTEMIC BIOLOGIC OR TARGETED SMALL MOLECULES FOR

PA Criteria	Criteria Details
	PJIA. PSA: 1) CONTINUES TO BENEFIT FROM MEDICATION, AND 2) NO CONCURRENT USE WITH ANOTHER SYSTEMIC BIOLOGIC OR TARGETED SMALL MOLECULES FOR PSA. AS: 1) CONTINUES TO BENEFIT FROM MEDICATION, AND 2) NO CONCURRENT USE WITH ANOTHER SYSTEMIC BIOLOGIC OR TARGETED SMALL MOLECULES FOR AS. PSO: 1) CONTINUES TO BENEFIT FROM MEDICATION, AND 2) NO CONCURRENT USE WITH ANOTHER SYSTEMIC BIOLOGIC OR TARGETED SMALL MOLECULES FOR PSO. CD: NO CONCURRENT USE WITH ANOTHER SYSTEMIC BIOLOGIC OR TARGETED SMALL MOLECULES FOR CD. UC: NO CONCURRENT USE WITH ANOTHER SYSTEMIC BIOLOGIC OR TARGETED SMALL MOLECULES FOR CD. UC: NO CONCURRENT USE WITH ANOTHER SYSTEMIC BIOLOGIC OR TARGETED SMALL MOLECULES FOR UC.
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No

AFATINIB

Products Affected

• GILOTRIF

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	12 MONTHS
Other Criteria	METASTATIC NON-SMALL CELL LUNG CANCER (NSCLC) WITH EGFR MUTATION: NOT ON CONCURRENT THERAPY WITH AN EGFR TYROSINE KINASE INHIBITOR.
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No

ALECTINIB

Products Affected

ALECENSA

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	12 MONTHS
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No

ALPELISIB-PIQRAY

Products Affected

 PIQRAY ORAL TABLET 200 MG/DAY (200 MG X 1), 250 MG/DAY (200 MG X1-50 MG X1), 300 MG/DAY (150 MG X 2)

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	12 MONTHS
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No

AMIKACIN LIPOSOMAL INH

Products Affected

ARIKAYCE

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	MYCOBACTERIUM AVIUM COMPLEX (MAC) LUNG DISEASE: RENEWAL: 1) NO POSITIVE MAC SPUTUM CULTURE AFTER CONSECUTIVE NEGATIVE CULTURES, AND 2) IMPROVEMENT IN SYMPTOMS. ADDITIONALLY, FOR FIRST RENEWAL, APPROVAL REQUIRES AT LEAST ONE NEGATIVE SPUTUM CULTURE FOR MAC BY SIX MONTHS OF ARIKAYCE TREATMENT. FOR SECOND AND SUBSEQUENT RENEWALS, APPROVAL REQUIRES AT LEAST THREE NEGATIVE SPUTUM CULTURES FOR MAC BY 12 MONTHS OF ARIKAYCE TREATMENT.
Age Restrictions	
Prescriber Restrictions	MAC LUNG DISEASE: INITIAL: PRESCRIBED BY OR IN CONSULTATION WITH A PULMONOLOGIST OR INFECTIOUS DISEASE SPECIALIST.
Coverage Duration	INITIAL/RENEWAL: 6 MONTHS.
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No

AMIVANTAMAB-VMJW

Products Affected

RYBREVANT

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	12 MONTHS
Other Criteria	THIS DRUG ALSO REQUIRES PAYMENT DETERMINATION AND MAY BE COVERED UNDER MEDICARE PART B OR D.
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No

ANAKINRA

Products Affected

KINERET

PA Criteria	Criteria Details
Exclusion Criteria	CORONAVIRUS DISEASE 2019 (COVID-19) IN HOSPITALIZED ADULTS.
Required Medical Information	INITIAL: CRYOPYRIN-ASSOCIATED PERIODIC SYNDROMES (CAPS): 1) ONE OF THE FOLLOWING: (A) GENETIC TEST FOR GAIN-OF-FUNCTION MUTATIONS IN THE NLRP3 GENE, OR (B) HAS INFLAMMATORY MARKERS (I.E., ELEVATED CRP, ESR, SERUM AMYLOID A PROTEIN (SAA) OR \$100 PROTEINS), AND 2) TWO OF THE FOLLOWING: URTICARIAL-LIKE RASH (NEUTROPHILIC DERMATITIS), COLD-TRIGGERED EPISODES, SENSORINEURAL HEARING LOSS, MUSCULOSKELETAL SYMPTOMS, CHRONIC ASEPTIC MENINGITIS, SKELETAL ABNORMALITIES. DEFICIENCY OF INTERLEUKIN-1 RECEPTOR ANTAGONIST (DIRA): 1) ONE OF THE FOLLOWING: (A) GENETIC TEST FOR GAIN-OF-FUNCTION MUTATIONS IN THE IL1RN GENE, OR (B) HAS INFLAMMATORY MARKERS (I.E., ELEVATED CRP, ESR), AND 2) ONE OF THE FOLLOWING: PUSTULAR PSORIASIS-LIKE RASHES, OSTEOMYELITIS, ABSENCE OF BACTERIAL OSTEOMYELITIS, ONYCHOMADESIS.
Age Restrictions	
Prescriber Restrictions	INITIAL: RHEUMATOID ARTHRITIS (RA): PRESCRIBED BY OR IN CONSULTATION WITH A RHEUMATOLOGIST.
Coverage Duration	RA: INITIAL: 6 MONTHS, RENEWAL: 12 MONTHS. CAPS, DIRA: LIFETIME.
Other Criteria	INITIAL: RA: TRIAL OF OR CONTRAINDICATION TO TWO OF THE FOLLOWING PREFERRED AGENTS: ENBREL, HUMIRA/CYLTEZO/YUFLYMA, XELJANZ, RINVOQ, ORENCIA. CAPS, DIRA: NO CONCURRENT USE WITH OTHER IL-1 INHIBITORS. RENEWAL: RA: CONTINUES TO BENEFIT FROM THE MEDICATION.
Indications	All FDA-approved Indications.

PA Criteria	Criteria Details
Off Label Uses	
Part B Prerequisite	No

APALUTAMIDE

Products Affected

• ERLEADA ORAL TABLET 240 MG, 60 MG

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	INITIAL/RENEWAL: 12 MONTHS.
Other Criteria	INITIAL: NON-METASTATIC CASTRATION-RESISTANT PROSTATE CANCER (NMCRPC): HIGH RISK PROSTATE CANCER (I.E., RAPIDLY INCREASING PROSTATE SPECIFIC ANTIGEN [PSA] LEVELS). NMCRPC, METASTATIC CASTRATION-SENSITIVE PROSTATE CANCER (MCSPC): 1) RECEIVED A BILATERAL ORCHIECTOMY, 2) CASTRATE LEVEL OF TESTOSTERONE (I.E., LESS THAN 50 NG/DL), OR 3) CONCURRENT USE WITH A GONADOTROPIN RELEASING HORMONE (GNRH) ANALOG. RENEWAL: NMCRPC, MCSPC: 1) RECEIVED A BILATERAL ORCHIECTOMY, 2) CASTRATE LEVEL OF TESTOSTERONE (I.E., LESS THAN 50 NG/DL), OR 3) CONCURRENT USE WITH A GNRH ANALOG.
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No

APOMORPHINE - ONAPGO

Products Affected

ONAPGO

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	PARKINSONS DISEASE (PD): INITIAL: PRESCRIBED BY OR IN CONSULTATION WITH A NEUROLOGIST.
Coverage Duration	INITIAL: 3 MONTHS. RENEWAL: 12 MONTHS.
Other Criteria	PD: INITIAL: 1) RESPONSIVE TO LEVODOPA, 2) CURRENT MEDICATION REGIMEN, INCLUDING LEVODOPA, HAS BEEN AT A STABLE DOSE FOR AT LEAST 28 DAYS, 3) MOTOR SYMPTOMS ARE CURRENTLY UNCONTROLLED (DEFINED AS AN AVERAGE OFF TIME OF AT LEAST 3 HOURS/DAY, FOR AT LEAST 2 HOURS EACH DAY), AND 4) DOES NOT HAVE ANY OF THE FOLLOWING: ORTHOSTATIC HYPOTENSION, HISTORY OF PROLONGED QTC (GREATER THAN 450 MSEC FOR MALE OR GREATER THAN 470 MSEC FOR FEMALE), ACTIVE OR UNCONTROLLED PSYCHOSIS, ACTIVE OR UNCONTROLLED DEPRESSION. RENEWAL: IMPROVEMENT IN MOTOR SYMPTOMS WHILE ON THERAPY. THIS DRUG ALSO REQUIRES PAYMENT DETERMINATION AND MAY BE COVERED UNDER MEDICARE PART B OR D.
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No

APOMORPHINE - SL

Products Affected

 KYNMOBI SUBLINGUAL FILM 10 MG, 10-15-20-25-30 MG, 15 MG, 20 MG, 25 MG, 30 MG

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	PARKINSONS DISEASE (PD): INITIAL: 18 YEARS OF AGE OR OLDER.
Prescriber Restrictions	PD: INITIAL: PRESCRIBED BY OR IN CONSULTATION WITH A NEUROLOGIST.
Coverage Duration	INITIAL: 6 MONTHS. RENEWAL: 12 MONTHS
Other Criteria	PD: RENEWAL: IMPROVEMENT WITH MOTOR FLUCTUATIONS DURING OFF EPISODES WITH THE USE OF THERAPY.
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No

APREMILAST

- OTEZLA
- OTEZLA STARTER

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	INITIAL: MILD PLAQUE PSORIASIS (PSO): 1) PSORIASIS COVERING 2 PERCENT OF BODY SURFACE AREA (BSA), 2) STATIC PHYSICIAN GLOBAL ASSESSMENT (SPGA) SCORE OF 2, OR 3) PSORIASIS AREA AND SEVERITY INDEX (PASI) SCORE OF 2 TO 9. MODERATE TO SEVERE PSO: PSORIASIS COVERING 3 PERCENT OR MORE OF BSA, OR PSORIATIC LESIONS AFFECTING THE HANDS, FEET, FACE, SCALP, OR GENITAL AREA.
Age Restrictions	
Prescriber Restrictions	INITIAL: PSORIATIC ARTHRITIS (PSA): PRESCRIBED BY OR IN CONSULTATION WITH A DERMATOLOGIST OR RHEUMATOLOGIST. PSO: PRESCRIBED BY OR IN CONSULTATION WITH A DERMATOLOGIST. BEHCETS DISEASE: PRESCRIBED BY OR IN CONSULTATION WITH A RHEUMATOLOGIST.
Coverage Duration	INITIAL: 6 MONTHS. RENEWAL: 12 MONTHS.

PA Criteria	Criteria Details
Other Criteria	INITIAL: PSA: NO CONCURRENT USE WITH ANOTHER SYSTEMIC BIOLOGIC OR TARGETED SMALL MOLECULES (E.G., JAK INHIBITOR, PDE-4 INHIBITOR) FOR PSA. MILD PSO: TRIAL OF OR CONTRAINDICATION TO ONE CONVENTIONAL SYSTEMIC THERAPY (E.G., METHOTREXATE, ACITRETIN, CYCLOSPORINE) OR ONE CONVENTIONAL TOPICAL THERAPY (E.G., PUVA [PHOTOTHERAPY], UVB [ULTRAVIOLET LIGHT B], TOPICAL CORTICOSTEROIDS). MODERATE TO SEVERE PSO: 1) ONE OF THE FOLLOWING: (A) AT LEAST A 3 MONTH TRIAL OF ONE ORAL IMMUNOSUPPRESSANT (CYCLOSPORINE, METHOTREXATE, TACROLIMUS) OR PUVA (PHOTOTHERAPY) FOR THE TREATMENT OF PSO, (B) CONTRAINDICATION OR INTOLERANCE TO BOTH IMMUNOSUPPRESSANT AND PUVA FOR THE TREATMENT OF PSO, OR (C) PATIENT IS SWITCHING FROM A DIFFERENT BIOLOGIC, PDE-4 INHIBITOR, OR JAK INHIBITOR FOR THE SAME INDICATION, AND 2) NO CONCURRENT USE WITH ANOTHER SYSTEMIC BIOLOGIC OR TARGETED SMALL MOLECULES FOR MODERATE TO SEVERE PSO. BEHCETS DISEASE: 1) HAS ORAL ULCERS OR A HISTORY OF RECURRENT ORAL ULCERS BASED ON CLINICAL SYMPTOMS, AND 2) TRIAL OF OR CONTRAINDICATION TO ONE OR MORE CONSERVATIVE TREATMENTS (E.G., COLCHICINE, TOPICAL CORTICOSTEROID, ORAL CORTICOSTEROID). RENEWAL: MILD PSO, BEHCETS DISEASE: CONTINUES TO BENEFIT FROM THE MEDICATION, PSA: 1) CONTINUES TO BENEFIT FROM THE MEDICATION, AND 2) NO CONCURRENT USE WITH ANOTHER SYSTEMIC BIOLOGIC OR TARGETED SMALL MOLECULES FOR PSA. MODERATE TO SEVERE PSO: 1) CONTINUES TO BENEFIT FROM THE MEDICATION, AND 2) NO CONCURRENT USE WITH ANOTHER SYSTEMIC BIOLOGIC OR TARGETED SMALL MOLECULES FOR PSA. MODERATE TO SEVERE PSO: 1) CONTUNUES TO BENEFIT FROM THE MEDICATION, AND 2) NO CONCURRENT USE WITH ANOTHER SYSTEMIC BIOLOGIC OR TARGETED SMALL MOLECULES FOR PSA. MODERATE TO SEVERE PSO: 1) CONTUNUES TO BENEFIT FROM THE MEDICATION, AND 2) NO CONCURRENT USE WITH ANOTHER SYSTEMIC BIOLOGIC OR TARGETED SMALL MOLECULES FOR MODERATE TO SEVERE PSO: 1)
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No

ARIMOCLOMOL

Products Affected

MIPLYFFA

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	NIEMANN-PICK DISEASE TYPE C (NPC): INITIAL: PRESCRIBED BY OR IN CONSULTATION WITH NEUROLOGIST OR GENETICIST.
Coverage Duration	INITIAL: 6 MONTHS. RENEWAL: 12 MONTHS.
Other Criteria	NPC: RENEWAL: IMPROVEMENT OR SLOWING OF DISEASE PROGRESSION.
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No

ASCIMINIB

Products Affected

• SCEMBLIX ORAL TABLET 100 MG, 20 MG, 40 MG

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	PREVIOUSLY TREATED OR T315I MUTATION PHILADELPHIA CHROMOSOME-POSITIVE CHRONIC MYELOID LEUKEMIA (Ph+CML): MUTATIONAL ANALYSIS PRIOR TO INITIATION AND SCEMBLIX IS APPROPRIATE PER NCCN GUIDELINE TABLE FOR TREATMENT RECOMMENDATIONS BASED ON BCR-ABL1 MUTATION PROFILE.
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	12 MONTHS
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No

ASFOTASE ALFA

Products Affected

• STRENSIQ

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	HYPOPHOSPHATASIA (HPP): INITIAL: PRESCRIBED BY OR IN CONSULTATION WITH AN ENDOCRINOLOGIST, GENETICIST, OR METABOLIC SPECIALIST.
Coverage Duration	INITIAL: 6 MONTHS. RENEWAL: 12 MONTHS.

PA Criteria	Criteria Details
Other Criteria	INITIAL: PERINATAL/INFANTILE-ONSET HPP: 1) 6 MONTHS OF AGE OR YOUNGER AT ONSET OF HPP, AND 2) POSITIVE FOR A TISSUE NON-SPECIFIC ALKALINE PHOSPHATASE (TNSALP) (ALPL) GENE MUTATION AS CONFIRMED BY GENETIC TESTING OR TWO OF THE FOLLOWING: (A) SERUM ALKALINE PHOSPHATASE (ALP) LEVEL BELOW THAT OF NORMAL RANGE FOR PATIENT AGE, (B) ELEVATED SERUM PYRIDOXAL-5'-PHOSPHATE (PLP) LEVELS AND NO VITAMIN B6 SUPPLEMENTATION IN THE PREVIOUS WEEK, (C) URINE PHOSPHOETHANOLAMINE (PEA) LEVEL ABOVE THAT OF NORMAL RANGE FOR PATIENT AGE, (D) RADIOGRAPHIC EVIDENCE OF HPP, (E) AT LEAST TWO OF THE FOLLOWING: (I) RACHITIC CHEST DEFORMITY, (II) CRANIOSYNOSTOSIS, (III) DELAY IN SKELETAL GROWTH RESULTING IN DELAY OF MOTOR DEVELOPMENT, (IV) HISTORY OF VITAMIN B6 DEPENDENT SEIZURES, (V) NEPHROCALCINOSIS OR HISTORY OF ELEVATED SERUM CALCIUM, (VI) HISTORY OR PRESENCE OF NON-TRAUMATIC POSTNATAL FRACTURE AND DELAYED FRACTURE HEALING. JUVENILE-ONSET HPP: 1) 18 YEARS OF AGE OR YOUNGER AT ONSET OF HPP, AND 2) POSITIVE FOR A TNSALP ALPL GENE MUTATION AS CONFIRMED BY GENETIC TESTING OR TWO OF THE FOLLOWING: (A) SERUM ALP LEVEL BELOW THAT OF NORMAL RANGE FOR PATIENT AGE, (B) ELEVATED SERUM PLP LEVELS AND NO VITAMIN B6 SUPPLEMENTATION IN THE PREVIOUS WEEK, (C) URINE PEA LEVEL ABOVE THAT OF NORMAL RANGE FOR PATIENT AGE, (D) RADIOGRAPHIC EVIDENCE OF HPP, (E) AT LEAST TWO OF THE FOLLOWING: (I) RACHITIC DEFORMITIES, (II) PREMATURE LOSS OF PRIMARY TEETH PRIOR TO 5 YEARS OF AGE, (III) DELAY IN SKELETAL GROWTH RESULTING IN DELAY OF MOTOR DEVELOPMENT, (IV) HISTORY OR PRESENCE OF NONTRAUMATIC FRACTURES OR DELAYED FRACTURE HEALING. ALL INDICATIONS: 1) NOT CURRENTLY RECEIVING TREATMENT WITH A BISPHOSPHONATE, 2) CALCIUM OR PHOSPHATE LEVELS ARE NOT BELOW THE NORMAL RANGE, 3)
	INDICATIONS: 1) IMPROVEMENT IN THE SKELETAL CHARACTERISTICS OF HPP, AND 2) NOT CURRENTLY RECEIVING TREATMENT WITH A BISPHOSPHONATE.
Indications	All FDA-approved Indications.
Off Label Uses	

PA Criteria	Criteria Details
Part B Prerequisite	No

ATOGEPANT

Products Affected

• QULIPTA

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	INITIAL: 6 MONTHS. RENEWAL: 12 MONTHS.
Other Criteria	MIGRAINE PREVENTION: INITIAL: 1) TRIAL OF OR CONTRAINDICATION TO ONE OF THE FOLLOWING PREVENTIVE MIGRAINE TREATMENTS: DIVALPROEX SODIUM, TOPIRAMATE, PROPRANOLOL, TIMOLOL, AND 2) NO CONCURRENT USE WITH OTHER CGRP INHIBITORS FOR MIGRAINE PREVENTION. RENEWAL: 1) REDUCTION IN MIGRAINE OR HEADACHE FREQUENCY, MIGRAINE SEVERITY, OR MIGRAINE DURATION WITH THERAPY, AND 2) NO CONCURRENT USE WITH OTHER CGRP INHIBITORS FOR MIGRAINE PREVENTION.
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No

AVACOPAN

Products Affected

TAVNEOS

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	ANTI-NEUTROPHIL CYTOPLASMIC AUTOANTIBODY (ANCA)-ASSOCIATED VASCULITIS: INITIAL: ANCA SEROPOSITIVE (ANTI-PR3 OR ANTI-MPO).
Age Restrictions	
Prescriber Restrictions	ANCA-ASSOCIATED VASCULITIS: INITIAL: PRESCRIBED BY OR IN CONSULTATION WITH A RHEUMATOLOGIST OR NEPHROLOGIST.
Coverage Duration	INITIAL/RENEWAL: 6 MONTHS.
Other Criteria	ANCA-ASSOCIATED VASCULITIS: RENEWAL: CONTINUES TO BENEFIT FROM THERAPY.
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No

AVAPRITINIB

Products Affected

AYVAKIT

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	12 MONTHS
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No

AXATILIMAB-CSFR

Products Affected

NIKTIMVO

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	12 MONTHS
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No

AXITINIB

Products Affected

• INLYTA ORAL TABLET 1 MG, 5 MG

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	12 MONTHS
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No

AZACITIDINE

Products Affected

ONUREG

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	12 MONTHS
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No

AZTREONAM INHALED

Products Affected

CAYSTON

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	7 YEARS OF AGE OR OLDER
Prescriber Restrictions	
Coverage Duration	12 MONTHS
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No

BEDAQUILINE

Products Affected

• SIRTURO

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	24 WEEKS
Other Criteria	PULMONARY MULTI-DRUG RESISTANT TUBERCULOSIS (MDR-TB): SIRTURO USED IN COMBINATION WITH AT LEAST 3 OTHER ANTIBIOTICS FOR THE TREATMENT OF PULMONARY MDR-TB.
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No

BELIMUMAB

Products Affected

• BENLYSTA SUBCUTANEOUS

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	INITIAL: SYSTEMIC LUPUS ERYTHEMATOSUS (SLE): PRESCRIBED BY OR IN CONSULTATION WITH A RHEUMATOLOGIST. LUPUS NEPHRITIS (LN): PRESCRIBED BY OR IN CONSULTATION WITH A RHEUMATOLOGIST OR NEPHROLOGIST.
Coverage Duration	INITIAL: 6 MONTHS. RENEWAL: 12 MONTHS
Other Criteria	INITIAL: SLE: CURRENTLY TAKING CORTICOSTEROIDS, ANTIMALARIALS, NSAIDS, OR IMMUNOSUPPRESSIVE AGENTS. RENEWAL: SLE: PATIENT HAD CLINICAL IMPROVEMENT. LN: IMPROVEMENT IN RENAL RESPONSE FROM BASELINE LABORATORY VALUES (I.E., EGFR OR PROTEINURIA) AND/OR CLINICAL PARAMETERS.
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No

BELUMOSUDIL

Products Affected

REZUROCK

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	12 MONTHS
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No

BELZUTIFAN

Products Affected

WELIREG

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	12 MONTHS
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No

BENDAMUSTINE

Products Affected

- bendamustine intravenous recon soln
- BENDAMUSTINE INTRAVENOUS SOLUTION
- BENDEKA

VIVIMUSTA

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	12 MONTHS
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No

BENRALIZUMAB

Products Affected

- FASENRA
- FASENRA PEN

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	ASTHMA: INITIAL: BLOOD EOSINOPHIL LEVEL OF AT LEAST 150 CELLS/MCL WITHIN THE PAST 12 MONTHS.
Age Restrictions	
Prescriber Restrictions	ASTHMA: INITIAL: PRESCRIBED BY OR IN CONSULTATION WITH A PHYSICIAN SPECIALIZING IN ALLERGY OR PULMONARY MEDICINE.
Coverage Duration	INITIAL/RENEWAL: 12 MONTHS.

PA Criteria	Criteria Details
Other Criteria	INITIAL: ASTHMA: 1) CONCURRENT THERAPY WITH A MEDIUM, HIGH-DOSE, OR MAXIMALLY TOLERATED DOSE OF AN INHALED CORTICOSTEROID (ICS) AND ONE OTHER MAINTENANCE MEDICATION, 2) ONE ASTHMA EXACERBATION REQUIRING SYSTEMIC CORTICOSTEROID BURST LASTING 3 OR MORE DAYS WITHIN THE PAST 12 MONTHS, OR AT LEAST ONE SERIOUS EXACERBATION REQUIRING HOSPITALIZATION OR ER VISIT WITHIN THE PAST 12 MONTHS, OR POOR SYMPTOM CONTROL DESPITE CURRENT THERAPY AS EVIDENCED BY AT LEAST THREE OF THE FOLLOWING WITHIN THE PAST 4 WEEKS: (A) DAYTIME ASTHMA SYMPTOMS MORE THAN TWICE/WEEK, (B) ANY NIGHT WAKING DUE TO ASTHMA, (C) SABA RELIEVER FOR SYMPTOMS MORE THAN TWICE/WEEK, (D) ANY ACTIVITY LIMITATION DUE TO ASTHMA, AND 3) NO CONCURRENT USE WITH XOLAIR, DUPIXENT, TEZSPIRE, OR OTHER ANTI-IL5 BIOLOGICS WHEN USED FOR ASTHMA. EOSINOPHILIC GRANULOMATOSIS WITH POLYANGIITIS (EGPA): NO CONCURRENT USE WITH ANOTHER SYSTEMIC BIOLOGIC OR TARGETED SMALL MOLECULES (E.G., JAK INHIBITOR, PDE-2 INHIBITOR) FOR EGPA. RENEWAL: ASTHMA: 1) NO CONCURRENT USE WITH XOLAIR, DUPIXENT, TEZSPIRE, OR OTHER ANTI-IL5 BIOLOGICS WHEN USED FOR ASTHMA, 2) CONTINUED USE OF ICS AND ONE OTHER MAINTENANCE MEDICATION, AND 3) CLINICAL RESPONSE AS EVIDENCED BY: (A) REDUCTION IN ASTHMA EXACERBATIONS FROM BASELINE, (B) DECREASED UTILIZATION OF RESCUE MEDICATIONS, (C) INCREASE IN PERCENT PREDICTED FEVI FROM PRETREATMENT BASELINE, OR (D) REDUCTION IN SEVERITY OR FREQUENCY OF ASTHMA-RELATED SYMPTOMS. EGPA: 1) REDUCTION IN GPA SYMPTOMS COMPARED TO BASELINE OR ABILITY TO REDUCE/ELIMINATE CORTICOSTEROID USE, AND 2) NO CONCURRENT USE WITH ANOTHER SYSTEMIC BIOLOGIC OR TARGETED SMALL MOLECULES FOR EGPA.
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No

BETAINE

Products Affected

• betaine

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	12 MONTHS
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No

BEVACIZUMAB-ADCD

Products Affected

VEGZELMA

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	12 MONTHS
Other Criteria	THIS DRUG ALSO REQUIRES PAYMENT DETERMINATION AND MAY BE COVERED UNDER MEDICARE PART B OR D.
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No

BEVACIZUMAB-AWWB

Products Affected

• MVASI

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	12 MONTHS
Other Criteria	THIS DRUG ALSO REQUIRES PAYMENT DETERMINATION AND MAY BE COVERED UNDER MEDICARE PART B OR D.
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No

BEVACIZUMAB-BVZR

Products Affected

ZIRABEV

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	12 MONTHS
Other Criteria	THIS DRUG ALSO REQUIRES PAYMENT DETERMINATION AND MAY BE COVERED UNDER MEDICARE PART B OR D.
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No

BEXAROTENE

Products Affected

• bexarotene

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	12 MONTHS
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No

BINIMETINIB

Products Affected

MEKTOVI

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	12 MONTHS
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No

BORTEZOMIB

Products Affected

- bortezomib injectionBORUZU

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	12 MONTHS
Other Criteria	THIS DRUG ALSO REQUIRES PAYMENT DETERMINATION AND MAY BE COVERED UNDER MEDICARE PART B OR D.
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No

BOSENTAN

Products Affected

• bosentan

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	PULMONARY ARTERIAL HYPERTENSION (PAH): INITIAL: DIAGNOSIS CONFIRMED BY RIGHT HEART CATHETERIZATION WITH THE FOLLOWING PARAMETERS: 1) MEAN PULMONARY ARTERY PRESSURE (PAP) GREATER THAN 20 MMHG, 2) PULMONARY CAPILLARY WEDGE PRESSURE (PCWP) OF 15 MMHG OR LESS, AND 3) PULMONARY VASCULAR RESISTANCE (PVR) GREATER THAN 2 WOOD UNITS.
Age Restrictions	
Prescriber Restrictions	PAH: INITIAL: PRESCRIBED BY OR IN CONSULTATION WITH A CARDIOLOGIST OR PULMONOLOGIST.
Coverage Duration	INITIAL/RENEWAL: 12 MONTHS.
Other Criteria	PAH: INITIAL: 1) DOES NOT HAVE ELEVATED LIVER ENZYMES (ALT, AST) MORE THAN 3 TIMES UPPER LIMIT OF NORMAL (ULN) OR INCREASE IN BILIRUBIN BY 2 OR MORE TIMES ULN, AND 2) NO CONCURRENT USE WITH CYCLOSPORINE A OR GLYBURIDE. RENEWAL: NO CONCURRENT USE WITH CYCLOSPORINE A OR GLYBURIDE.
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No

BOSUTINIB

Products Affected

- BOSULIF ORAL CAPSULE 100 MG, 50 MG
- BOSULIF ORAL TABLET 100 MG, 400 MG, 500 MG

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	PREVIOUSLY TREATED PHILADELPHIA CHROMOSOME-POSITIVE CHRONIC MYELOID LEUKEMIA (Ph+ CML): MUTATIONAL ANALYSIS PRIOR TO INITIATION AND BOSULIF IS APPROPRIATE PER NCCN GUIDELINE TABLE FOR TREATMENT RECOMMENDATIONS BASED ON BCR-ABL1 MUTATION PROFILE.
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	12 MONTHS
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No

BRIGATINIB

Products Affected

- ALUNBRIG ORAL TABLET 180 MG, 30 MG, 90 MG
- ALUNBRIG ORAL TABLETS, DOSE PACK

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	12 MONTHS
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No

C1 ESTERASE INHIBITOR-HAEGARDA

Products Affected

• HAEGARDA SUBCUTANEOUS RECON SOLN 2,000 UNIT, 3,000 UNIT

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	HEREDITARY ANGIOEDEMA (HAE): INITIAL: DIAGNOSIS CONFIRMED BY ONE OF THE FOLLOWING COMPLEMENT TESTING: C1INH PROTEIN LEVELS, C4 PROTEIN LEVELS, C1-INH FUNCTIONAL LEVELS, C1Q.
Age Restrictions	
Prescriber Restrictions	HAE: INITIAL: PRESCRIBED BY OR IN CONSULTATION WITH A HEMATOLOGIST, IMMUNOLOGIST, ALLERGIST OR PULMONOLOGIST.
Coverage Duration	INITIAL/RENEWAL: 12 MONTHS.
Other Criteria	HAE: INITIAL: NOT ON CONCURRENT TREATMENT WITH ALTERNATIVE PROPHYLACTIC AGENT FOR HAE ATTACKS. RENEWAL: 1) IMPROVEMENT COMPARED TO BASELINE IN HAE ATTACKS (I.E., REDUCTIONS IN ATTACK FREQUENCY OR ATTACK SEVERITY), AND 2) NOT ON CONCURRENT TREATMENT WITH ALTERNATIVE PROPHYLACTIC AGENT FOR HAE ATTACKS.
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No

CABOZANTINIB CAPSULE

Products Affected

 COMETRIQ ORAL CAPSULE 100 MG/DAY(80 MG X1-20 MG X1), 140 MG/DAY(80 MG X1-20 MG X3), 60 MG/DAY (20 MG X 3/DAY)

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	12 MONTHS
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No

CABOZANTINIB TABLET

Products Affected

• CABOMETYX ORAL TABLET 20 MG, 40 MG, 60 MG

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	12 MONTHS
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No

CANNABIDIOL

Products Affected

• EPIDIOLEX

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	DRAVET SYNDROME (DS), LENNOX-GASTAUT SYNDROME (LGS), TUBEROUS SCLEROSIS COMPLEX (TSC): PRESCRIBED BY OR IN CONSULTATION WITH A NEUROLOGIST.
Coverage Duration	INITIAL/RENEWAL: 12 MONTHS.
Other Criteria	INITIAL: LENNOX-GASTAUT SYNDROME (LGS): TRIAL OF OR CONTRAINDICATION TO TWO OF THE FOLLOWING ANTIEPILEPTIC MEDICATIONS: RUFINAMIDE, FELBAMATE, CLOBAZAM, TOPIRAMATE, LAMOTRIGINE, CLONAZEPAM.
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No

CAPIVASERTIB

Products Affected

• TRUQAP

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	12 MONTHS
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No

CAPMATINIB

Products Affected

TABRECTA

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	12 MONTHS
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No

CARGLUMIC ACID

Products Affected

• carglumic acid

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	INITIAL: ACUTE OR CHRONIC HYPERAMMONEMIA (HA) DUE TO N ACETYLGLUTAMATE SYNTHASE (NAGS) DEFICIENCY: NAGS GENE MUTATION IS CONFIRMED BY BIOCHEMICAL OR GENETIC TESTING. ACUTE HA DUE TO PROPIONIC ACIDEMIA (PA): 1) CONFIRMED BY ELEVATED METHYLCITRIC ACID AND NORMAL METHYLMALONIC ACID, OR 2) GENETIC TESTING CONFIRMS MUTATION IN THE PCCA OR PCCB GENE. ACUTE HA DUE TO METHYLMALONIC ACIDEMIA (MMA): 1) CONFIRMED BY ELEVATED METHYLMALONIC ACID, METHYLCITRIC ACID, OR 2) GENETIC TESTING CONFIRMS MUTATION IN THE MMUT, MMA, MMAB OR MMADHC GENES.
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	ACUTE HA DUE TO NAGS/PA/MMA: 7 DAYS. CHRONIC HA DUE TO NAGS: INITIAL: 6 MOS, RENEWAL: 12 MOS.
Other Criteria	RENEWAL: CHRONIC HA DUE TO NAGS: PATIENT HAS SHOWN CLINICAL IMPROVEMENT.
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No

CERITINIB

Products Affected

· ZYKADIA

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	12 MONTHS
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No

CERTOLIZUMAB PEGOL

Products Affected

- CIMZIA POWDER FOR RECONST
- CIMZIA SUBCUTANEOUS SYRINGE KIT 400 MG/2 ML (200 MG/ML X 2)

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	INITIAL: PLAQUE PSORIASIS (PSO): PSORIASIS COVERING 3 PERCENT OR MORE OF BODY SURFACE AREA OR PSORIATIC LESIONS AFFECTING THE HANDS, FEET, FACE, SCALP, OR GENITAL AREA. NON-RADIOGRAPHIC AXIAL SPONDYLOARTHRITIS (NR-AXSPA): 1) C-REACTIVE PROTEIN (CRP) LEVELS ABOVE THE UPPER LIMIT OF NORMAL, OR 2) SACROILIITIS ON MAGNETIC RESONANCE IMAGING (MRI).
Age Restrictions	
Prescriber Restrictions	INITIAL: RHEUMATOID ARTHRITIS (RA), ANKYLOSING SPONDYLITIS (AS), NR-AXSPA, POLYARTICULAR JUVENILE IDIOPATHIC ARTHRITIS (PJIA): PRESCRIBED BY OR IN CONSULTATION WITH A RHEUMATOLOGIST. PSORIATIC ARTHRITIS (PSA): PRESCRIBED BY OR IN CONSULTATION WITH A DERMATOLOGIST OR RHEUMATOLOGIST. CROHNS DISEASE (CD): PRESCRIBED BY OR IN CONSULTATION WITH A GASTROENTEROLOGIST. PSO: PRESCRIBED BY OR IN CONSULTATION WITH A DERMATOLOGIST.
Coverage Duration	INITIAL: 6 MONTHS. RENEWAL: 12 MONTHS.

PA Criteria	Criteria Details
Other Criteria	INITIAL: RA: TRIAL OF OR CONTRAINDICATION TO TWO OF THE FOLLOWING PREFERRED AGENTS: ENBREL, HUMIRA/CYLTEZO/YUFLYMA, XELJANZ, RINVOQ, ORENCIA. PSA: TRIAL OF OR CONTRAINDICATION TO TWO OF THE FOLLOWING PREFERRED AGENTS: COSENTYX, ENBREL, HUMIRA/CYLTEZO/YUFLYMA, STELARA/SELARSDI/YESINTEK, XELJANZ, RINVOQ, SKYRIZI, TREMFYA, ORENCIA, OTEZLA. PSO: TRIAL OF OR CONTRAINDICATION TO TWO OF THE FOLLOWING PREFERRED AGENTS: COSENTYX, ENBREL, HUMIRA/CYLTEZO/YUFLYMA, STELARA/SELARSDI/YESINTEK, SKYRIZI, TREMFYA, OTEZLA. AS: TRIAL OF OR CONTRAINDICATION TO TWO OF THE FOLLOWING PREFERRED AGENTS: COSENTYX, ENBREL, HUMIRA/CYLTEZO/YUFLYMA, XELJANZ, RINVOQ. CD: TRIAL OF OR CONTRAINDICATION TO ONE OF THE FOLLOWING PREFERRED AGENTS: STELARA/SELARSDI/YESINTEK, HUMIRA/CYLTEZO/YUFLYMA, RINVOQ, SKYRIZI, TREMFYA. NR-AXSPA: TRIAL OF OR CONTRAINDICATION TO AN NSAID. PJIA: TRIAL OF OR CONTRAINDICATION TO TWO OF THE FOLLOWING PREFERRED AGENTS: ENBREL, HUMIRA/CYLTEZO/YUFLYMA, XELJANZ IR, ORENCIA, RINVOQ. INITIAL FOR RA, PSA, PSO, AS, CD, PJIA: TRIAL OF OR CONTRAINDICATION TO TWO OF THE FOLLOWING PREFERRED AGENTS: ENBREL, HUMIRA/CYLTEZO/YUFLYMA, XELJANZ IR, ORENCIA, RINVOQ. INITIAL FOR RA, PSA, PSO, AS, CD, PJIA: TRIAL OF OR CONTRAINDICATION TO THE STEP AGENTS IS NOT REQUIRED IF THE PATIENT IS PREGNANT, BREASTFEEDING, OR TRYING TO BECOME PREGNANT. INITIAL/RENEWAL FOR PSA, PSO, AS, CD, NR-AXSPA, PJIA: NO CONCURRENT USE WITH ANOTHER SYSTEMIC BIOLOGIC OR TARGETED SMALL MOLECULES (E.G., JAK INHIBITOR, PDE-4 INHIBITOR) FOR SAME INDICATION. RENEWAL FOR RA, PSA, AS, PSO, NR-AXSPA, PJIA: CONTINUES TO BENEFIT FROM MEDICATION.
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No

CETUXIMAB

Products Affected

• ERBITUX

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	12 MONTHS
Other Criteria	THIS DRUG ALSO REQUIRES PAYMENT DETERMINATION AND MAY BE COVERED UNDER MEDICARE PART B OR D.
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No

CLADRIBINE

Products Affected

- MAVENCLAD (10 TABLET PACK)
- MAVENCLAD (4 TABLET PACK)
- MAVENCLAD (5 TABLET PACK)
- MAVENCLAD (6 TABLET PACK)
- MAVENCLAD (7 TABLET PACK)
- MAVENCLAD (8 TABLET PACK)
- MAVENCLAD (9 TABLET PACK)

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	48 WEEKS.
Other Criteria	RELAPSING FORM OF MULTIPLE SCLEROSIS (MS): HAS NOT RECEIVED A TOTAL OF TWO YEARS OF MAVENCLAD TREATMENT (I.E., TWO YEARLY TREATMENT COURSES OF TWO CYCLES IN EACH).
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No

CLOBAZAM-SYMPAZAN

Products Affected

SYMPAZAN

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	LENNOX-GASTAUT SYNDROME (LGS): THERAPY IS PRESCRIBED BY OR IN CONSULTATION WITH A NEUROLOGIST.
Coverage Duration	12 MONTHS
Other Criteria	LGS: 1) UNABLE TO TAKE TABLETS OR SUSPENSIONS, AND 2) TRIAL OF OR CONTRAINDICATION TO A FORMULARY VERSION OF CLOBAZAM.
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No

COBIMETINIB

Products Affected

COTELLIC

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	12 MONTHS
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No

CORTICOTROPIN

Products Affected

ACTHAR

- CORTROPHIN GEL INJECTION
- ACTHAR SELFJECT SUBCUTANEOUS PEN INJECTOR 40 UNIT/0.5 ML, 80 UNIT/ML

PA Criteria	Criteria Details
Exclusion Criteria	INITIAL: NOT APPROVED FOR DIAGNOSTIC PURPOSES.
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	INITIAL: ALL FDA APPROVED INDICATIONS EXCEPT INFANTILE SPASMS AND MULTIPLE SCLEROSIS (MS): PRESCRIBED BY OR IN CONSULTATION WITH A RHEUMATOLOGIST, DERMATOLOGIST, ALLERGIST/IMMUNOLOGIST, OPHTHALMOLOGIST, PULMONOLOGIST OR NEPHROLOGIST.
Coverage Duration	INFANTILE SPASMS AND MS: 28 DAYS. ALL OTHER FDA APPROVED INDICATIONS: INITIAL/RENEWAL: 12 MONTHS.
Other Criteria	INITIAL: ALL FDA APPROVED INDICATIONS EXCEPT INFANTILE SPASMS: TRIAL OF OR CONTRAINDICATION TO INTRAVENOUS (IV) CORTICOSTEROIDS. RENEWAL: ALL FDA APPROVED INDICATIONS EXCEPT INFANTILE SPASMS AND MS: DEMONSTRATED CLINICAL BENEFIT WHILE ON THERAPY AS INDICATED BY SYMPTOM RESOLUTION AND/OR NORMALIZATION OF LABORATORY TESTS. PART B BEFORE PART D STEP THERAPY, APPLIES ONLY TO BENEFICIARIES IN AN MA-PD PLAN.
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	Yes

CRIZOTINIB CAPSULE

Products Affected

• XALKORI ORAL CAPSULE

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	12 MONTHS
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No

CRIZOTINIB PELLETS

Products Affected

• XALKORI ORAL PELLET 150 MG, 20 MG, 50 MG

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	12 MONTHS
Other Criteria	NON-SMALL CELL LUNG CANCER (NSCLC), ANAPLASTIC LARGE CELL LYMPHOMA (ALCL), INFLAMMATORY MYOFIBROBLASTIC TUMOR (IMT): UNABLE TO SWALLOW CAPSULES.
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No

DABRAFENIB CAPSULES

Products Affected

• TAFINLAR ORAL CAPSULE

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	12 MONTHS
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No

DABRAFENIB SUSPENSION

Products Affected

 TAFINLAR ORAL TABLET FOR SUSPENSION

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	12 MONTHS
Other Criteria	UNABLE TO SWALLOW TAFINILAR CAPSULES.
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No

DACOMITINIB

Products Affected

VIZIMPRO

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	12 MONTHS
Other Criteria	METASTATIC NON-SMALL CELL LUNG CANCER (NSCLC): NOT ON CONCURRENT THERAPY WITH AN EGFR TYROSINE KINASE-INHIBITOR.
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No

DALFAMPRIDINE

Products Affected

• dalfampridine

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	MULTIPLE SCLEROSIS (MS): INITIAL: PRESCRIBED BY OR IN CONSULTATION WITH A NEUROLOGIST.
Coverage Duration	INITIAL: 3 MONTHS. RENEWAL: 12 MONTHS.
Other Criteria	MS: INITIAL: HAS SYMPTOMS OF A WALKING DISABILITY SUCH AS MILD TO MODERATE BILATERAL LOWER EXTREMITY WEAKNESS OR UNILATERAL WEAKNESS PLUS LOWER EXTREMITY OR TRUNCAL ATAXIA. RENEWAL: IMPROVEMENT IN WALKING ABILITY.
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No

DAROLUTAMIDE

Products Affected

NUBEQA

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	INITIAL/RENEWAL: 12 MONTHS
Other Criteria	INITIAL: NON-METASTATIC CASTRATION-RESISTANT PROSTATE CANCER (NMCRPC): HIGH RISK PROSTATE CANCER (I.E., RAPIDLY INCREASING PROSTATE SPECIFIC ANTIGEN [PSA] LEVELS). NMCRPC, METASTATIC HORMONE-SENSITIVE PROSTATE CANCER (MHSPC): 1) RECEIVED A BILATERAL ORCHIECTOMY, 2) CASTRATE LEVEL OF TESTOSTERONE (I.E., LESS THAN 50 NG/DL), OR 3) CONCURRENT USE WITH A GONADOTROPIN RELEASING HORMONE (GNRH) ANALOG. RENEWAL: NMCRPC, MHSPC: 1) RECEIVED A BILATERAL ORCHIECTOMY, 2) CASTRATE LEVEL OF TESTOSTERONE (I.E., LESS THAN 50 NG/DL), OR 3) CONCURRENT USE WITH A GNRH ANALOG.
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No

DASATINIB

Products Affected

• dasatinib oral tablet 100 mg, 140 mg, 20 mg, 50 mg, 70 mg, 80 mg

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	PREVIOUSLY TREATED PHILADELPHIA CHROMOSOME-POSITIVE CHRONIC MYELOID LEUKEMIA (Ph+ CML): MUTATIONAL ANALYSIS PRIOR TO INITIATION AND DASATINIB IS APPROPRIATE PER NCCN GUIDELINE TABLE FOR TREATMENT RECOMMENDATIONS BASED ON BCR-ABL1 MUTATION PROFILE.
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	12 MONTHS
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No

DATOPOTAMAB DERUXTECAN-DLNK

Products Affected

DATROWAY

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	12 MONTHS
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No

DECITABINE/CEDAZURIDINE

Products Affected

• INQOVI

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	12 MONTHS
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No

DEFERASIROX

Products Affected

- deferasirox oral granules in packetdeferasirox oral tablet

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	INITIAL: CHRONIC IRON OVERLOAD DUE TO BLOOD TRANSFUSIONS: SERUM FERRITIN LEVEL CONSISTENTLY ABOVE 1000 MCG/L (AT LEAST TWO LAB VALUES IN THE PREVIOUS THREE MONTHS). CHRONIC IRON OVERLOAD IN NON-TRANSFUSION DEPENDENT THALASSEMIA (NTDT): 1) SERUM FERRITIN LEVEL CONSISTENTLY ABOVE 300 MCG/L (AT LEAST TWO LAB VALUES IN THE PREVIOUS THREE MONTHS), AND 2) LIVER IRON CONCENTRATION (LIC) OF 5 MG FE/G OF DRY LIVER WEIGHT OR GREATER. RENEWAL: CHRONIC IRON OVERLOAD DUE TO BLOOD TRANSFUSIONS: SERUM FERRITIN LEVEL CONSISTENTLY ABOVE 500 MCG/L (AT LEAST TWO LAB VALUES IN THE PREVIOUS THREE MONTHS). NTDT: 1) SERUM FERRITIN LEVEL CONSISTENTLY ABOVE 300 MCG/L (AT LEAST TWO LAB VALUES IN THE PREVIOUS THREE MONTHS) OR 2) LIC OF 3 MG FE/G OF DRY LIVER WEIGHT OR GREATER.
Age Restrictions	
Prescriber Restrictions	INITIAL (CHRONIC IRON OVERLOAD): PRESCRIBED BY OR IN CONSULTATION WITH A HEMATOLOGIST OR HEMATOLOGIST/ONCOLOGIST.
Coverage Duration	INITIAL: 6 MONTHS. RENEWAL: 12 MONTHS.
Other Criteria	INITIAL (CHRONIC IRON OVERLOAD): DEFERASIROX SPRINKLE PACKETS: TRIAL OF OR CONTRAINDICATION TO GENERIC DEFERASIROX ORAL TABLET OR TABLET FOR ORAL SUSPENSION.
Indications	All FDA-approved Indications.

PA Criteria	Criteria Details
Off Label Uses	
Part B Prerequisite	No

DENOSUMAB-XGEVA

Products Affected

• XGEVA

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	12 MONTHS
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No

DEUTETRABENAZINE

Products Affected

- AUSTEDO ORAL TABLET 12 MG, 6 MG, 9 MG
- AUSTEDO XR ORAL TABLET EXTENDED RELEASE 24 HR 12 MG, 18
- MG, 24 MG, 30 MG, 36 MG, 42 MG, 48 MG, 6 MG
- AUSTEDO XR TITRATION KT(WK1-4)

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	HUNTINGTON DISEASE: PRESCRIBED BY OR IN CONSULTATION WITH A NEUROLOGIST OR MOVEMENT DISORDER SPECIALIST. TARDIVE DYSKINESIA: PRESCRIBED BY OR IN CONSULTATION WITH A NEUROLOGIST, PSYCHIATRIST, OR MOVEMENT DISORDER SPECIALIST.
Coverage Duration	12 MONTHS
Other Criteria	TARDIVE DYSKINESIA: HISTORY OF USING AGENTS THAT CAUSE TARDIVE DYSKINESIA.
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No

DICLOFENAC TOPICAL SOLUTION

Products Affected

• diclofenac sodium topical solution in metered-dose pump

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	6 MONTHS
Other Criteria	OSTEOARTHRITIS OF THE KNEE: TRIAL OF OR CONTRAINDICATION TO A FORMULARY VERSION OF DICLOFENAC SODIUM 1% TOPICAL GEL AND A FORMULARY VERSION OF DICLOFENAC SODIUM 1.5% TOPICAL DROPS.
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No

DICLOFENAC-FLECTOR

Products Affected

• diclofenac epolamine

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	12 MONTHS
Other Criteria	
Indications	All Medically-accepted Indications.
Off Label Uses	
Part B Prerequisite	No

DIMETHYL FUMARATE

Products Affected

• dimethyl fumarate oral capsule,delayed release(dr/ec) 120 mg, 120 mg (14)- 240 mg (46), 240 mg

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	12 MONTHS
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No

DIROXIMEL FUMARATE

Products Affected

VUMERITY

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	12 MONTHS
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No

DOSTARLIMAB-GXLY

Products Affected

JEMPERLI

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	12 MONTHS
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No

DRONABINOL CAPSULE

Products Affected

• dronabinol

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	6 MONTHS
Other Criteria	NAUSEA AND VOMITING ASSOCIATED WITH CANCER CHEMOTHERAPY: TRIAL OF OR CONTRAINDICATION TO ONE ANTIEMETIC THERAPY. THIS DRUG ALSO REQUIRES PAYMENT DETERMINATION AND MAY BE COVERED UNDER MEDICARE PART B OR D FOR THE INDICATION OF NAUSEA AND VOMITING ASSOCIATED WITH CANCER CHEMOTHERAPY.
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No

DROXIDOPA

Products Affected

• droxidopa

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	NEUROGENIC ORTHOSTATIC HYPOTENSION (NOH): INITIAL: 1) BASELINE BLOOD PRESSURE READINGS WHILE THE PATIENT IS SITTING AND ALSO WITHIN 3 MINUTES OF STANDING FROM A SUPINE POSITION. 2) A DECREASE OF AT LEAST 20 MMHG IN SYSTOLIC BLOOD PRESSURE OR 10 MMHG DIASTOLIC BLOOD PRESSURE WITHIN THREE MINUTES AFTER STANDING FROM A SITTING POSITION.
Age Restrictions	
Prescriber Restrictions	NOH: INITIAL: PRESCRIBED BY OR IN CONSULTATION WITH A NEUROLOGIST OR CARDIOLOGIST.
Coverage Duration	INITIAL: 3 MONTHS RENEWAL: 12 MONTHS
Other Criteria	NOH: RENEWAL: CONTINUES TO BENEFIT FROM THE MEDICATION.
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No

DUPILUMAB

Products Affected

- DUPIXENT PEN
- DUPIXENT SYRINGE

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	INITIAL: EOSINOPHILIC ASTHMA: BLOOD EOSINOPHIL LEVEL OF 150 TO 1500 CELLS/MCL WITHIN THE PAST 12 MONTHS. EOSINOPHILIC ESOPHAGITIS (EOE): DIAGNOSIS CONFIRMED BY ESOPHAGOGASTRODUODENOSCOPY (EGD) WITH BIOPSY. ATOPIC DERMATITIS (AD): AD COVERING AT LEAST 10 PERCENT OF BODY SURFACE AREA OR AD AFFECTING THE FACE, HEAD, NECK, HANDS, FEET, GROIN, OR INTERTRIGINOUS AREAS.
Age Restrictions	
Prescriber Restrictions	INITIAL: AD, PRURIGO NODULARIS (PN): PRESCRIBED BY OR IN CONSULTATION WITH A DERMATOLOGIST, ALLERGIST OR IMMUNOLOGIST. ASTHMA: PRESCRIBED BY OR IN CONSULTATION WITH A PHYSICIAN SPECIALIZING IN ALLERGY OR PULMONARY MEDICINE. CRSWNP: PRESCRIBED BY OR IN CONSULTATION WITH AN OTOLARYNGOLOGIST, ALLERGIST OR IMMUNOLOGIST. EOE: PRESCRIBED BY OR IN CONSULTATION WITH A GASTROENTEROLOGIST, ALLERGIST, OR IMMUNOLOGIST. EOSINOPHILIC COPD: PRESCRIBED BY OR IN CONSULTATION WITH A PULMONOLOGIST.
Coverage Duration	INITIAL: AD, CRSWNP, EOE, PN: 6 MOS, ASTHMA, COPD: 12 MOS. RENEWAL: ALL INDICATIONS: 12 MOS.

PA Criteria	Criteria Details
Other Criteria	INITIAL: AD: 1) INTRACTABLE PRURITUS OR CRACKING/OOZING/BLEEDING OF AFFECTED SKIN, 2) TRIAL
	OF OR CONTRAINDICATION TO ONE TOPICAL
	(CORTICOSTEROID, CALCINEURIN INHIBITOR, PDE4
	INHIBITOR, OR JAK INHIBITOR), AND 3) NO CONCURRENT USE
	WITH OTHER SYSTEMIC BIOLOGICS OR JAK INHIBITORS FOR
	AD. ASTHMA: 1) CONCURRENT THERAPY WITH A MEDIUM,
	HIGH-DOSE OR MAXIMALLY-TOLERATED DOSE OF AN
	INHALED CORTICOSTEROID (ICS) AND ONE OTHER
	MAINTENANCE MEDICATION, 2) ONE ASTHMA
	EXACERBATION REQUIRING SYSTEMIC CORTICOSTEROID
	BURST LASTING 3 OR MORE DAYS WITHIN THE PAST 12
	MONTHS, OR ONE SERIOUS EXACERBATION REQUIRING
	HOSPITALIZATION OR ER VISIT WITHIN THE PAST 12 MONTHS,
	OR POOR SYMPTOM CONTROL DESPITE CURRENT THERAPY
	AS EVIDENCED BY AT LEAST THREE OF THE FOLLOWING
	WITHIN THE PAST 4 WEEKS: (A) DAYTIME ASTHMA
	SYMPTOMS MORE THAN TWICE/WEEK, (B) ANY NIGHT
	WAKING DUE TO ASTHMA, (C) SABA RELIEVER FOR
	SYMPTOMS MORE THAN TWICE/WEEK, (D) ANY ACTIVITY
	LIMITATION DUE TO ASTHMA, AND 3) NO CONCURRENT USE
	WITH XOLAIR, TEZSPIRE, OR OTHER ANTI-IL5 BIOLOGICS
	WHEN USED FOR ASTHMA. CHRONIC RHINOSINUSITIS WITH
	NASAL POLYPS (CRSWNP): 1) A 56 DAY TRIAL OF ONE TOPICAL
	NASAL CORTICOSTEROID, AND 2) NO CONCURRENT USE WITH
	ANOTHER SYSTEMIC BIOLOGIC OR TARGETED SMALL
	MOLECULES (E.G., JAK INHIBITOR, PDE-4 INHIBITOR) FOR AN
	AUTOIMMUNE INDICATION. PN: 1) CHRONIC PRURITIS (ITCH
	MORE THAN 6 WEEKS), MULTIPLE PRURIGINOUS LESIONS, AND HISTORY OR SIGN OF A PROLONGED SCRATCHING
	BEHAVIOR, AND 2) TRIAL OF OR CONTRAINDICATION TO ONE
	TOPICAL (CORTICOSTEROID OR CALCIPOTRIOL).
	EOSINOPHILIC COPD: 1) USED IN COMBINATION WITH A
	LAMA/LABA/ICS, AND 2) NO CONCURRENT USE WITH
	ANOTHER SYSTEMIC BIOLOGIC OR TARGETED SMALL
	111.011LLC 0101LMIC DIOLOGIC OR IAROLILD SWILL

PA Criteria	Criteria Details
	MOLECULES FOR EOSINOPHILIC COPD. RENEWAL: AD: 1) IMPROVEMENT WHILE ON THERAPY, AND 2) NO CONCURRENT USE WITH OTHER SYSTEMIC BIOLOGICS OR JAK INHIBITORS FOR AD. EOE: IMPROVEMENT WHILE ON THERAPY. CRSWNP: 1) IMPROVEMENT WHILE ON THERAPY, AND 2) NO CONCURRENT USE WITH ANOTHER SYSTEMIC BIOLOGIC OR TARGETED SMALL MOLECULES FOR AN AUTOIMMUNE INDICATION. ASTHMA: 1) NO CONCURRENT USE WITH XOLAIR, TEZSPIRE, OR OTHER ANTI-IL5 BIOLOGICS FOR ASTHMA, 2) CONTINUED USE OF ICS AND ONE OTHER MAINTENANCE MEDICATION, AND 3) CLINICAL RESPONSE AS EVIDENCED BY: (A) REDUCTION IN ASTHMA EXACERBATIONS FROM BASELINE, (B) DECREASED UTILIZATION OF RESCUE MEDICATIONS, (C) INCREASE IN PERCENT PREDICTED FEV1 FROM PRETREATMENT BASELINE, OR (D) REDUCTION IN SEVERITY OR FREQUENCY OF ASTHMA-RELATED SYMPTOMS. PN: IMPROVEMENT OR REDUCTION OF PRURITIS OR PRURIGINOUS LESIONS. EOSINOPHILIC COPD: 1) USED IN COMBINATION WITH A LAMA/LABA/ICS, 2) NO CONCURRENT USE WITH ANOTHER SYSTEMIC BIOLOGIC OR TARGETED SMALL MOLECULES FOR EOSINOPHILIC COPD, AND 3) CLINICAL RESPONSE AS EVIDENCED BY (A) REDUCTION IN COPD EXACERBATIONS FROM BASELINE, (B) REDUCTION IN SEVERITY OR FREQUENCY OF COPD-RELATED SYMPTOMS, OR (C) INCREASE IN FEV1 OF AT LEAST 5 PERCENT FROM PRETREATMENT BASELINE.
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No

DUVELISIB

Products Affected

COPIKTRA

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	12 MONTHS
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No

EFLORNITHINE

Products Affected

• IWILFIN

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	24 MONTHS
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No

ELACESTRANT

Products Affected

• ORSERDU ORAL TABLET 345 MG, 86 MG

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	12 MONTHS
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No

ELAGOLIX

Products Affected

 ORILISSA ORAL TABLET 150 MG, 200 MG

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	MODERATE TO SEVERE PAIN ASSOCIATED WITH ENDOMETRIOSIS: INITIAL: DIAGNOSIS IS CONFIRMED VIA SURGICAL OR DIRECT VISUALIZATION (E.G., PELVIC ULTRASOUND) OR HISTOPATHOLOGICAL CONFIRMATION (E.G., LAPAROSCOPY OR LAPAROTOMY) IN THE LAST 10 YEARS.
Age Restrictions	MODERATE TO SEVERE PAIN ASSOCIATED WITH ENDOMETRIOSIS: INITIAL: 18 YEARS OF AGE OR OLDER.
Prescriber Restrictions	MODERATE TO SEVERE PAIN ASSOCIATED WITH ENDOMETRIOSIS: INITIAL: PRESCRIBED BY OR IN CONSULTATION WITH AN OBSTETRICIAN/GYNECOLOGIST.
Coverage Duration	INITIAL: 6 MONTHS, RENEWAL: 12 MONTHS
Other Criteria	MODERATE TO SEVERE PAIN ASSOCIATED WITH ENDOMETRIOSIS: INITIAL: 1) NO CONCURRENT USE WITH ANOTHER GNRH-MODULATING AGENT, AND 2) TRIAL OF OR CONTRAINDICATION TO AN NSAID AND A PROGESTIN-CONTAINING PREPARATION. RENEWAL: 1) IMPROVEMENT IN PAIN ASSOCIATED WITH ENDOMETRIOSIS WHILE ON THERAPY, AND 2) NO CONCURRENT USE WITH ANOTHER GNRH-MODULATING AGENT
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No

ELRANATAMAB-BCMM

Products Affected

- ELREXFIO 44 MG/1.1 ML VIAL INNER, SUV, P/F
- ELREXFIO SUBCUTANEOUS SOLUTION 40 MG/ML

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	INITIAL: 6 MONTHS. RENEWAL: 12 MONTHS.
Other Criteria	RELAPSED OR REFRACTORY MULTIPLE MYELOMA: RENEWAL: 1) HAS RECEIVED AT LEAST 24 WEEKS OF TREATMENT WITH ELREXFIO, AND 2) HAS RESPONDED TO TREATMENT (PARTIAL RESPONSE OR BETTER), AND HAS MAINTAINED THIS RESPONSE FOR AT LEAST 2 MONTHS. THIS DRUG ALSO REQUIRES PAYMENT DETERMINATION AND MAY BE COVERED UNDER MEDICARE PART B OR D.
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No

ELTROMBOPAG - ALVAIZ

Products Affected

ALVAIZ

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	PERSISTENT OR CHRONIC IMMUNE THROMBOCYTOPENIA (ITP): INITIAL: 1) PLATELET COUNT IS LESS THAN 30 X 10^9/L FROM AT LEAST 2 SEPARATE LABS IN THE LAST 3 MONTHS, OR 2) PLATELET COUNT IS LESS THAN 50 X 10^9/L FROM AT LEAST 2 SEPARATE LABS IN THE LAST 3 MONTHS AND HAD A PRIOR BLEEDING EVENT.
Age Restrictions	
Prescriber Restrictions	INITIAL: ITP: PRESCRIBED BY OR IN CONSULTATION WITH A HEMATOLOGIST OR IMMUNOLOGIST.
Coverage Duration	ITP: INITIAL: 6 MO, RENEWAL: 12 MO. HEPATITIS C, SEVERE APLASTIC ANEMIA: 12 MO.
Other Criteria	INITIAL: ITP: 1) TRIAL OF OR CONTRAINDICATION TO ONE CORTICOSTEROID OR IMMUNOGLOBULIN, OR AN INSUFFICIENT RESPONSE TO SPLENECTOMY, AND 2) NO CONCURRENT USE WITH OTHER THROMBOPOIETIN RECEPTOR AGONISTS (TPO-RAS) OR SPLEEN TYROSINE KINASE (SYK) INHIBITOR. RENEWAL: ITP: 1) IMPROVEMENT IN PLATELET COUNT FROM BASELINE OR REDUCTION IN BLEEDING EVENTS, AND 2) NO CONCURRENT USE WITH OTHER TPO-RAS OR SYK INHIBITOR.
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No

ELTROMBOPAG - PROMACTA

Products Affected

- PROMACTA ORAL POWDER IN PACKET 12.5 MG, 25 MG
- PROMACTA ORAL TABLET 12.5 MG, 25 MG, 50 MG, 75 MG

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	PERSISTENT OR CHRONIC IMMUNE THROMBOCYTOPENIA (ITP): INITIAL: 1) PLATELET COUNT OF LESS THAN 30 X 10^9/L FROM AT LEAST 2 SEPARATE LAB TESTS IN THE LAST 3 MONTHS, OR 2) PLATELET COUNT OF LESS THAN 50 X 10^9/L FROM AT LEAST 2 SEPARATE LAB TESTS IN THE LAST 3 MONTHS AND A PRIOR BLEEDING EVENT.
Age Restrictions	
Prescriber Restrictions	INITIAL: ITP: PRESCRIBED BY OR IN CONSULTATION WITH A HEMATOLOGIST OR IMMUNOLOGIST.
Coverage Duration	ITP: INITIAL: 6 MO, RENEWAL: 12 MO. HEPATITIS C, SEVERE APLASTIC ANEMIA: 12 MO.
Other Criteria	INITIAL: ITP: 1) TRIAL OF OR CONTRAINDICATION TO ONE CORTICOSTEROID OR IMMUNOGLOBULIN, OR HAD AN INSUFFICIENT RESPONSE TO SPLENECTOMY, AND 2) NO CONCURRENT USE WITH OTHER THROMBOPOIETIN RECEPTOR AGONISTS (TPO-RAS) OR SPLEEN TYROSINE KINASE (SYK) INHIBITOR. ALL INDICATIONS: APPROVAL FOR PROMACTA ORAL SUSPENSION PACKETS REQUIRES A TRIAL OF PROMACTA TABLET OR PATIENT IS UNABLE TOLERATE TABLET FORMULATION. RENEWAL: ITP: 1) IMPROVEMENT IN PLATELET COUNTS FROM BASELINE OR REDUCTION IN BLEEDING EVENTS, AND 2) NO CONCURRENT USE WITH OTHER TPO-RAS OR SYK INHIBITOR.
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No

ENASIDENIB

Products Affected

IDHIFA

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	12 MONTHS
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No

ENCORAFENIB

Products Affected

BRAFTOVI

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	12 MONTHS
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No

ENTRECTINIB CAPSULES

Products Affected

 ROZLYTREK ORAL CAPSULE 100 MG, 200 MG

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	12 MONTHS
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No

ENTRECTINIB PELLETS

Products Affected

ROZLYTREK ORAL PELLETS IN PACKET

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	12 MONTHS
Other Criteria	METASTATIC NON-SMALL CELL LUNG CANCER (NSCLC), SOLID TUMORS: 1) TRIAL OF OR CONTRAINDICATION TO ROZLYTREK CAPSULES MADE INTO AN ORAL SUSPENSION, AND 2) DIFFICULTY OR UNABLE TO SWALLOW CAPSULES.
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No

ENZALUTAMIDE

- XTANDI ORAL CAPSULE
- XTANDI ORAL TABLET 40 MG, 80 MG

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	INITIAL: ALL INDICATIONS: 12 MONTHS. RENEWAL: MCRPC, NMCRPC, MCSPC: 12 MONTHS.
Other Criteria	INITIAL: NON-METASTATIC CASTRATION-RESISTANT PROSTATE CANCER (NMCRPC): HIGH RISK PROSTATE CANCER (I.E. RAPIDLY INCREASING PROSTATE SPECIFIC ANTIGEN [PSA] LEVELS). NON-METASTATIC CASTRATION-SENSITIVE PROSTATE CANCER (NMCSPC): HIGH RISK FOR METASTASIS (I.E. PSA DOUBLING TIME OF 9 MONTHS OR LESS). METASTATIC CRPC (MCRPC), NMCRPC, METASTATIC CSPC (MCSPC), NMCSPC: 1) RECEIVED A BILATERAL ORCHIECTOMY, 2) CASTRATE LEVEL OF TESTOSTERONE (I.E., LESS THAN 50 NG/DL), OR 3) CONCURRENT USE WITH A GONADOTROPIN RELEASING HORMONE (GNRH) ANALOG. RENEWAL: MCRPC, NMCRPC, MCSPC: 1) RECEIVED A BILATERAL ORCHIECTOMY, 2) CASTRATE LEVEL OF TESTOSTERONE (I.E., LESS THAN 50 NG/DL), OR 3) CONCURRENT USE WITH A GNRH ANALOG.
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No

EPCORITAMAB-BYSP

Products Affected

EPKINLY

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	12 MONTHS
Other Criteria	THIS DRUG ALSO REQUIRES PAYMENT DETERMINATION AND MAY BE COVERED UNDER MEDICARE PART B OR D.
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No

EPOETIN ALFA-EPBX

Products Affected

 RETACRIT INJECTION SOLUTION 10,000 UNIT/ML, 2,000 UNIT/ML, 20,000 UNIT/2 ML, 20,000 UNIT/ML, 3,000 UNIT/ML, 4,000 UNIT/ML, 40,000 UNIT/ML

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	INITIAL: CHRONIC KIDNEY DISEASE (CKD), ANEMIA RELATED TO ZIDOVUDINE, OR CANCER CHEMOTHERAPY: HEMOGLOBIN LEVEL IS LESS THAN 10G/DL. ELECTIVE, NON-CARDIAC, NON-VASCULAR SURGERY: HEMOGLOBIN LEVEL IS LESS THAN 13G/DL. RENEWAL: 1) CKD IN ADULTS NOT ON DIALYSIS: (A) HEMOGLOBIN LEVEL IS LESS THAN 10G/DL, OR (B) HEMOGLOBIN LEVEL HAS REACHED 10G/DL AND THE DOSE IS BEING OR HAS BEEN REDUCED/INTERRUPTED TO DECREASE THE NEED FOR BLOOD TRANSFUSIONS. 2) CKD IN PEDIATRIC PATIENTS: (A) HEMOGLOBIN LEVEL IS LESS THAN 10G/DL, OR (B) HEMOGLOBIN LEVEL HAS APPROACHED OR EXCEEDS 12G/DL AND THE DOSE IS BEING OR HAS BEEN REDUCED/INTERRUPTED TO DECREASE THE NEED FOR BLOOD TRANSFUSIONS. 3) ANEMIA RELATED TO ZIDOVUDINE: HEMOGLOBIN LEVEL BETWEEN 10G/DL AND 12G/DL. 4) CANCER CHEMOTHERAPY: (A) HEMOGLOBIN LEVEL IS LESS THAN 10 G/DL, OR (B) HEMOGLOBIN LEVEL DOES NOT EXCEED A LEVEL NEEDED TO AVOID RBC TRANSFUSION.
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	ANEMIA FROM CHEMO/CKD WITHOUT DIALYSIS/ZIDOVUDINE: INITIAL/RENEWAL: 12 MONTHS. SURGERY: 1 MONTH.
Other Criteria	RENEWAL: CKD: NOT RECEIVING DIALYSIS TREATMENT. THIS DRUG MAY BE EITHER BUNDLED WITH AND COVERED UNDER END STAGE RENAL DISEASE DIALYSIS RELATED SERVICES OR COVERED UNDER MEDICARE D DEPENDING UPON THE CIRCUMSTANCES.

PA Criteria	Criteria Details
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No

ERDAFITINIB

Products Affected

 BALVERSA ORAL TABLET 3 MG, 4 MG, 5 MG

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	12 MONTHS
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No

ERENUMAB-AOOE

Products Affected

AIMOVIG AUTOINJECTOR

PA Criteria	Criteria Details
Exclusion Criteria	PA Criteria: Pending CMS Approval
Required Medical Information	PA Criteria: Pending CMS Approval
Age Restrictions	PA Criteria: Pending CMS Approval
Prescriber Restrictions	PA Criteria: Pending CMS Approval
Coverage Duration	PA Criteria: Pending CMS Approval
Other Criteria	PA Criteria: Pending CMS Approval
Indications	PA Criteria: Pending CMS Approval
Off Label Uses	PA Criteria: Pending CMS Approval
Part B Prerequisite	No

ERLOTINIB

Products Affected

• erlotinib oral tablet 100 mg, 150 mg, 25 mg

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	12 MONTHS
Other Criteria	METASTATIC NON-SMALL CELL LUNG CANCER (NSCLC) WITH EGFR MUTATION: NOT ON CONCURRENT THERAPY WITH AN EGFR TYROSINE KINASE INHIBITOR.
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No

ESKETAMINE

Products Affected

SPRAVATO

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	INITIAL: TREATMENT-RESISTANT DEPRESSION (TRD), MAJOR DEPRESSIVE DISORDER (MDD): PRESCRIBED BY OR IN CONSULTATION WITH A PSYCHIATRIST.
Coverage Duration	INITIAL: TRD: 3 MONTHS. MDD: 4 WEEKS. RENEWAL: TRD, MDD: 12 MONTHS.
Other Criteria	INITIAL: TRD, MDD: 1) NON-PSYCHOTIC, UNIPOLAR DEPRESSION, AND 2) NO ACTIVE SUBSTANCE ABUSE. RENEWAL: TRD, MDD: DEMONSTRATED CLINICAL BENEFIT (IMPROVEMENT IN DEPRESSION) COMPARED TO BASELINE.
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No

ETANERCEPT

- ENBREL
- ENBREL MINI
- ENBREL SURECLICK

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	INITIAL: PLAQUE PSORIASIS (PSO): PSORIASIS COVERING 3 PERCENT OR MORE OF BODY SURFACE AREA OR PSORIATIC LESIONS AFFECTING THE HANDS, FEET, FACE, SCALP, OR GENITAL AREA.
Age Restrictions	
Prescriber Restrictions	INITIAL: RHEUMATOID ARTHRITIS (RA), POLYARTICULAR JUVENILE IDIOPATHIC ARTHRITIS (PJIA), ANKYLOSING SPONDYLITIS (AS): PRESCRIBED BY OR IN CONSULTATION WITH A RHEUMATOLOGIST. PSORIATIC ARTHRITIS (PSA): PRESCRIBED BY OR IN CONSULTATION WITH A DERMATOLOGIST OR RHEUMATOLOGIST. PSO: PRESCRIBED BY OR IN CONSULTATION WITH A DERMATOLOGIST.
Coverage Duration	INITIAL: 6 MONTHS, RENEWAL: 12 MONTHS.

PA Criteria	Criteria Details
Other Criteria	INITIAL: RA: TRIAL OF OR CONTRAINDICATION TO 3 MONTHS OF TREATMENT WITH ONE DMARD (DISEASE-MODIFYING ANTIRHEUMATIC DRUG) - IF PATIENT TRIED METHOTREXATE, THEN TRIAL AT A DOSE GREATER THAN OR EQUAL TO 20 MG PER WEEK OR MAXIMALLY TOLERATED DOSE IS REQUIRED. PJIA: NO CONCURRENT USE WITH ANOTHER SYSTEMIC BIOLOGIC OR TARGETED SMALL MOLECULES (E.G., JAK INHIBITOR, PDE-4 INHIBITOR) FOR PJIA. PSA: NO CONCURRENT USE WITH ANOTHER SYSTEMIC BIOLOGIC OR TARGETED SMALL MOLECULES FOR PSA. AS: 1) TRIAL OF OR CONTRAINDICATION TO AN NSAID, AND 2) NO CONCURRENT USE WITH ANOTHER SYSTEMIC BIOLOGIC OR TARGETED SMALL MOLECULES FOR AS. PSO: 1) ONE OF THE FOLLOWING: (A) AT LEAST A 3 MONTH TRIAL OF ONE ORAL IMMUNOSUPPRESSANT (CYCLOSPORINE, METHOTREXATE, TACROLIMUS) OR PUVA (PHOTOTHERAPY) FOR THE TREATMENT OF PSO, (B) CONTRAINDICATION OR INTOLERANCE TO BOTH IMMUNOSUPPRESSANT AND PUVA FOR THE TREATMENT OF PSO, OR (C) PATIENT IS SWITCHING FROM A DIFFERENT BIOLOGIC, PDE-4 INHIBITOR, OR JAK INHIBITOR FOR THE SAME INDICATION, AND 2) NO CONCURRENT USE WITH ANOTHER SYSTEMIC BIOLOGIC OR TARGETED SMALL MOLECULES FOR PSO. RENEWAL: RA: CONTINUES TO BENEFIT FROM THE MEDICATION, AND 2) NO CONCURRENT USE WITH ANOTHER SYSTEMIC BIOLOGIC OR TARGETED SMALL MOLECULES FOR PSA. AS: 1) CONTINUES TO BENEFIT FROM THE MEDICATION, AND 2) NO CONCURRENT USE WITH ANOTHER SYSTEMIC BIOLOGIC OR TARGETED SMALL MOLECULES FOR PSA. AS: 1) CONTINUES TO BENEFIT FROM THE MEDICATION, AND 2) NO CONCURRENT USE WITH ANOTHER SYSTEMIC BIOLOGIC OR TARGETED SMALL MOLECULES FOR PSA. AS: 1) CONTINUES TO BENEFIT FROM THE MEDICATION, AND 2) NO CONCURRENT USE WITH ANOTHER SYSTEMIC BIOLOGIC OR TARGETED SMALL MOLECULES FOR PSA. AS: 1) CONTINUES TO BENEFIT FROM THE MEDICATION, AND 2) NO CONCURRENT USE WITH ANOTHER SYSTEMIC BIOLOGIC OR TARGETED SMALL MOLECULES FOR PSA. AS: 1) CONTINUES TO BENEFIT FROM THE MEDICATION, AND 2) NO CONCURRENT USE WITH ANOTHER SYSTEMIC BIOLOGIC OR TARGETED SMALL MOLECULES FOR PSA. AS: 1) CONTINUES TO BENEFIT FROM THE MEDICATION, AND 2) NO
	CONCURRENT USE WITH ANOTHER SYSTEMIC BIOLOGIC OR TARGETED SMALL MOLECULES FOR PSO.
Indications	All FDA-approved Indications.
Off Label Uses	

PA Criteria	Criteria Details
Part B Prerequisite	No

EVEROLIMUS-AFINITOR

- everolimus (antineoplastic) oral tablet 10 mg, 2.5 mg, 5 mg, 7.5 mg
 torpenz oral tablet 10 mg, 2.5 mg, 5 mg, 7.5
- mg

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	12 MONTHS
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No

EVEROLIMUS-AFINITOR DISPERZ

Products Affected

• everolimus (antineoplastic) oral tablet for suspension

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	12 MONTHS
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No

FECAL MICROBIOTA CAPSULE

Products Affected

VOWST

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	30 DAYS
Other Criteria	CLOSTRIDIOIDES DIFFICILE INFECTION (CDI): 1) HAS NOT PREVIOUSLY RECEIVED VOWST: COMPLETION OF ANTIBIOTIC TREATMENT FOR RECURRENT CDI (AT LEAST 3 CDI EPISODES), OR 2) PREVIOUSLY RECEIVED VOWST: (A) TREATMENT FAILURE (DEFINED AS THE PRESENCE OF CDI DIARRHEA WITHIN 8 WEEKS OF FIRST DOSE OF VOWST AND A POSITIVE STOOL TEST FOR C. DIFFICILE), AND (B) HAS NOT RECEIVED MORE THAN ONE TREATMENT COURSE OF VOWST WHICH WAS AT LEAST 12 DAYS AND NOT MORE THAN 8 WEEKS PRIOR.
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No

FEDRATINIB

Products Affected

INREBIC

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	INITIAL: 6 MONTHS. RENEWAL: 12 MONTHS
Other Criteria	MYELOFIBROSIS: INITIAL: TRIAL OF OR CONTRAINDICATION TO JAKAFI (RUXOLITINIB). RENEWAL: CONTINUES TO BENEFIT FROM THE MEDICATION.
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No

FENFLURAMINE

Products Affected

FINTEPLA

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	INITIAL: DRAVET SYNDROME, LENNOX-GASTAUT SYNDROME (LGS): PRESCRIBED BY OR IN CONSULTATION WITH A NEUROLOGIST.
Coverage Duration	DRAVET SYNDROME: INITIAL/RENEWAL: 12 MONTHS. LGS: 12 MONTHS.
Other Criteria	INITIAL: LGS: TRIAL OF OR CONTRAINDICATION TO TWO OF THE FOLLOWING ANTIEPILEPTIC MEDICATIONS: RUFINAMIDE, FELBAMATE, CLOBAZAM, TOPIRAMATE, LAMOTRIGINE, CLONAZEPAM. RENEWAL: DRAVET SYNDROME: PATIENT HAS SHOWN CONTINUED CLINICAL BENEFIT (E.G. REDUCTION OF SEIZURES, REDUCED LENGTH OF SEIZURES, SEIZURE CONTROL MAINTAINED).
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No

FENTANYL CITRATE

Products Affected

• fentanyl citrate buccal lozenge on a handle

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	12 MONTHS
Other Criteria	CANCER RELATED PAIN: 1) CURRENTLY ON A MAINTENANCE DOSE OF CONTROLLED-RELEASE OPIOID PAIN MEDICATION, AND 2) TRIAL OF OR CONTRAINDICATION TO AT LEAST ONE IMMEDIATE-RELEASE ORAL OPIOID PAIN AGENT OR PATIENT HAS DIFFICULTY SWALLOWING TABLETS/CAPSULES.
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No

FEZOLINETANT

Products Affected

VEOZAH

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	12 MONTHS
Other Criteria	MENOPAUSAL VASOMOTOR SYMPTOMS (VMS): INITIAL: 1) EXPERIENCES 7 OR MORE HOT FLASHES PER DAY, AND 2) TRIAL OF OR CONTRAINDICATION TO HORMONAL THERAPY (E.G., ESTRADIOL TRANSDERMAL PATCH, ORAL CONJUGATED ESTROGENS). RENEWAL: 1) CONTINUED NEED FOR VMS TREATMENT (I.E., PERSISTENT HOT FLASHES), AND 2) REDUCTION IN VMS FREQUENCY OR SEVERITY DUE TO VEOZAH TREATMENT.
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No

FILGRASTIM-AAFI

Products Affected

NIVESTYM

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	PRESCRIBED BY OR IN CONSULTATION WITH A HEMATOLOGIST OR ONCOLOGIST.
Coverage Duration	12 MONTHS
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No

FINERENONE

Products Affected

KERENDIA

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	12 MONTHS
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No

FINGOLIMOD

Products Affected

• fingolimod

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	12 MONTHS
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No

FOSCARBIDOPA-FOSLEVODOPA

Products Affected

VYALEV

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	PARKINSONS DISEASE (PD): INITIAL: PRESCRIBED BY OR IN CONSULTATION WITH A NEUROLOGIST.
Coverage Duration	INITIAL: 3 MONTHS. RENEWAL: 12 MONTHS.
Other Criteria	PD: INITIAL: 1) RESPONSIVE TO LEVODOPA, 2) CURRENT REGIMEN INCLUDES AT LEAST 400 MG/DAY OF LEVODOPA, AND 3) MOTOR SYMPTOMS ARE CURRENTLY UNCONTROLLED (DEFINED AS AN AVERAGE OFF TIME OF AT LEAST 2.5 HOURS/DAY OVER 3 CONSECUTIVE DAYS WITH A MINIMUM OF 2 HOURS EACH DAY). RENEWAL: IMPROVEMENT IN MOTOR SYMPTOMS WHILE ON THERAPY.
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No

FREMANEZUMAB-VFRM

- AJOVY AUTOINJECTOR
- AJOVY SYRINGE

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	INITIAL: 6 MONTHS, RENEWAL: 12 MONTHS.
Other Criteria	MIGRAINE PREVENTION: INITIAL: 1) TRIAL OF OR CONTRAINDICATION TO ONE OF THE FOLLOWING PREVENTIVE MIGRAINE TREATMENTS: DIVALPROEX SODIUM, TOPIRAMATE, PROPRANOLOL, TIMOLOL, AND 2) NO CONCURRENT USE WITH OTHER CGRP INHIBITORS FOR MIGRAINE PREVENTION. RENEWAL: 1) REDUCTION IN MIGRAINE OR HEADACHE FREQUENCY, MIGRAINE SEVERITY, OR MIGRAINE DURATION WITH THERAPY, AND 2) NO CONCURRENT USE WITH OTHER CGRP INHIBITORS FOR MIGRAINE PREVENTION.
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No

FRUQUINTINIB

Products Affected

• FRUZAQLA ORAL CAPSULE 1 MG, 5 MG

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	12 MONTHS
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No

FUTIBATINIB

Products Affected

 LYTGOBI ORAL TABLET 12 MG/DAY (4 MG X 3), 16 MG/DAY (4 MG X 4), 20 MG/DAY (4 MG X 5)

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	INTRAHEPATIC CHOLANGIOCARCINOMA (ICCA): COMPLETE A COMPREHENSIVE OPHTHALMOLOGICAL EXAMINATION, INCLUDING OPTICAL COHERENCE TOMOGRAPHY (OCT), PRIOR TO THE INITIATION OF THERAPY AND AT THE RECOMMENDED SCHEDULED INTERVALS.
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	12 MONTHS
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No

GALCANEZUMAB-GNLM

- EMGALITY PEN
- EMGALITY SYRINGE SUBCUTANEOUS SYRINGE 120 MG/ML, 300 MG/3 ML (100 MG/ML X 3)

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	INITIAL: MIGRAINE PREVENTION: 6 MOS. EPISODIC CLUSTER HEADACHE: 3 MOS. RENEWAL (ALL): 12 MOS.
Other Criteria	INITIAL: MIGRAINE PREVENTION: 1) NO CONCURRENT USE WITH OTHER CGRP INHIBITORS FOR MIGRAINE PREVENTION, AND 2) TRIAL OF OR CONTRAINDICATION TO ONE OF THE FOLLOWING PREVENTIVE MIGRAINE TREATMENTS: DIVALPROEX SODIUM, TOPIRAMATE, PROPRANOLOL, TIMOLOL. RENEWAL: MIGRAINE PREVENTION: 1) REDUCTION IN MIGRAINE OR HEADACHE FREQUENCY, MIGRAINE SEVERITY, OR MIGRAINE DURATION WITH THERAPY, AND 2) NO CONCURRENT USE WITH OTHER CGRP INHIBITORS FOR MIGRAINE PREVENTION. EPISODIC CLUSTER HEADACHE: IMPROVEMENT IN EPISODIC CLUSTER HEADACHE FREQUENCY AS COMPARED TO BASELINE.
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No

GANAXOLONE

Products Affected

• ZTALMY

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	12 MONTHS
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No

GEFITINIB

Products Affected

• gefitinib

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	12 MONTHS
Other Criteria	METASTATIC NON-SMALL CELL LUNG CANCER (NSCLC) WITH EGFR MUTATION: NOT ON CONCURRENT THERAPY WITH AN EGFR TYROSINE KINASE INHIBITOR.
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No

GILTERITINIB

Products Affected

XOSPATA

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	12 MONTHS
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No

GLASDEGIB

Products Affected

• DAURISMO ORAL TABLET 100 MG, 25 MG

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	12 MONTHS
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No

GLATIRAMER

- glatiramer subcutaneous syringe 20 mg/ml, 40 mg/ml
- glatopa subcutaneous syringe 20 mg/ml, 40 mg/ml

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	12 MONTHS
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No

GLP1-DULAGLUTIDE

Products Affected

• TRULICITY

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	12 MONTHS
Other Criteria	
Indications	All Medically-accepted Indications.
Off Label Uses	
Part B Prerequisite	No

GLP1-SEMAGLUTIDE

- OZEMPIC
- RYBELSUS

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	12 MONTHS
Other Criteria	
Indications	All Medically-accepted Indications.
Off Label Uses	
Part B Prerequisite	No

GLP1-TIRZEPATIDE

Products Affected

MOUNJARO

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	12 MONTHS.
Other Criteria	
Indications	All Medically-accepted Indications.
Off Label Uses	
Part B Prerequisite	No

GOSERELIN

Products Affected

ZOLADEX

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	ENDOMETRIOSIS: DIAGNOSIS IS CONFIRMED VIA SURGICAL OR DIRECT VISUALIZATION (E.G., PELVIC ULTRASOUND) OR HISTOPATHOLOGICAL CONFIRMATION (E.G., LAPAROSCOPY OR LAPAROTOMY) IN THE LAST 10 YEARS.
Age Restrictions	
Prescriber Restrictions	ENDOMETRIOSIS: PRESCRIBED BY OR IN CONSULTATION WITH AN OBSTETRICIAN/GYNECOLOGIST.
Coverage Duration	STAGE B2-C PROSTATIC CARCINOMA: 4 MOS. ENDOMETRIOSIS: 6 MOS PER LIFETIME. ALL OTHERS: 12 MONTHS.
Other Criteria	ENDOMETRIOSIS: 1) NO CONCURRENT USE WITH ANOTHER GNRH-MODULATING AGENT, 2) TRIAL OF OR CONTRAINDICATION TO NSAID AND PROGESTIN-CONTAINING PREPARATION, AND 3) HAS NOT RECEIVED A TOTAL OF 6 MONTHS OF TREATMENT PER LIFETIME. THIS DRUG ALSO REQUIRES PAYMENT DETERMINATION AND MAY BE COVERED UNDER MEDICARE PART B OR D.
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No

GUSELKUMAB

- TREMFYA
- TREMFYA PEN SUBCUTANEOUS PEN INJECTOR 200 MG/2 ML

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	INITIAL: PLAQUE PSORIASIS (PSO): PSORIASIS COVERING 3 PERCENT OR MORE OF BODY SURFACE AREA OR PSORIATIC LESIONS AFFECTING THE HANDS, FEET, FACE, SCALP, OR GENITAL AREA.
Age Restrictions	
Prescriber Restrictions	INITIAL: PSO: PRESCRIBED BY OR IN CONSULTATION WITH A DERMATOLOGIST. PSORIATIC ARTHRITIS (PSA): PRESCRIBED BY OR IN CONSULTATION WITH A RHEUMATOLOGIST OR DERMATOLOGIST. ULCERATIVE COLITIS (UC), CROHNS DISEASE (CD): PRESCRIBED BY OR IN CONSULTATION WITH A GASTROENTEROLOGIST.
Coverage Duration	INITIAL: 6 MONTHS. RENEWAL: 12 MONTHS

PA Criteria	Criteria Details
Other Criteria	INITIAL: PSA: NO CONCURRENT USE WITH ANOTHER SYSTEMIC BIOLOGIC OR TARGETED SMALL MOLECULES (E.G., JAK INHIBITOR, PDE-4 INHIBITOR) FOR PSA. PSO: 1) ONE OF THE FOLLOWING: (A) AT LEAST A 3 MONTH TRIAL OF ONE ORAL IMMUNOSUPPRESSANT (CYCLOSPORINE, METHOTREXATE, TACROLIMUS) OR PUVA (PHOTOTHERAPY) FOR THE TREATMENT OF PSO, (B) CONTRAINDICATION OR INTOLERANCE TO BOTH IMMUNOSUPPRESSANT AND PUVA FOR THE TREATMENT OF PSO, OR (C) PATIENT IS SWITCHING FROM A DIFFERENT BIOLOGIC, PDE-4 INHIBITOR, OR JAK INHIBITOR FOR THE SAME INDICATION, AND 2) NO CONCURRENT USE WITH ANOTHER SYSTEMIC BIOLOGIC OR TARGETED SMALL MOLECULES FOR PSO. UC: NO CONCURRENT USE WITH ANOTHER SYSTEMIC BIOLOGIC OR TARGETED SMALL MOLECULES FOR UC. CD: NO CONCURRENT USE WITH ANOTHER SYSTEMIC BIOLOGIC OR TARGETED SMALL MOLECULES FOR CD. RENEWAL: PSA: 1) CONTINUES TO BENEFIT FROM THE MEDICATION, AND 2) NO CONCURRENT USE WITH ANOTHER SYSTEMIC BIOLOGIC OR TARGETED SMALL MOLECULES FOR PSA. PSO: 1) CONTINUES TO BENEFIT FROM THE MEDICATION, AND 2) NO CONCURRENT USE WITH ANOTHER SYSTEMIC BIOLOGIC OR TARGETED SMALL MOLECULES FOR PSA. PSO: 1) CONTINUES TO BENEFIT FROM THE MEDICATION, AND 2) NO CONCURRENT USE WITH ANOTHER SYSTEMIC BIOLOGIC OR TARGETED SMALL MOLECULES FOR PSO. UC: NO CONCURRENT USE WITH ANOTHER SYSTEMIC BIOLOGIC OR TARGETED SMALL MOLECULES FOR UC. CD: NO CONCURRENT USE WITH ANOTHER SYSTEMIC BIOLOGIC OR TARGETED SMALL MOLECULES FOR UC. CD: NO CONCURRENT USE WITH ANOTHER SYSTEMIC BIOLOGIC OR TARGETED SMALL MOLECULES FOR UC. CD: NO CONCURRENT USE WITH ANOTHER SYSTEMIC BIOLOGIC OR TARGETED SMALL MOLECULES FOR UC. CD: NO CONCURRENT USE WITH ANOTHER SYSTEMIC BIOLOGIC OR TARGETED SMALL MOLECULES FOR CD.
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No

HIGH CONCENTRATION ORAL OPIOID SOLUTIONS

Products Affected

• morphine concentrate oral solution

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	OPIOID TOLERANT: 12 MONTHS. HOSPICE, PALLIATIVE CARE OR END OF LIFE CARE: LIFETIME.
Other Criteria	1) OPIOID TOLERANT (I.E. PREVIOUS USE OF 60 MG ORAL MORPHINE PER DAY, 25 MCG TRANSDERMAL FENTANYL PER HOUR, 30 MG ORAL OXYCODONE PER DAY, 8 MG ORAL HYDROMORPHONE PER DAY, 25 MG ORAL OXYMORPHONE PER DAY, 60 MG ORAL HYDROCODONE PER DAY, OR AN EQUIANALGESIC DOSE OF ANOTHER OPIOID) AND HAS TROUBLE SWALLOWING OPIOID TABLETS, CAPSULES, OR LARGE VOLUMES OF LIQUID, OR 2) ENROLLED IN HOSPICE OR PALLIATIVE CARE OR END OF LIFE CARE.
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No

IBRUTINIB

- IMBRUVICA ORAL CAPSULE 140 MG, 70 MG
- IMBRUVICA ORAL SUSPENSION
- IMBRUVICA ORAL TABLET

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	12 MONTHS
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No

ICATIBANT

Products Affected

• icatibant

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	HEREDITARY ANGIOEDEMA (HAE): DIAGNOSIS CONFIRMED BY COMPLEMENT TESTING.
Age Restrictions	
Prescriber Restrictions	HAE: PRESCRIBED BY OR IN CONSULTATION WITH AN ALLERGIST, IMMUNOLOGIST, OR HEMATOLOGIST.
Coverage Duration	12 MONTHS
Other Criteria	HAE: NO CONCURRENT USE WITH OTHER MEDICATIONS FOR TREATMENT OF ACUTE HAE ATTACKS.
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No

IDELALISIB

Products Affected

• ZYDELIG

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	12 MONTHS
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No

IMATINIB

Products Affected

• imatinib oral tablet 100 mg, 400 mg

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	ADJUVANT GASTROINTESTINAL STROMAL TUMOR TREATMENT: 36 MONTHS. ALL OTHER DIAGNOSES: 12 MONTHS.
Other Criteria	PHILADELPHIA CHROMOSOME POSITIVE CHRONIC MYELOID LEUKEMIA: PATIENT HAS NOT RECEIVED A PREVIOUS TREATMENT WITH ANOTHER TYROSINE KINASE INHIBITOR.
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No

IMATINIB SOLUTION

Products Affected

IMKELDI

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	ADJUVANT GASTROINTESTINAL STROMAL TUMOR TREATMENT: 36 MONTHS. ALL OTHER DIAGNOSES: 12 MONTHS.
Other Criteria	PHILADELPHIA CHROMOSOME POSITIVE CHRONIC MYELOID LEUKEMIA: PATIENT HAS NOT RECEIVED A PREVIOUS TREATMENT WITH ANOTHER TYROSINE KINASE INHIBITOR. ALL INDICATIONS: UNABLE TO SWALLOW GENERIC IMATINIB TABLETS.
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No

IMETELSTAT

Products Affected

• RYTELO

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	12 MONTHS
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No

INAVOLISIB

Products Affected

• ITOVEBI ORAL TABLET 3 MG, 9 MG

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	12 MONTHS
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No

INFLIXIMAB

Products Affected

• infliximab

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	INITIAL: PLAQUE PSORIASIS (PSO): PSORIASIS COVERING 3 PERCENT OR MORE OF BODY SURFACE AREA OR PSORIATIC LESIONS AFFECTING THE HANDS, FEET, GENITAL AREA, SCALP, OR FACE.
Age Restrictions	
Prescriber Restrictions	INITIAL: RHEUMATOID ARTHRITIS (RA), ANKYLOSING SPONDYLITIS (AS): PRESCRIBED BY OR IN CONSULTATION WITH A RHEUMATOLOGIST. PSORIATIC ARTHRITIS (PSA): PRESCRIBED BY OR IN CONSULTATION WITH A DERMATOLOGIST OR RHEUMATOLOGIST. PSO: PRESCRIBED BY OR IN CONSULTATION WITH A DERMATOLOGIST. CROHNS DISEASE (CD), ULCERATIVE COLITIS (UC): PRESCRIBED BY OR IN CONSULTATION WITH A GASTROENTEROLOGIST.
Coverage Duration	INITIAL: 6 MONTHS. RENEWAL: 12 MONTHS.

Other Criteria INITIAL: RA: TRIAL OF OR CONTRAINDICATION TO TWO OF THE FOLLOWING PREFERRED AGENTS: ENBREL, HUMIRA/CYLTEZO/YUFLYMA, XELJANZ, RINVOQ, ORENCIA. PSA: 1) TRIAL OF OR CONTRAINDICATION TO TWO OF THE FOLLOWING PREFERRED AGENTS: COSENTYX, ENBREL, HUMIRA/CYLTEZO/YUFLYMA, STELARA/SELARSDI/YESINTEK XELJANZ, RINVOQ, SKYRIZI, TREMFYA, ORENCIA, OTEZLA, AND 2) NO CONCURRENT USE WITH ANOTHER SYSTEMIC BIOLOGIC OR TARGETED SMALL MOLECULES (E.G., JAK INHIBITOR, PDE-4 INHIBITOR) FOR PSA. PSO: 1) TRIAL OF OR CONTRAINDICATION TO TWO OF THE FOLLOWING PREFERRED AGENTS: COSENTYX, ENBREL, HUMIRA/CYLTEZO/YUFLYMA, STELARA/SELARSDI/YESINTEK SKYRIZI, TREMFYA, OTEZLA, AND 2) NO CONCURRENT USE WITH ANOTHER SYSTEMIC BIOLOGIC OR TARGETED SMALL MOLECULES FOR PSO. AS: 1) TRIAL OF OR CONTRAINDICATION TO TWO OF THE FOLLOWING PREFERRED AGENTS: COSENTYX, ENBREL, HUMIRA/CYLTEZO/YUFLYMA, XELJANZ, RINVOQ, AND 2) NO CONCURRENT USE WITH ANOTHER SYSTEMIC BIOLOGIC OR TARGETED SMALL MOLECULES FOR AS. MODERATE TO SEVERE CD: 1) TRIAL OF OR CONTRAINDICATION TO TWO OF THE FOLLOWING PREFERED AGENTS, WHERE AGES ALIGN: STELARA/SELARSDI/YESINTEK, HUMIRA/CYLTEZO/YUFLYMA RINVOQ, SKYRIZI, TREMFYA, AND 2) NO CONCURRENT USE WITH ANOTHER SYSTEMIC BIOLOGIC OR TARGETED SMALL MOLECULES FOR CD. UC: 1) TRIAL OF OR CONTRAINDICATION TO TWO OF THE FOLLOWING PREFERRED AGENTS, WHERE AGES ALIGN: STELARA/SELARSDI/YESINTEK, HUMIRA/CYLTEZO/YUFLYMA RINVOQ, SKYRIZI, TREMFYA, AND 2) NO CONCURRENT USE WITH ANOTHER SYSTEMIC BIOLOGIC OR TARGETED SMALL MOLECULES FOR UC. RENEWAL: RA: CONTINUES TO BENEFIT FROM THE MEDICATION. PSA: 1) CONTINUES TO BENEFIT FROM THE	PA Criteria	Criteria Details
HUMIRA/CYLTEZO/YUFLYMA, XELJANZ, RINVOQ, ORENCIA. PSA: 1) TRIAL OF OR CONTRAINDICATION TO TWO OF THE FOLLOWING PREFERRED AGENTS: COSENTYX, ENBREL, HUMIRA/CYLTEZO/YUFLYMA, STELARA/SELARSDI/YESINTEK XELJANZ, RINVOQ, SKYRIZI, TREMFYA, ORENCIA, OTEZLA, AND 2) NO CONCURRENT USE WITH ANOTHER SYSTEMIC BIOLOGIC OR TARGETED SMALL MOLECULES (E.G., JAK INHIBITOR, PDE-4 INHIBITOR) FOR PSA. PSO: 1) TRIAL OF OR CONTRAINDICATION TO TWO OF THE FOLLOWING PREFERRED AGENTS: COSENTYX, ENBREL, HUMIRA/CYLTEZO/YUFLYMA, STELARA/SELARSDI/YESINTEK SKYRIZI, TREMFYA, OTEZLA, AND 2) NO CONCURRENT USE WITH ANOTHER SYSTEMIC BIOLOGIC OR TARGETED SMALL MOLECULES FOR PSO. AS: 1) TRIAL OF OR CONTRAINDICATION TO TWO OF THE FOLLOWING PREFERRED AGENTS: COSENTYX, ENBREL, HUMIRA/CYLTEZO/YUFLYMA, XELJANZ, RINVOQ, AND 2) NO CONCURRENT USE WITH ANOTHER SYSTEMIC BIOLOGIC OR TARGETED SMALL MOLECULES FOR AS. MODERATE TO SEVERE CD: 1) TRIAL OF OR CONTRAINDICATION TO TWO OF THE FOLLOWING PREFERRED AGENTS, WHERE AGES ALIGN: STELARA/SELARSDI/YESINTEK, HUMIRA/CYLTEZO/YUFLYMA RINVOQ, SKYRIZI, TREMFYA, AND 2) NO CONCURRENT USE WITH ANOTHER SYSTEMIC BIOLOGIC OR TARGETED SMALL MOLECULES FOR CD. UC: 1) TRIAL OF OR CONTRAINDICATION TO TWO OF THE FOLLOWING PREFERRED AGENTS, WHERE AGES ALIGN: STELARA/SELARSDI/YESINTEK, XELJANZ, HUMIRA/CYLTEZO/YUFLYMA, RINVOQ, SKYRIZI, TREMFYA, AND 2) NO CONCURRENT USE WITH ANOTHER SYSTEMIC BIOLOGIC OR TARGETED SMALL MOLECULES FOR UC. RENEWAL: RA: CONTINUES TO BENEFIT FROM THE	Other Criteria	INITIAL: RA: TRIAL OF OR CONTRAINDICATION TO TWO OF
PSA: 1) TRIAL OF OR CONTRAINDICATION TO TWO OF THE FOLLOWING PREFERRED AGENTS: COSENTYX, ENBREL, HUMIRA/CYLTEZO/YUFLYMA, STELARA/SELARSDI/YESINTEK XELJANZ, RINVOQ, SKYRIZI, TREMFYA, ORENCIA, OTEZLA, AND 2) NO CONCURRENT USE WITH ANOTHER SYSTEMIC BIOLOGIC OR TARGETED SMALL MOLECULES (E.G., JAK INHIBITOR, PDE-4 INHIBITOR) FOR PSA. PSO: 1) TRIAL OF OR CONTRAINDICATION TO TWO OF THE FOLLOWING PREFERRED AGENTS: COSENTYX, ENBREL, HUMIRA/CYLTEZO/YUFLYMA, STELARA/SELARSDI/YESINTEK SKYRIZI, TREMFYA, OTEZLA, AND 2) NO CONCURRENT USE WITH ANOTHER SYSTEMIC BIOLOGIC OR TARGETED SMALL MOLECULES FOR PSO. AS: 1) TRIAL OF OR CONTRAINDICATION TO TWO OF THE FOLLOWING PREFERRED AGENTS: COSENTYX, ENBREL, HUMIRA/CYLTEZO/YUFLYMA, XELJANZ, RINVOQ, AND 2) NO CONCURRENT USE WITH ANOTHER SYSTEMIC BIOLOGIC OR TARGETED SMALL MOLECULES FOR AS. MODERATE TO SEVERE CD: 1) TRIAL OF OR CONTRAINDICATION TO TWO OF THE FOLLOWING PREFERRED AGENTS, WHERE AGES ALIGN: STELARA/SELARSDI/YESINTEK, HUMIRA/CYLTEZO/YUFLYMA RINVOQ, SKYRIZI, TREMFYA, AND 2) NO CONCURRENT USE WITH ANOTHER SYSTEMIC BIOLOGIC OR TARGETED SMALL MOLECULES FOR CD. UC: 1) TRIAL OF OR CONTRAINDICATION TO TWO OF THE FOLLOWING PREFERRED AGENTS, WHERE AGES ALIGN: STELARA/SELARSDI/YESINTEK, AND 2) NO CONCURRENT USE WITH ANOTHER SYSTEMIC BIOLOGIC OR TARGETED SMALL MOLECULES FOR CD. UC: 1) TRIAL OF OR CONTRAINDICATION TO TWO OF THE FOLLOWING PREFERRED AGENTS, WHERE AGES ALIGN: STELARA/SELARSDI/YESINTEK, XELJANZ, HUMIRA/CYLTEZO/YUFLYMA, RINVOQ, SKYRIZI, TREMFYA, AND 2) NO CONCURRENT USE WITH ANOTHER SYSTEMIC BIOLOGIC OR TARGETED SMALL MOLECULES FOR UC. RENEWAL: RA: CONTINUES TO BENEFIT FROM THE		THE FOLLOWING PREFERRED AGENTS: ENBREL,
FOLLÓWING PREFERRED AGENTS: COSENTYX, ENBREL, HUMIRA/CYLTEZO/YUFLYMA, STELARA/SELARSDI/YESINTEK XELJANZ, RINVOQ, SKYRIZI, TREMFYA, ORENCIA, OTEZLA, AND 2) NO CONCURRENT USE WITH ANOTHER SYSTEMIC BIOLOGIC OR TARGETED SMALL MOLECULES (E.G., JAK INHIBITOR, PDE-4 INHIBITOR) FOR PSA. PSO: 1) TRIAL OF OR CONTRAINDICATION TO TWO OF THE FOLLOWING PREFERRED AGENTS: COSENTYX, ENBREL, HUMIRA/CYLTEZO/YUFLYMA, STELARA/SELARSDI/YESINTEK SKYRIZI, TREMFYA, OTEZLA, AND 2) NO CONCURRENT USE WITH ANOTHER SYSTEMIC BIOLOGIC OR TARGETED SMALL MOLECULES FOR PSO. AS: 1) TRIAL OF OR CONTRAINDICATION TO TWO OF THE FOLLOWING PREFERRED AGENTS: COSENTYX, ENBREL, HUMIRA/CYLTEZO/YUFLYMA, XELJANZ, RINVOQ, AND 2) NO CONCURRENT USE WITH ANOTHER SYSTEMIC BIOLOGIC OR TARGETED SMALL MOLECULES FOR AS. MODERATE TO SEVERE CD: 1) TRIAL OF OR CONTRAINDICATION TO TWO OF THE FOLLOWING PREFERRED AGENTS, WHERE AGES ALIGN: STELARA/SELARSDI/YESINTEK, HUMIRA/CYLTEZO/YUFLYMA RINVOQ, SKYRIZI, TREMFYA, AND 2) NO CONCURRENT USE WITH ANOTHER SYSTEMIC BIOLOGIC OR TARGETED SMALL MOLECULES FOR CD. UC: 1) TRIAL OF OR CONTRAINDICATION TO TWO OF THE FOLLOWING PREFERRED AGENTS, WHERE AGES ALIGN: STELARA/SELARSDI/YESINTEK, KELJANZ, HUMIRA/CYLTEZO/YUFLYMA, RINVOQ, SKYRIZI, TREMFYA, AND 2) NO CONCURRENT USE WITH ANOTHER SYSTEMIC BIOLOGIC OR TARGETED SMALL MOLECULES FOR CD. UC: 1) TRIAL OF OR CONTRAINDICATION TO TWO OF THE FOLLOWING PREFERRED AGENTS, WHERE AGES ALIGN: STELARA/SELARSDI/YESINTEK, XELJANZ, HUMIRA/CYLTEZO/YUFLYMA, RINVOQ, SKYRIZI, TREMFYA, AND 2) NO CONCURRENT USE WITH ANOTHER SYSTEMIC BIOLOGIC OR TARGETED SMALL MOLECULES FOR UC. RENEWAL: RA: CONTINUES TO BENEFIT FROM THE		HUMIRA/CYLTEZO/YUFLYMA, XELJANZ, RINVOQ, ORENCIA.
HUMIRA/CYLTEZO/YUFLYMA, STELARA/SELARSDI/YESINTEK XELJANZ, RINVOQ, SKYRIZI, TREMFYA, ORENCIA, OTEZLA, AND 2) NO CONCURRENT USE WITH ANOTHER SYSTEMIC BIOLOGIC OR TARGETED SMALL MOLECULES (E.G., JAK INHIBITOR, PDE-4 INHIBITOR) FOR PSA. PSO: 1) TRIAL OF OR CONTRAINDICATION TO TWO OF THE FOLLOWING PREFERRED AGENTS: COSENTYX, ENBREL, HUMIRA/CYLTEZO/YUFLYMA, STELARA/SELARSDI/YESINTEK SKYRIZI, TREMFYA, OTEZLA, AND 2) NO CONCURRENT USE WITH ANOTHER SYSTEMIC BIOLOGIC OR TARGETED SMALL MOLECULES FOR PSO. AS: 1) TRIAL OF OR CONTRAINDICATION TO TWO OF THE FOLLOWING PREFERRED AGENTS: COSENTYX, ENBREL, HUMIRA/CYLTEZO/YUFLYMA, XELJANZ, RINVOQ, AND 2) NO CONCURRENT USE WITH ANOTHER SYSTEMIC BIOLOGIC OR TARGETED SMALL MOLECULES FOR AS. MODERATE TO SEVERE CD: 1) TRIAL OF OR CONTRAINDICATION TO TWO OF THE FOLLOWING PREFERRED AGENTS, WHERE AGES ALIGN: STELARA/SELARSDI/YESINTEK, HUMIRA/CYLTEZO/YUFLYMA RINVOQ, SKYRIZI, TREMFYA, AND 2) NO CONCURRENT USE WITH ANOTHER SYSTEMIC BIOLOGIC OR TARGETED SMALL MOLECULES FOR CD. UC: 1) TRIAL OF OR CONTRAINDICATION TO TWO OF THE FOLLOWING PREFERRED AGENTS, WHERE AGES ALIGN: STELARA/SELARSDI/YESINTEK, ELJANZ, HUMIRA/CYLTEZO/YUFLYMA, RINVOQ, SKYRIZI, TREMFYA, AND 2) NO CONCURRENT USE WITH ANOTHER SYSTEMIC BIOLOGIC OR TARGETED SMALL MOLECULES FOR CD. UC: 1) TRIAL OF OR CONTRAINDICATION TO TWO OF THE FOLLOWING PREFERRED AGENTS, WHERE AGES ALIGN: STELARA/SELARSDI/YESINTEK, XELJANZ, HUMIRA/CYLTEZO/YUFLYMA, RINVOQ, SKYRIZI, TREMFYA, AND 2) NO CONCURRENT USE WITH ANOTHER SYSTEMIC BIOLOGIC OR TARGETED SMALL MOLECULES FOR UC. RENEWAL: RA: CONTINUES TO BENEFIT FROM THE		PSA: 1) TRIAL OF OR CONTRAINDICATION TO TWO OF THE
XELJANZ, RINVOQ, SKYRIZI, TREMFYA, ORENCIA, OTEZLA, AND 2) NO CONCURRENT USE WITH ANOTHER SYSTEMIC BIOLOGIC OR TARGETED SMALL MOLECULES (E.G., JAK INHIBITOR, PDE-4 INHIBITOR) FOR PSA. PSO: 1) TRIAL OF OR CONTRAINDICATION TO TWO OF THE FOLLOWING PREFERRED AGENTS: COSENTYX, ENBREL, HUMIRA/CYLTEZO/YUFLYMA, STELARA/SELARSDI/YESINTEK SKYRIZI, TREMFYA, OTEZLA, AND 2) NO CONCURRENT USE WITH ANOTHER SYSTEMIC BIOLOGIC OR TARGETED SMALL MOLECULES FOR PSO. AS: 1) TRIAL OF OR CONTRAINDICATION TO TWO OF THE FOLLOWING PREFERRED AGENTS: COSENTYX, ENBREL, HUMIRA/CYLTEZO/YUFLYMA, XELJANZ, RINVOQ, AND 2) NO CONCURRENT USE WITH ANOTHER SYSTEMIC BIOLOGIC OR TARGETED SMALL MOLECULES FOR AS. MODERATE TO SEVERE CD: 1) TRIAL OF OR CONTRAINDICATION TO TWO OF THE FOLLOWING PREFERRED AGENTS, WHERE AGES ALIGN: STELARA/SELARSDI/YESINTEK, HUMIRA/CYLTEZO/YUFLYMA RINVOQ, SKYRIZI, TREMFYA, AND 2) NO CONCURRENT USE WITH ANOTHER SYSTEMIC BIOLOGIC OR TARGETED SMALL MOLECULES FOR CD. UC: 1) TRIAL OF OR CONTRAINDICATION TO TWO OF THE FOLLOWING PREFERRED AGENTS, WHERE AGES ALIGN: STELARA/SELARSDI/YESINTEK, HUMIRA/CYLTEZO/YUFLYMA RINVOQ, SKYRIZI, TREMFYA, AND 2) NO CONCURRENT USE WITH ANOTHER SYSTEMIC BIOLOGIC OR TARGETED SMALL MOLECULES FOR CD. UC: 1) TRIAL OF OR CONTRAINDICATION TO TWO OF THE FOLLOWING PREFERRED AGENTS, WHERE AGES ALIGN: STELARA/SELARSDI/YESINTEK, XELJANZ, HUMIRA/CYLTEZO/YUFLYMA, RINVOQ, SKYRIZI, TREMFYA, AND 2) NO CONCURRENT USE WITH ANOTHER SYSTEMIC BIOLOGIC OR TARGETED SMALL MOLECULES FOR UC. RENEWAL: RA: CONTINUES TO BENEFIT FROM THE		FOLLOWING PREFERRED AGENTS: COSENTYX, ENBREL,
AND 2) NO CONCURRENT USE WITH ANOTHER SYSTEMIC BIOLOGIC OR TARGETED SMALL MOLECULES (E.G., JAK INHIBITOR, PDE-4 INHIBITOR) FOR PSA. PSO: 1) TRIAL OF OR CONTRAINDICATION TO TWO OF THE FOLLOWING PREFERRED AGENTS: COSENTYX, ENBREL, HUMIRA/CYLTEZO/YUFLYMA, STELARA/SELARSDI/YESINTEK SKYRIZI, TREMFYA, OTEZLA, AND 2) NO CONCURRENT USE WITH ANOTHER SYSTEMIC BIOLOGIC OR TARGETED SMALL MOLECULES FOR PSO. AS: 1) TRIAL OF OR CONTRAINDICATION TO TWO OF THE FOLLOWING PREFERRED AGENTS: COSENTYX, ENBREL, HUMIRA/CYLTEZO/YUFLYMA, XELJANZ, RINVOQ, AND 2) NO CONCURRENT USE WITH ANOTHER SYSTEMIC BIOLOGIC OR TARGETED SMALL MOLECULES FOR AS. MODERATE TO SEVERE CD: 1) TRIAL OF OR CONTRAINDICATION TO TWO OF THE FOLLOWING PREFERRED AGENTS, WHERE AGES ALIGN: STELARA/SELARSDI/YESINTEK, HUMIRA/CYLTEZO/YUFLYMA RINVOQ, SKYRIZI, TREMFYA, AND 2) NO CONCURRENT USE WITH ANOTHER SYSTEMIC BIOLOGIC OR TARGETED SMALL MOLECULES FOR CD. UC: 1) TRIAL OF OR CONTRAINDICATION TO TWO OF THE FOLLOWING PREFERRED AGENTS, WHERE AGES ALIGN: STELARA/SELARSDI/YESINTEK, HUMIRA/CYLTEZO/YUFLYMA, RINVOQ, SKYRIZI, TREMFYA, AND 2) NO CONCURRENT USE WITH ANOTHER SYSTEMIC BIOLOGIC OR TARGETED SMALL MOLECULES FOR CD. UC: 1) TRIAL OF OR CONTRAINDICATION TO TWO OF THE FOLLOWING PREFERRED AGENTS, WHERE AGES ALIGN: STELARA/SELARSDI/YESINTEK, XELJANZ, HUMIRA/CYLTEZO/YUFLYMA, RINVOQ, SKYRIZI, TREMFYA, AND 2) NO CONCURRENT USE WITH ANOTHER SYSTEMIC BIOLOGIC OR TARGETED SMALL MOLECULES FOR UC. RENEWAL: RA: CONTINUES TO BENEFIT FROM THE		HUMIRA/CYLTEZO/YUFLYMA, STELARA/SELARSDI/YESINTEK,
BIOLOGIC OR TARGETED SMALL MOLECULES (E.G., JAK INHIBITOR, PDE-4 INHIBITOR) FOR PSA. PSO: 1) TRIAL OF OR CONTRAINDICATION TO TWO OF THE FOLLOWING PREFERRED AGENTS: COSENTYX, ENBREL, HUMIRA/CYLTEZO/YUFLYMA, STELARA/SELARSDI/YESINTEK SKYRIZI, TREMFYA, OTEZLA, AND 2) NO CONCURRENT USE WITH ANOTHER SYSTEMIC BIOLOGIC OR TARGETED SMALL MOLECULES FOR PSO. AS: 1) TRIAL OF OR CONTRAINDICATION TO TWO OF THE FOLLOWING PREFERRED AGENTS: COSENTYX, ENBREL, HUMIRA/CYLTEZO/YUFLYMA, XELJANZ, RINVOQ, AND 2) NO CONCURRENT USE WITH ANOTHER SYSTEMIC BIOLOGIC OR TARGETED SMALL MOLECULES FOR AS. MODERATE TO SEVERE CD: 1) TRIAL OF OR CONTRAINDICATION TO TWO OF THE FOLLOWING PREFERRED AGENTS, WHERE AGES ALIGN: STELARA/SELARSDI/YESINTEK, HUMIRA/CYLTEZO/YUFLYMA RINVOQ, SKYRIZI, TREMFYA, AND 2) NO CONCURRENT USE WITH ANOTHER SYSTEMIC BIOLOGIC OR TARGETED SMALL MOLECULES FOR CD. UC: 1) TRIAL OF OR CONTRAINDICATION TO TWO OF THE FOLLOWING PREFERRED AGENTS, WHERE AGES ALIGN: STELARA/SELARSDI/YESINTEK, HUMIRA/CYLTEZO/YUFLYMA, RINVOQ, SKYRIZI, TREMFYA, AND 2) NO CONCURRENT USE WITH ANOTHER SYSTEMIC BIOLOGIC OR TARGETED SMALL HUMIRA/CYLTEZO/YUFLYMA, RINVOQ, SKYRIZI, TREMFYA, AND 2) NO CONCURRENT USE WITH ANOTHER SYSTEMIC BIOLOGIC OR TARGETED SMALL MOLECULES FOR UC. RENEWAL: RA: CONTINUES TO BENEFIT FROM THE		XELJANZ, RINVOQ, SKYRIZI, TREMFYA, ORENCIA, OTEZLA,
INHIBITOR, PDE-4 INHIBITOR) FOR PSA. PSO: 1) TRIAL OF OR CONTRAINDICATION TO TWO OF THE FOLLOWING PREFERRED AGENTS: COSENTYX, ENBREL, HUMIRA/CYLTEZO/YUFLYMA, STELARA/SELARSDI/YESINTEK SKYRIZI, TREMFYA, OTEZLA, AND 2) NO CONCURRENT USE WITH ANOTHER SYSTEMIC BIOLOGIC OR TARGETED SMALL MOLECULES FOR PSO. AS: 1) TRIAL OF OR CONTRAINDICATION TO TWO OF THE FOLLOWING PREFERRED AGENTS: COSENTYX, ENBREL, HUMIRA/CYLTEZO/YUFLYMA, XELJANZ, RINVOQ, AND 2) NO CONCURRENT USE WITH ANOTHER SYSTEMIC BIOLOGIC OR TARGETED SMALL MOLECULES FOR AS. MODERATE TO SEVERE CD: 1) TRIAL OF OR CONTRAINDICATION TO TWO OF THE FOLLOWING PREFERRED AGENTS, WHERE AGES ALIGN: STELARA/SELARSDI/YESINTEK, HUMIRA/CYLTEZO/YUFLYMA RINVOQ, SKYRIZI, TREMFYA, AND 2) NO CONCURRENT USE WITH ANOTHER SYSTEMIC BIOLOGIC OR TARGETED SMALL MOLECULES FOR CD. UC: 1) TRIAL OF OR CONTRAINDICATION TO TWO OF THE FOLLOWING PREFERRED AGENTS, WHERE AGES ALIGN: STELARA/SELARSDI/YESINTEK, XELJANZ, HUMIRA/CYLTEZO/YUFLYMA, RINVOQ, SKYRIZI, TREMFYA, AND 2) NO CONCURRENT USE WITH ANOTHER SYSTEMIC BIOLOGIC OR TARGETED SMALL MOLECULES FOR UC. RENEWAL: RA: CONTINUES TO BENEFIT FROM THE		
CONTRAINDICATION TO TWO OF THE FOLLOWING PREFERRED AGENTS: COSENTYX, ENBREL, HUMIRA/CYLTEZO/YUFLYMA, STELARA/SELARSDI/YESINTEK SKYRIZI, TREMFYA, OTEZLA, AND 2) NO CONCURRENT USE WITH ANOTHER SYSTEMIC BIOLOGIC OR TARGETED SMALL MOLECULES FOR PSO. AS: 1) TRIAL OF OR CONTRAINDICATION TO TWO OF THE FOLLOWING PREFERRED AGENTS: COSENTYX, ENBREL, HUMIRA/CYLTEZO/YUFLYMA, XELJANZ, RINVOQ, AND 2) NO CONCURRENT USE WITH ANOTHER SYSTEMIC BIOLOGIC OR TARGETED SMALL MOLECULES FOR AS. MODERATE TO SEVERE CD: 1) TRIAL OF OR CONTRAINDICATION TO TWO OF THE FOLLOWING PREFERRED AGENTS, WHERE AGES ALIGN: STELARA/SELARSDI/YESINTEK, HUMIRA/CYLTEZO/YUFLYMA RINVOQ, SKYRIZI, TREMFYA, AND 2) NO CONCURRENT USE WITH ANOTHER SYSTEMIC BIOLOGIC OR TARGETED SMALL MOLECULES FOR CD. UC: 1) TRIAL OF OR CONTRAINDICATION TO TWO OF THE FOLLOWING PREFERRED AGENTS, WHERE AGES ALIGN: STELARA/SELARSDI/YESINTEK, XELJANZ, HUMIRA/CYLTEZO/YUFLYMA, RINVOQ, SKYRIZI, TREMFYA, AND 2) NO CONCURRENT USE WITH ANOTHER SYSTEMIC BIOLOGIC OR TARGETED SMALL MOLECULES FOR UC. RENEWAL: RA: CONTINUES TO BENEFIT FROM THE		
PREFERRED AGENTS: COSENTYX, ENBREL, HUMIRA/CYLTEZO/YUFLYMA, STELARA/SELARSDI/YESINTEK SKYRIZI, TREMFYA, OTEZLA, AND 2) NO CONCURRENT USE WITH ANOTHER SYSTEMIC BIOLOGIC OR TARGETED SMALL MOLECULES FOR PSO. AS: 1) TRIAL OF OR CONTRAINDICATION TO TWO OF THE FOLLOWING PREFERRED AGENTS: COSENTYX, ENBREL, HUMIRA/CYLTEZO/YUFLYMA, XELJANZ, RINVOQ, AND 2) NO CONCURRENT USE WITH ANOTHER SYSTEMIC BIOLOGIC OR TARGETED SMALL MOLECULES FOR AS. MODERATE TO SEVERE CD: 1) TRIAL OF OR CONTRAINDICATION TO TWO OF THE FOLLOWING PREFERRED AGENTS, WHERE AGES ALIGN: STELARA/SELARSDI/YESINTEK, HUMIRA/CYLTEZO/YUFLYMA RINVOQ, SKYRIZI, TREMFYA, AND 2) NO CONCURRENT USE WITH ANOTHER SYSTEMIC BIOLOGIC OR TARGETED SMALL MOLECULES FOR CD. UC: 1) TRIAL OF OR CONTRAINDICATION TO TWO OF THE FOLLOWING PREFERRED AGENTS, WHERE AGES ALIGN: STELARA/SELARSDI/YESINTEK, XELJANZ, HUMIRA/CYLTEZO/YUFLYMA, RINVOQ, SKYRIZI, TREMFYA, AND 2) NO CONCURRENT USE WITH ANOTHER SYSTEMIC BIOLOGIC OR TARGETED SMALL MOLECULES FOR UC. RENEWAL: RA: CONTINUES TO BENEFIT FROM THE		
HUMIRA/CYLTEZO/YUFLYMA, STELARA/SELARSDI/YESINTEK SKYRIZI, TREMFYA, OTEZLA, AND 2) NO CONCURRENT USE WITH ANOTHER SYSTEMIC BIOLOGIC OR TARGETED SMALL MOLECULES FOR PSO. AS: 1) TRIAL OF OR CONTRAINDICATION TO TWO OF THE FOLLOWING PREFERRED AGENTS: COSENTYX, ENBREL, HUMIRA/CYLTEZO/YUFLYMA, XELJANZ, RINVOQ, AND 2) NO CONCURRENT USE WITH ANOTHER SYSTEMIC BIOLOGIC OR TARGETED SMALL MOLECULES FOR AS. MODERATE TO SEVERE CD: 1) TRIAL OF OR CONTRAINDICATION TO TWO OF THE FOLLOWING PREFERRED AGENTS, WHERE AGES ALIGN: STELARA/SELARSDI/YESINTEK, HUMIRA/CYLTEZO/YUFLYMA RINVOQ, SKYRIZI, TREMFYA, AND 2) NO CONCURRENT USE WITH ANOTHER SYSTEMIC BIOLOGIC OR TARGETED SMALL MOLECULES FOR CD. UC: 1) TRIAL OF OR CONTRAINDICATION TO TWO OF THE FOLLOWING PREFERRED AGENTS, WHERE AGES ALIGN: STELARA/SELARSDI/YESINTEK, XELJANZ, HUMIRA/CYLTEZO/YUFLYMA, RINVOQ, SKYRIZI, TREMFYA, AND 2) NO CONCURRENT USE WITH ANOTHER SYSTEMIC BIOLOGIC OR TARGETED SMALL MOLECULES FOR UC. RENEWAL: RA: CONTINUES TO BENEFIT FROM THE		
SKYRIZI, TREMFYA, OTEZLA, AND 2) NO CONCURRENT USE WITH ANOTHER SYSTEMIC BIOLOGIC OR TARGETED SMALL MOLECULES FOR PSO. AS: 1) TRIAL OF OR CONTRAINDICATION TO TWO OF THE FOLLOWING PREFERRED AGENTS: COSENTYX, ENBREL, HUMIRA/CYLTEZO/YUFLYMA, XELJANZ, RINVOQ, AND 2) NO CONCURRENT USE WITH ANOTHER SYSTEMIC BIOLOGIC OR TARGETED SMALL MOLECULES FOR AS. MODERATE TO SEVERE CD: 1) TRIAL OF OR CONTRAINDICATION TO TWO OF THE FOLLOWING PREFERRED AGENTS, WHERE AGES ALIGN: STELARA/SELARSDI/YESINTEK, HUMIRA/CYLTEZO/YUFLYMA RINVOQ, SKYRIZI, TREMFYA, AND 2) NO CONCURRENT USE WITH ANOTHER SYSTEMIC BIOLOGIC OR TARGETED SMALL MOLECULES FOR CD. UC: 1) TRIAL OF OR CONTRAINDICATION TO TWO OF THE FOLLOWING PREFERRED AGENTS, WHERE AGES ALIGN: STELARA/SELARSDI/YESINTEK, XELJANZ, HUMIRA/CYLTEZO/YUFLYMA, RINVOQ, SKYRIZI, TREMFYA, AND 2) NO CONCURRENT USE WITH ANOTHER SYSTEMIC BIOLOGIC OR TARGETED SMALL MOLECULES FOR UC. RENEWAL: RA: CONTINUES TO BENEFIT FROM THE		
WITH ANOTHER SYSTEMIC BIOLOGIC OR TARGETED SMALL MOLECULES FOR PSO. AS: 1) TRIAL OF OR CONTRAINDICATION TO TWO OF THE FOLLOWING PREFERRED AGENTS: COSENTYX, ENBREL, HUMIRA/CYLTEZO/YUFLYMA, XELJANZ, RINVOQ, AND 2) NO CONCURRENT USE WITH ANOTHER SYSTEMIC BIOLOGIC OR TARGETED SMALL MOLECULES FOR AS. MODERATE TO SEVERE CD: 1) TRIAL OF OR CONTRAINDICATION TO TWO OF THE FOLLOWING PREFERRED AGENTS, WHERE AGES ALIGN: STELARA/SELARSDI/YESINTEK, HUMIRA/CYLTEZO/YUFLYMA RINVOQ, SKYRIZI, TREMFYA, AND 2) NO CONCURRENT USE WITH ANOTHER SYSTEMIC BIOLOGIC OR TARGETED SMALL MOLECULES FOR CD. UC: 1) TRIAL OF OR CONTRAINDICATION TO TWO OF THE FOLLOWING PREFERRED AGENTS, WHERE AGES ALIGN: STELARA/SELARSDI/YESINTEK, XELJANZ, HUMIRA/CYLTEZO/YUFLYMA, RINVOQ, SKYRIZI, TREMFYA, AND 2) NO CONCURRENT USE WITH ANOTHER SYSTEMIC BIOLOGIC OR TARGETED SMALL MOLECULES FOR UC. RENEWAL: RA: CONTINUES TO BENEFIT FROM THE		
MOLECULES FOR PSO. AS: 1) TRIAL OF OR CONTRAINDICATION TO TWO OF THE FOLLOWING PREFERRED AGENTS: COSENTYX, ENBREL, HUMIRA/CYLTEZO/YUFLYMA, XELJANZ, RINVOQ, AND 2) NO CONCURRENT USE WITH ANOTHER SYSTEMIC BIOLOGIC OR TARGETED SMALL MOLECULES FOR AS. MODERATE TO SEVERE CD: 1) TRIAL OF OR CONTRAINDICATION TO TWO OF THE FOLLOWING PREFERRED AGENTS, WHERE AGES ALIGN: STELARA/SELARSDI/YESINTEK, HUMIRA/CYLTEZO/YUFLYMA RINVOQ, SKYRIZI, TREMFYA, AND 2) NO CONCURRENT USE WITH ANOTHER SYSTEMIC BIOLOGIC OR TARGETED SMALL MOLECULES FOR CD. UC: 1) TRIAL OF OR CONTRAINDICATION TO TWO OF THE FOLLOWING PREFERRED AGENTS, WHERE AGES ALIGN: STELARA/SELARSDI/YESINTEK, XELJANZ, HUMIRA/CYLTEZO/YUFLYMA, RINVOQ, SKYRIZI, TREMFYA, AND 2) NO CONCURRENT USE WITH ANOTHER SYSTEMIC BIOLOGIC OR TARGETED SMALL MOLECULES FOR UC. RENEWAL: RA: CONTINUES TO BENEFIT FROM THE		
CONTRAINDICATION TO TWO OF THE FOLLOWING PREFERRED AGENTS: COSENTYX, ENBREL, HUMIRA/CYLTEZO/YUFLYMA, XELJANZ, RINVOQ, AND 2) NO CONCURRENT USE WITH ANOTHER SYSTEMIC BIOLOGIC OR TARGETED SMALL MOLECULES FOR AS. MODERATE TO SEVERE CD: 1) TRIAL OF OR CONTRAINDICATION TO TWO OF THE FOLLOWING PREFERRED AGENTS, WHERE AGES ALIGN: STELARA/SELARSDI/YESINTEK, HUMIRA/CYLTEZO/YUFLYMA RINVOQ, SKYRIZI, TREMFYA, AND 2) NO CONCURRENT USE WITH ANOTHER SYSTEMIC BIOLOGIC OR TARGETED SMALL MOLECULES FOR CD. UC: 1) TRIAL OF OR CONTRAINDICATION TO TWO OF THE FOLLOWING PREFERRED AGENTS, WHERE AGES ALIGN: STELARA/SELARSDI/YESINTEK, XELJANZ, HUMIRA/CYLTEZO/YUFLYMA, RINVOQ, SKYRIZI, TREMFYA, AND 2) NO CONCURRENT USE WITH ANOTHER SYSTEMIC BIOLOGIC OR TARGETED SMALL MOLECULES FOR UC. RENEWAL: RA: CONTINUES TO BENEFIT FROM THE		
PREFERRED AGENTS: COSENTYX, ENBREL, HUMIRA/CYLTEZO/YUFLYMA, XELJANZ, RINVOQ, AND 2) NO CONCURRENT USE WITH ANOTHER SYSTEMIC BIOLOGIC OR TARGETED SMALL MOLECULES FOR AS. MODERATE TO SEVERE CD: 1) TRIAL OF OR CONTRAINDICATION TO TWO OF THE FOLLOWING PREFERRED AGENTS, WHERE AGES ALIGN: STELARA/SELARSDI/YESINTEK, HUMIRA/CYLTEZO/YUFLYMA RINVOQ, SKYRIZI, TREMFYA, AND 2) NO CONCURRENT USE WITH ANOTHER SYSTEMIC BIOLOGIC OR TARGETED SMALL MOLECULES FOR CD. UC: 1) TRIAL OF OR CONTRAINDICATION TO TWO OF THE FOLLOWING PREFERRED AGENTS, WHERE AGES ALIGN: STELARA/SELARSDI/YESINTEK, XELJANZ, HUMIRA/CYLTEZO/YUFLYMA, RINVOQ, SKYRIZI, TREMFYA, AND 2) NO CONCURRENT USE WITH ANOTHER SYSTEMIC BIOLOGIC OR TARGETED SMALL MOLECULES FOR UC. RENEWAL: RA: CONTINUES TO BENEFIT FROM THE		/
HUMIRA/CYLTEZO/YUFLYMA, XELJANZ, RINVOQ, AND 2) NO CONCURRENT USE WITH ANOTHER SYSTEMIC BIOLOGIC OR TARGETED SMALL MOLECULES FOR AS. MODERATE TO SEVERE CD: 1) TRIAL OF OR CONTRAINDICATION TO TWO OF THE FOLLOWING PREFERRED AGENTS, WHERE AGES ALIGN: STELARA/SELARSDI/YESINTEK, HUMIRA/CYLTEZO/YUFLYMA RINVOQ, SKYRIZI, TREMFYA, AND 2) NO CONCURRENT USE WITH ANOTHER SYSTEMIC BIOLOGIC OR TARGETED SMALL MOLECULES FOR CD. UC: 1) TRIAL OF OR CONTRAINDICATION TO TWO OF THE FOLLOWING PREFERRED AGENTS, WHERE AGES ALIGN: STELARA/SELARSDI/YESINTEK, XELJANZ, HUMIRA/CYLTEZO/YUFLYMA, RINVOQ, SKYRIZI, TREMFYA, AND 2) NO CONCURRENT USE WITH ANOTHER SYSTEMIC BIOLOGIC OR TARGETED SMALL MOLECULES FOR UC. RENEWAL: RA: CONTINUES TO BENEFIT FROM THE		
CONCURRENT USE WITH ANOTHER SYSTEMIC BIOLOGIC OR TARGETED SMALL MOLECULES FOR AS. MODERATE TO SEVERE CD: 1) TRIAL OF OR CONTRAINDICATION TO TWO OF THE FOLLOWING PREFERRED AGENTS, WHERE AGES ALIGN: STELARA/SELARSDI/YESINTEK, HUMIRA/CYLTEZO/YUFLYMA RINVOQ, SKYRIZI, TREMFYA, AND 2) NO CONCURRENT USE WITH ANOTHER SYSTEMIC BIOLOGIC OR TARGETED SMALL MOLECULES FOR CD. UC: 1) TRIAL OF OR CONTRAINDICATION TO TWO OF THE FOLLOWING PREFERRED AGENTS, WHERE AGES ALIGN: STELARA/SELARSDI/YESINTEK, XELJANZ, HUMIRA/CYLTEZO/YUFLYMA, RINVOQ, SKYRIZI, TREMFYA, AND 2) NO CONCURRENT USE WITH ANOTHER SYSTEMIC BIOLOGIC OR TARGETED SMALL MOLECULES FOR UC. RENEWAL: RA: CONTINUES TO BENEFIT FROM THE		· · · · · · · · · · · · · · · · · · ·
TARGETED SMALL MOLECULES FOR AS. MODERATE TO SEVERE CD: 1) TRIAL OF OR CONTRAINDICATION TO TWO OF THE FOLLOWING PREFERRED AGENTS, WHERE AGES ALIGN: STELARA/SELARSDI/YESINTEK, HUMIRA/CYLTEZO/YUFLYMA RINVOQ, SKYRIZI, TREMFYA, AND 2) NO CONCURRENT USE WITH ANOTHER SYSTEMIC BIOLOGIC OR TARGETED SMALL MOLECULES FOR CD. UC: 1) TRIAL OF OR CONTRAINDICATION TO TWO OF THE FOLLOWING PREFERRED AGENTS, WHERE AGES ALIGN: STELARA/SELARSDI/YESINTEK, XELJANZ, HUMIRA/CYLTEZO/YUFLYMA, RINVOQ, SKYRIZI, TREMFYA, AND 2) NO CONCURRENT USE WITH ANOTHER SYSTEMIC BIOLOGIC OR TARGETED SMALL MOLECULES FOR UC. RENEWAL: RA: CONTINUES TO BENEFIT FROM THE		
SEVERE CD: 1) TRIAL OF OR CONTRAINDICATION TO TWO OF THE FOLLOWING PREFERRED AGENTS, WHERE AGES ALIGN: STELARA/SELARSDI/YESINTEK, HUMIRA/CYLTEZO/YUFLYMA RINVOQ, SKYRIZI, TREMFYA, AND 2) NO CONCURRENT USE WITH ANOTHER SYSTEMIC BIOLOGIC OR TARGETED SMALL MOLECULES FOR CD. UC: 1) TRIAL OF OR CONTRAINDICATION TO TWO OF THE FOLLOWING PREFERRED AGENTS, WHERE AGES ALIGN: STELARA/SELARSDI/YESINTEK, XELJANZ, HUMIRA/CYLTEZO/YUFLYMA, RINVOQ, SKYRIZI, TREMFYA, AND 2) NO CONCURRENT USE WITH ANOTHER SYSTEMIC BIOLOGIC OR TARGETED SMALL MOLECULES FOR UC. RENEWAL: RA: CONTINUES TO BENEFIT FROM THE		
THE FOLLOWING PREFERRED AGENTS, WHERE AGES ALIGN: STELARA/SELARSDI/YESINTEK, HUMIRA/CYLTEZO/YUFLYMA RINVOQ, SKYRIZI, TREMFYA, AND 2) NO CONCURRENT USE WITH ANOTHER SYSTEMIC BIOLOGIC OR TARGETED SMALL MOLECULES FOR CD. UC: 1) TRIAL OF OR CONTRAINDICATION TO TWO OF THE FOLLOWING PREFERRED AGENTS, WHERE AGES ALIGN: STELARA/SELARSDI/YESINTEK, XELJANZ, HUMIRA/CYLTEZO/YUFLYMA, RINVOQ, SKYRIZI, TREMFYA, AND 2) NO CONCURRENT USE WITH ANOTHER SYSTEMIC BIOLOGIC OR TARGETED SMALL MOLECULES FOR UC. RENEWAL: RA: CONTINUES TO BENEFIT FROM THE		
STELARA/SELARSDI/YESINTEK, HUMIRA/CYLTEZO/YUFLYMA RINVOQ, SKYRIZI, TREMFYA, AND 2) NO CONCURRENT USE WITH ANOTHER SYSTEMIC BIOLOGIC OR TARGETED SMALL MOLECULES FOR CD. UC: 1) TRIAL OF OR CONTRAINDICATION TO TWO OF THE FOLLOWING PREFERRED AGENTS, WHERE AGES ALIGN: STELARA/SELARSDI/YESINTEK, XELJANZ, HUMIRA/CYLTEZO/YUFLYMA, RINVOQ, SKYRIZI, TREMFYA, AND 2) NO CONCURRENT USE WITH ANOTHER SYSTEMIC BIOLOGIC OR TARGETED SMALL MOLECULES FOR UC. RENEWAL: RA: CONTINUES TO BENEFIT FROM THE		
RINVOQ, SKYRIZI, TREMFYA, AND 2) NO CONCURRENT USE WITH ANOTHER SYSTEMIC BIOLOGIC OR TARGETED SMALL MOLECULES FOR CD. UC: 1) TRIAL OF OR CONTRAINDICATION TO TWO OF THE FOLLOWING PREFERRED AGENTS, WHERE AGES ALIGN: STELARA/SELARSDI/YESINTEK, XELJANZ, HUMIRA/CYLTEZO/YUFLYMA, RINVOQ, SKYRIZI, TREMFYA, AND 2) NO CONCURRENT USE WITH ANOTHER SYSTEMIC BIOLOGIC OR TARGETED SMALL MOLECULES FOR UC. RENEWAL: RA: CONTINUES TO BENEFIT FROM THE		
WITH ANOTHER SYSTEMIC BIOLOGIC OR TARGETED SMALL MOLECULES FOR CD. UC: 1) TRIAL OF OR CONTRAINDICATION TO TWO OF THE FOLLOWING PREFERRED AGENTS, WHERE AGES ALIGN: STELARA/SELARSDI/YESINTEK, XELJANZ, HUMIRA/CYLTEZO/YUFLYMA, RINVOQ, SKYRIZI, TREMFYA, AND 2) NO CONCURRENT USE WITH ANOTHER SYSTEMIC BIOLOGIC OR TARGETED SMALL MOLECULES FOR UC. RENEWAL: RA: CONTINUES TO BENEFIT FROM THE		
MOLECULES FOR CD. UC: 1) TRIAL OF OR CONTRAINDICATION TO TWO OF THE FOLLOWING PREFERRED AGENTS, WHERE AGES ALIGN: STELARA/SELARSDI/YESINTEK, XELJANZ, HUMIRA/CYLTEZO/YUFLYMA, RINVOQ, SKYRIZI, TREMFYA, AND 2) NO CONCURRENT USE WITH ANOTHER SYSTEMIC BIOLOGIC OR TARGETED SMALL MOLECULES FOR UC. RENEWAL: RA: CONTINUES TO BENEFIT FROM THE		
TO TWO OF THE FOLLOWING PREFERRED AGENTS, WHERE AGES ALIGN: STELARA/SELARSDI/YESINTEK, XELJANZ, HUMIRA/CYLTEZO/YUFLYMA, RINVOQ, SKYRIZI, TREMFYA, AND 2) NO CONCURRENT USE WITH ANOTHER SYSTEMIC BIOLOGIC OR TARGETED SMALL MOLECULES FOR UC. RENEWAL: RA: CONTINUES TO BENEFIT FROM THE		
AGES ALIGN: STELARA/SELARSDI/YESINTEK, XELJANZ, HUMIRA/CYLTEZO/YUFLYMA, RINVOQ, SKYRIZI, TREMFYA, AND 2) NO CONCURRENT USE WITH ANOTHER SYSTEMIC BIOLOGIC OR TARGETED SMALL MOLECULES FOR UC. RENEWAL: RA: CONTINUES TO BENEFIT FROM THE		/
HUMIRA/CYLTEZO/YUFLYMA, RINVOQ, SKYRIZI, TREMFYA, AND 2) NO CONCURRENT USE WITH ANOTHER SYSTEMIC BIOLOGIC OR TARGETED SMALL MOLECULES FOR UC. RENEWAL: RA: CONTINUES TO BENEFIT FROM THE		
AND 2) NO CONCURRENT USE WITH ANOTHER SYSTEMIC BIOLOGIC OR TARGETED SMALL MOLECULES FOR UC. RENEWAL: RA: CONTINUES TO BENEFIT FROM THE		
BIOLOGIC OR TARGETED SMALL MOLECULES FOR UC. RENEWAL: RA: CONTINUES TO BENEFIT FROM THE		
RENEWAL: RA: CONTINUES TO BENEFIT FROM THE		
MEDICATION. PSA: 1) CONTINUES TO BENEFIT FROM THE		
		· ·
MEDICATION, AND 2) NO CONCURRENT USE WITH ANOTHER		MEDICATION, AND 2) NO CONCURRENT USE WITH ANOTHER

PA Criteria	Criteria Details
	SYSTEMIC BIOLOGIC OR TARGETED SMALL MOLECULES FOR PSA. PSO: 1) CONTINUES TO BENEFIT FROM THE MEDICATION, AND 2) NO CONCURRENT USE WITH ANOTHER SYSTEMIC BIOLOGIC OR TARGETED SMALL MOLECULES FOR PSO. AS: 1) CONTINUES TO BENEFIT FROM THE MEDICATION, AND 2) NO CONCURRENT USE WITH ANOTHER SYSTEMIC BIOLOGIC OR TARGETED SMALL MOLECULES FOR AS. MODERATE TO SEVERE CD: NO CONCURRENT USE WITH ANOTHER SYSTEMIC BIOLOGIC OR TARGETED SMALL MOLECULES FOR CD. UC: NO CONCURRENT USE WITH ANOTHER SYSTEMIC BIOLOGIC OR TARGETED SMALL MOLECULES FOR UC. THIS DRUG ALSO REQUIRES PAYMENT DETERMINATION AND MAY BE COVERED UNDER MEDICARE PART B OR D.
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No

INSULIN SUPPLIES PAYMENT DETERMINATION

- 1ST TIER UNIFINE PENTP 5MM 31G
- 1ST TIER UNIFINE PNTIP 4MM 32G
- 1ST TIER UNIFINE PNTIP 6MM 31G
- 1ST TIER UNIFINE PNTIP 8MM 31G STRL,SINGLE-USE,SHRT
- 1ST TIER UNIFINE PNTP 29GX1/2"
- 1ST TIER UNIFINE PNTP 31GX3/16
- 1ST TIER UNIFINE PNTP 32GX5/32
- ABOUTTIME PEN NEEDLE
- ADVOCATE INS 0.3 ML 30GX5/16"
- ADVOCATE INS 0.3 ML 31GX5/16"
- ADVOCATE INS 0.5 ML 30GX5/16"
- ADVOCATE INS 0.5 ML 31GX5/16"
- ADVOCATE INS 1 ML 31GX5/16"
- ADVOCATE INS SYR 0.3 ML 29GX1/2
- ADVOCATE INS SYR 0.5 ML 29GX1/2
- ADVOCATE INS SYR 1 ML 29GX1/2"
- ADVOCATE INS SYR 1 ML 30GX5/16
- ADVOCATE PEN NDL 12.7MM 29G
- ADVOCATE PEN NEEDLE 32G 4MM
- ADVOCATE PEN NEEDLE 4MM 33G
- ADVOCATE PEN NEEDLES 5MM 31G
- ADVOCATE PEN NEEDLES 8MM 31G
- ALCOHOL 70% SWABS
- ALCOHOL PADS
- ALCOHOL PREP SWABS
- · ALCOHOL WIPES
- AQINJECT PEN NEEDLE 31G 5MM
- AQINJECT PEN NEEDLE 32G 4MM
- ASSURE ID DUO PRO NDL 31G 5MM
- ASSURE ID DUO-SHIELD 30GX3/16"
- ASSURE ID DUO-SHIELD 30GX5/16"
- ASSURE ID INSULIN SAFETY SYRINGE
 1 ML 29 GAUGE X 1/2"
- ASSURE ID PEN NEEDLE 30GX3/16"
- ASSURE ID PEN NEEDLE 30GX5/16"
- ASSURE ID PEN NEEDLE 31GX3/16"
- ASSURE ID PRO PEN NDL 30G 5MM
- ASSURE ID SYR 0.5 ML 29GX1/2" (RX)
- ASSURE ID SYR 0.5 ML 31GX15/64"
- ASSURE ID SYR 1 ML 31GX15/64"

- AUTOSHIELD DUO PEN NDL 30G 5MM
- BD AUTOSHIELD DUO NDL 5MMX30G
- BD ECLIPSE 30GX1/2" SYRINGE
- BD ECLIPSE NEEDLE 30GX1/2" (OTC)
- BD INS SYR 0.3 ML 8MMX31G(1/2)
- BD INS SYR UF 0.3 ML 12.7MMX30G
- BD INS SYR UF 0.5 ML 12.7MMX30G NOT FOR RETAIL SALE
- BD INS SYRN UF 1 ML 12.7MMX30G NOT FOR RETAIL SALE
- BD INS SYRNG UF 0.3 ML 8MMX31G
- BD INS SYRNG UF 0.5 ML 8MMX31G
- BD INSULIN SYR 1 ML 25GX1"
- BD INSULIN SYR 1 ML 25GX5/8"
- BD INSULIN SYR 1 ML 26GX1/2"
- BD INSULIN SYR 1 ML 27GX12.7MM
- BD INSULIN SYR 1 ML 27GX5/8" MICRO-FINE
- BD INSULIN SYRINGE SLIP TIP
- BD INSULIN SYRINGE U-500
- BD LUER-LOK SYRINGE 1 ML
- BD NANO 2 GEN PEN NDL 32G 4MM
- BD SAFETGLD INS 0.3 ML 29G 13MM
- BD SAFETGLD INS 0.5 ML 13MMX29G
- BD SAFETYGLD INS 0.3 ML 31G 8MM
- BD SAFETYGLD INS 0.5 ML 30G 8MM
- BD SAFETYGLD INS 1 ML 29G 13MM
- BD SAFETYGLID INS 1 ML 6MMX31G
- BD SAFETYGLIDE SYRINGE 27GX5/8
- BD SAFTYGLD INS 0.3 ML 6MMX31G
- BD SAFTYGLD INS 0.5 ML 29G 13MM
- BD SAFTYGLD INS 0.5 ML 6MMX31G
- BD SINGLE USE SWAB
- BD UF MICRO PEN NEEDLE 6MMX32G
- BD UF MINI PEN NEEDLE 5MMX31G
- BD UF NANO PEN NEEDLE 4MMX32G
- BD UF ORIG PEN NDL 12.7MMX29G
- BD UF SHORT PEN NEEDLE 8MMX31G
- BD VEO INS 0.3 ML 6MMX31G (1/2)
- BD VEO INS SYRING 1 ML 6MMX31G
- BD VEO INS SYRN 0.3 ML 6MMX31G

- BD VEO INS SYRN 0.5 ML 6MMX31G
- BORDERED GAUZE 2"X2"
- CAREFINE PEN NEEDLE 12.7MM 29G
- CAREFINE PEN NEEDLE 4MM 32G
- CAREFINE PEN NEEDLE 5MM 32G
- CAREFINE PEN NEEDLE 6MM 31G
- CAREFINE PEN NEEDLE 8MM 30G
- CAREFINE PEN NEEDLES 6MM 32G
- CAREFINE PEN NEEDLES 8MM 31G
- CARETOUCH ALCOHOL 70% PREP PAD
- CARETOUCH PEN NEEDLE 29G 12MM
- CARETOUCH PEN NEEDLE 31GX1/4"
- CARETOUCH PEN NEEDLE 31GX3/16"
- CARETOUCH PEN NEEDLE 31GX5/16"
- CARETOUCH PEN NEEDLE 32GX3/16"
- CARETOUCH PEN NEEDLE 32GX5/32"
- CARETOUCH SYR 0.3 ML 31GX5/16"
- CARETOUCH SYR 0.5 ML 30GX5/16"
- CARETOUCH SYR 0.5 ML 31GX5/16"
- CARETOUCH CAR 1 ML 2003//10
- CARETOUCH SYR 1 ML 28GX5/16"
- CARETOUCH SYR 1 ML 29GX5/16"
- CARETOUCH SYR 1 ML 30GX5/16"
- CARETOUCH SYR 1 ML 31GX5/16"
- CLICKFINE 31G X 5/16" NEEDLES 8MM, UNIVERSAL
- CLICKFINE PEN NEEDLE 32GX5/32" 32GX4MM, STERILE
- CLICKFINE UNIVERSAL 31G X 1/4" 6MM, STORE BRAND
- COMFORT EZ 0.3 ML 31G 15/64"
- COMFORT EZ 0.5 ML 31G 15/64"
- COMFORT EZ INS 0.3 ML 30GX1/2"
- COMFORT EZ INS 0.3 ML 30GX5/16"
- COMFORT EZ INS 1 ML 31G 15/64"
- COMFORT EZ INS 1 ML 31GX5/16"
- COMFORT EZ INSULIN SYR 0.3 ML
- COMFORT EZ INSULIN SYR 0.5 ML
- COMFORT EZ PEN NEEDLE 12MM 29G
- COMFORT EZ PEN NEEDLES 4MM 32G SINGLE USE, MICRO
- COMFORT EZ PEN NEEDLES 4MM 33G
- COMFORT EZ PEN NEEDLES 5MM 31G MINI
- COMFORT EZ PEN NEEDLES 5MM 32G SINGLE USE,MINI,HRI
- COMFORT EZ PEN NEEDLES 5MM 33G
- COMFORT EZ PEN NEEDLES 6MM 31G

- COMFORT EZ PEN NEEDLES 6MM 32G
- COMFORT EZ PEN NEEDLES 6MM 33G
- COMFORT EZ PEN NEEDLES 8MM 31G SHORT
- COMFORT EZ PEN NEEDLES 8MM 32G
- COMFORT EZ PEN NEEDLES 8MM 33G
- COMFORT EZ PRO PEN NDL 30G 8MM
- COMFORT EZ PRO PEN NDL 31G 4MM
- COMFORT EZ PRO PEN NDL 31G 5MM
- COMFORT EZ SYR 0.3 ML 29GX1/2"
- COMFORT EZ SYR 0.5 ML 28GX1/2"
- COMFORT EZ SYR 0.5 ML 29GX1/2"
- COMFORT EZ SYR 0.5 ML 30GX1/2"
- COMFORT EZ SYR 1 ML 28GX1/2"
- COMFORT EZ SYR 1 ML 29GX1/2"
- COMFORT EZ SYR 1 ML 30GX1/2"
- COMFORT EZ SYR 1 ML 30GX5/16"
- COMFORT POINT PEN NDL 31GX1/3"
- COMFORT POINT PEN NDL 31GX1/6"
- COMFORT TOUCH PEN NDL 31G 4MM
- COMFORT TOUCH PEN NDL 31G 5MM
- COMFORT TOUCH PEN NDL 31G 6MM
- COMFORT TOUCH PEN NDL 31G 8MM
- COMFORT TOUCH PEN NDL 32G 4MM
 COMFORT TOUCH PEN NDL 32G 5MM
- COMFORT TOUCH PEN NDL 32G 6MM
- COMFORT TOUCH PEN NDL 32G 8MM
- COMFORT TOUCH PEN NDL 33G 4MM
- COMFORT TOUCH PEN NDL 33G 6MM
- COMFORT TOUCH PEN NDL 33GX5MM
- CURAD GAUZE PADS 2" X 2"
- CURITY ALCOHOL PREPS 2 PLY,MEDIUM
- CURITY GAUZE SPONGES (12 PLY)-200/BAG
- CURITY GUAZE PADS 1'S(12 PLY)
- DERMACEA 2"X2" GAUZE 12 PLY, USP TYPE VII
- DERMACEA GAUZE 2"X2" SPONGE 8 PLY
- DERMACEA NON-WOVEN 2"X2" SPNGE
- DROPLET 0.3 ML 29G 12.7MM(1/2)
- DROPLET 0.3 ML 30G 12.7MM(1/2)
- DROPLET 0.5 ML 29GX12.5MM(1/2)
- DROPLET 0.5 ML 30GX12.5MM(1/2)
- DROPLET INS 0.3 ML 29GX12.5MM

- DROPLET INS 0.3 ML 30G 8MM(1/2)
- DROPLET INS 0.3 ML 30GX12.5MM
- DROPLET INS 0.3 ML 31G 6MM(1/2)
- DROPLET INS 0.3 ML 31G 8MM(1/2)
- DROPLET INS 0.5 ML 29G 12.7MM
- DROPLET INS 0.5 ML 30G 12.7MM
- DROPLET INS 0.5 ML 30GX6MM(1/2)
- DROPLET INS 0.5 ML 30GX8MM(1/2)
- DROPLET INS 0.5 ML 31GX6MM(1/2)
- DROPLET INS 0.5 ML 31GX8MM(1/2)
- DROPLET INS SYR 0.3 ML 30GX6MM
- DROPLET INS SYR 0.3 ML 30GX8MM
- DROPLET INS SYR 0.3 ML 31GX6MM
- DROPLET INS SYR 0.3 ML 31GX8MM
- DROPLET INS SYR 0.5 ML 30G 8MM
- DROPLET INS SYR 0.5 ML 31G 6MM
- DROPLET INS SYR 0.5 ML 31G 8MM
- DROPLET INS SYR 1 ML 29G 12.7MM
- DROPLET INS SYR 1 ML 30G 8MM
- DROPLET INS SYR 1 ML 30GX12.5MM
- DROPLET INS SYR 1 ML 30GX6MM
- DROPLET INS SYR 1 ML 31G 6MM
- DROPLET INS SYR 1 ML 31GX6MM
- DROPLET INS SYR 1 ML 31GX8MM
- DROPLET MICRON 34G 3.5MM
- DROPLET PEN NEEDLE 29G 10MM
- DROPLET PEN NEEDLE 29G 12MM
- DROPLET PEN NEEDLE 30G 8MM
- DROPLET PEN NEEDLE 31G 5MM
- DROPLET PEN NEEDLE 31G 6MM
- DROPLET PEN NEEDLE 31G 8MM
- DROPLET PEN NEEDLE 32G 4MM
- DROPLET PEN NEEDLE 32G 5MM
- DROPLET PEN NEEDLE 32G 6MM
- DROPLET PEN NEEDLE 32G 8MM
- DROPSAFE ALCOHOL 70% PREP PADS
- DROPSAFE INS SYR 0.3 ML 31G 6MM
- DROPSAFE INS SYR 0.3 ML 31G 8MM
- DROPSAFE INS SYR 0.5 ML 31G 6MM
- DROPSAFE INS SYR 0.5 ML 31G 8MM
- DROPSAFE INSUL SYR 1 ML 31G 6MM
- DROPSAFE INSUL SYR 1 ML 31G 8MM
- DROPSAFE INSULN 1 ML 29G 12.5MM
- DROPSAFE PEN NEEDLE 31GX1/4"
- DROPSAFE PEN NEEDLE 31GX3/16"
- DROPSAFE PEN NEEDLE 31GX5/16"
- DRUG MART ULTRA COMFORT SYR

- EASY CMFT SFTY PEN NDL 31G 5MM
- EASY CMFT SFTY PEN NDL 31G 6MM
- EASY CMFT SFTY PEN NDL 32G 4MM
- EASY COMFORT 0.3 ML 31G 1/2"
- EASY COMFORT 0.3 ML 31G 5/16"
- EASY COMFORT 0.3 ML SYRINGE
- EASY COMFORT 0.5 ML 30GX1/2"
- EASY COMFORT 0.5 ML 31GX5/16"
- EASY COMFORT 0.5 ML 32GX5/16"
- EASY COMFORT 0.5 ML SYRINGE
- EASY COMFORT 1 ML 31GX5/16"
- EASY COMFORT 1 ML 32GX5/16"
- EASY COMFORT ALCOHOL 70% PAD
- EASY COMFORT INSULIN 1 ML SYR
- EASY COMFORT PEN NDL 29G 4MM
- EASY COMFORT PEN NDL 29G 5MM
- EASY COMFORT PEN NDL 31GX1/4"
- EASY COMFORT PEN NDL 31GX3/16"
- EASY COMFORT PEN NDL 31GX5/16"
- EASY COMFORT PEN NDL 32GX5/32"
- EASY COMFORT PEN NDL 32GA3/32
- EASY COMFORT PEN NDL 33G 5MM
- EACY COMEON DENINDL 22C (MM
- EASY COMFORT PEN NDL 33G 6MM
- EASY COMFORT SYR 0.5 ML 29G 8MM
- EASY COMFORT SYR 1 ML 29G 8MM
- EASY COMFORT SYR 1 ML 30GX1/2"
- EASY GLIDE INS 0.3 ML 31GX6MM
- EASY GLIDE INS 0.5 ML 31GX6MM
- EASY GLIDE INS 1 ML 31GX6MM
- EASY GLIDE PEN NEEDLE 4MM 33G
- EASY TOUCH 0.3 ML SYR 30GX1/2"
- EASY TOUCH 0.5 ML SYR 27GX1/2"
- EASY TOUCH 0.5 ML SYR 29GX1/2"
- EASY TOUCH 0.5 ML SYR 30GX1/2"
- EASY TOUCH 0.5 ML SYR 30GX5/16
- EASY TOUCH 1 ML SYR 27GX1/2"
- EASY TOUCH 1 ML SYR 29GX1/2"
- EASY TOUCH 1 ML SYR 30GX1/2"
- EASY TOUCH ALCOHOL 70% PADS GAMMA-STERILIZED
- EASY TOUCH FLIPLOK 1 ML 27GX0.5
- EASY TOUCH INSULIN 1 ML 29GX1/2
- EASY TOUCH INSULIN 1 ML 30GX1/2
- EASY TOUCH INSULIN SYR 0.3 ML
- EASY TOUCH INSULIN SYR 0.5 ML
- EASY TOUCH INSULIN SYR 1 ML
- EASY TOUCH INSULIN SYR 1 ML

RETRACTABLE

- EASY TOUCH INSULN 1 ML 29GX1/2"
- EASY TOUCH INSULN 1 ML 30GX1/2"
- EASY TOUCH INSULN 1 ML 30GX5/16
- EASY TOUCH INSULN 1 ML 31GX5/16
- EASY TOUCH LUER LOK INSUL 1 ML
- EASY TOUCH PEN NEEDLE 29GX1/2"
- EASY TOUCH PEN NEEDLE 30GX5/16
- EASY TOUCH PEN NEEDLE 31GX1/4"
- EASY TOUCH PEN NEEDLE 31GX3/16
- EASY TOUCH PEN NEEDLE 31GX5/16
- LAST TOOCHTEN NEEDEL STOAS/10
- EASY TOUCH PEN NEEDLE 32GX1/4"
 EASY TOUCH PEN NEEDLE 32GX3/16
- EASY TOUCH PEN NEEDLE 32GX5/32
- EASY TOUCH SAF PEN NDL 29G 5MM
- EASY TOUCH SAF PEN NDL 29G 8MM
- EASY TOUCH SAF PEN NDL 30G 5MM
- EAST TOUCH SAFTEN NDL 300 3MM
- EASY TOUCH SAF PEN NDL 30G 8MM
- EASY TOUCH SYR 0.5 ML 28G 12.7MM
- EASY TOUCH SYR 0.5 ML 29G 12.7MM
- EASY TOUCH SYR 1 ML 27G 16MM
- EASY TOUCH SYR 1 ML 28G 12.7MM
- EASY TOUCH SYR 1 ML 29G 12.7MM
- EASY TOUCH UNI-SLIP SYR 1 ML
- EASYTOUCH SAF PEN NDL 30G 6MM
- EMBRACE PEN NEEDLE 29G 12MM
- EMBRACE PEN NEEDLE 30G 5MM
- EMBRACE PEN NEEDLE 30G 8MM
- EMBRACE PEN NEEDLE 31G 5MM
- EMBRACE PEN NEEDLE 31G 6MM
- EMBRACE PEN NEEDLE 31G 8MM
- EMBRACE PEN NEEDLE 32G 4MM
- EQL INSULIN 0.3 ML SYRINGE SHORT NEEDLE
- EQL INSULIN 0.5 ML SYRINGE SHORT NEEDLE
- EQL INSULIN 1 ML SYRINGE SHORT NEEDLE
- FIFTY50 INS SYR 1 ML 31GX5/16" SHORT NEEDLE (OTC)
- FIFTY50 PEN 31G X 3/16" NEEDLE (OTC)
- FP INSULIN 1 ML SYRINGE
- FREESTYLE PREC 0.5 ML 30GX5/16
- FREESTYLE PREC 0.5 ML 31GX5/16
- FREESTYLE PREC 1 ML 30GX5/16"
- FREESTYLE PREC 1 ML 31GX5/16"

- GAUZE PAD TOPICAL BANDAGE 2 X 2
- GNP ULT C 0.3 ML 29GX1/2" (1/2) 1/2 UNIT
- GNP ULTRA COMFORT 0.5 ML SYR
- GNP ULTRA COMFORT 1 ML SYRINGE
- GNP ULTRA COMFORT 3/10 ML SYR
- HEALTHWISE INS 0.3 ML 30GX5/16"
- HEALTHWISE INS 0.3 ML 31GX5/16"
- HEALTHWISE INS 0.5 ML 30GX5/16"
- HEALTHWISE INS 0.5 ML 31GX5/16"
- HEALTHWISE INS 1 ML 30GX5/16"
- HEALTHWISE INS 1 ML 31GX5/16"
- HEALTHWISE PEN NEEDLE 31G 5MM
- HEALTHWISE PEN NEEDLE 31G 8MM
- HEALTHWISE PEN NEEDLE 32G 4MM
- HEALTHY ACCENTS PENTIP 4MM 32G
- HEALTHY ACCENTS PENTIP 5MM 31G
- HEALTHY ACCENTS PENTIP 6MM 31G
- HEALTHY ACCENTS PENTIP 8MM 31G
- HEALTHY ACCENTS PENTP 12MM 29G
- HEB INCONTROL ALCOHOL 70% PADS
- INCONTROL PEN NEEDLE 12MM 29G
- INCONTROL PEN NEEDLE 4MM 32G
- INCONTROL PEN NEEDLE 5MM 31G
- INCONTROL PEN NEEDLE 6MM 31G
- INCONTROL PEN NEEDLE 8MM 31G
- INSULIN SYR 0.3 ML 31GX1/4(1/2)
- INSULIN SYRIN 0.5 ML 28GX1/2" (OTC)
- INSULIN SYRIN 0.5 ML 29GX1/2" (OTC)
- INSULIN SYRIN 0.5 ML 30GX1/2" (RX)
- INSULIN SYRIN 0.5 ML 30GX5/16" SHORT NEEDLE (OTC)
- INSULIN SYRING 0.5 ML 27G 1/2" OUTER
- INSULIN SYRINGE 0.3 ML
- INSULIN SYRINGE 0.3 ML 31GX1/4
- INSULIN SYRINGE 0.5 ML
- INSULIN SYRINGE 0.5 ML 31GX1/4
- INSULIN SYRINGE 1 ML
- INSULIN SYRINGE 1 ML 27G 1/2" INNER
- INSULIN SYRINGE 1 ML 27G 16MM
- INSULIN SYRINGE 1 ML 28GX1/2" (OTC)
- INSULIN SYRINGE 1 ML 30GX1/2" (RX)
- INSULIN SYRINGE 1 ML 30GX5/16"

- SHORT NEEDLE (OTC)
- INSULIN SYRINGE 1 ML 31GX1/4"
- INSULIN SYRINGE-NEEDLE U-100 SYRINGE 0.3 ML 29 GAUGE, 1 ML 29 GAUGE X 1/2", 1/2 ML 28 GAUGE
- INSUPEN 30G ULTRAFIN NEEDLE
- INSUPEN 31G ULTRAFIN NEEDLE
- INSUPEN 32G 6MM PEN NEEDLE
- INSUPEN 32G 8MM PEN NEEDLE
- INSUPEN PEN NEEDLE 29GX12MM
- INSUPEN PEN NEEDLE 31GX3/16"
- INSUPEN PEN NEEDLE 32GX4MM
- INSUPEN PEN NEEDLE 33GX4MM
- IV ANTISEPTIC WIPES
- KENDALL ALCOHOL 70% PREP PAD
- LISCO SPONGES 100/BAG
- LITE TOUCH 31GX1/4" PEN NEEDLE
- LITE TOUCH INSULIN 0.5 ML SYR
- LITE TOUCH INSULIN 1 ML SYR
- LITE TOUCH INSULIN SYR 1 ML
- LITE TOUCH PEN NEEDLE 29G
- LITE TOUCH PEN NEEDLE 31G
- LITETOUCH INS 0.3 ML 29GX1/2"
- LITETOUCH INS 0.3 ML 30GX5/16"
- LITETOUCH INS 0.3 ML 31GX5/16"
- LITETOUCH INS 0.5 ML 31GX5/16"
- LITETOUCH SYR 0.5 ML 28GX1/2"
- LITETOUCH SYR 0.5 ML 29GX1/2"
- LITETOUCH SYR 0.5 ML 30GX5/16"
- LITETOUCH SYRIN 1 ML 28GX1/2"
- LITETOUCH SYRIN 1 ML 29GX1/2"
- LITETOUCH SYRIN 1 ML 30GX5/16"
- MAGELLAN INSUL SYRINGE 0.3 ML
- MAGELLAN INSUL SYRINGE 0.5 ML
- MAGELLAN INSULIN SYR 0.3 ML
- MAGELLAN INSULIN SYR 0.5 ML
- MAGELLAN INSULIN SYRINGE 1 ML
- MAXI-COMFORT INS 0.5 ML 28G
- MAXI-COMFORT INS 1 ML 28GX1/2"
- MAXICOMFORT II PEN NDL 31GX6MM
- MAXICOMFORT INS 0.5 ML 27GX1/2"
- MAXICOMFORT INS 1 ML 27GX1/2"
- MAXICOMFORT PEN NDL 29G X 5MM
- MAXICOMFORT PEN NDL 29G X 8MM
- MICRODOT PEN NEEDLE 31GX6MM
- MICRODOT PEN NEEDLE 32GX4MM
- MICRODOT PEN NEEDLE 33GX4MM

- MICRODOT READYGARD NDL 31G 5MM OUTER
- MINI PEN NEEDLE 32G 4MM
- MINI PEN NEEDLE 32G 5MM
- MINI PEN NEEDLE 32G 6MM
- MINI PEN NEEDLE 32G 8MM
- MINI PEN NEEDLE 33G 4MM
- MINI PEN NEEDLE 33G 5MM
- MINI PEN NEEDLE 33G 6MM
- MINI ULTRA-THIN II PEN NDL 31G STERILE
- MONOJECT 0.5 ML SYRN 28GX1/2"
- MONOJECT 1 ML SYRN 27X1/2"
- MONOJECT 1 ML SYRN 28GX1/2" (OTC)
- MONOJECT INSUL SYR U100 (OTC)
- MONOJECT INSUL SYR U100 .5ML,29GX1/2" (OTC)
- MONOJECT INSUL SYR U100 0.5 ML CONVERTS TO 29G (OTC)
- MONOJECT INSUL SYR U100 1 ML
- MONOJECT INSUL SYR U100 1 ML 3'S, 29GX1/2" (OTC)
- MONOJECT INSUL SYR U100 1 ML W/O NEEDLE (OTC)
- MONOJECT INSULIN SYR 0.3 ML
- MONOJECT INSULIN SYR 0.3 ML (OTC)
- MONOJECT INSULIN SYR 0.5 ML
- MONOJECT INSULIN SYR 0.5 ML (OTC)
- MONOJECT INSULIN SYR 1 ML 3'S (OTC)
- MONOJECT INSULIN SYR U-100
- MONOJECT SYRINGE 0.3 ML
- MONOJECT SYRINGE 0.5 ML
- MONOJECT SYRINGE 1 ML
- NANO 2 GEN PEN NEEDLE 32G 4MM
- NOVOFINE 30
- NOVOFINE 32G NEEDLES
- NOVOFINE PLUS PEN NDL 32GX1/6"
- NOVOTWIST NEEDLE 32G 5MM
- PC UNIFINE PENTIPS 8MM NEEDLE SHORT
- PEN NEEDLE 30G 5MM OUTER
- PEN NEEDLE 30G 8MM INNER
- PEN NEEDLE 30G X 5/16"
- PEN NEEDLE, DIABETIC NEEDLE 29 GAUGE X 1/2"
- PEN NEEDLES 12MM 29G

- 29GX12MM,STRL
- PEN NEEDLES 4MM 32G
- PEN NEEDLES 6MM 31G 31GX6MM, STRL
- PEN NEEDLES 8MM 31G 31GX8MM,STRL,SHORT (OTC)
- PENTIPS PEN NEEDLE 29G 1/2"
- PENTIPS PEN NEEDLE 31G 1/4"
- PENTIPS PEN NEEDLE 31GX3/16" MINI, 5MM
- PENTIPS PEN NEEDLE 31GX5/16" SHORT, 8MM
- PENTIPS PEN NEEDLE 32G 1/4"
- PENTIPS PEN NEEDLE 32GX5/32" 4MM
- PIP PEN NEEDLE 31G X 5MM
- PIP PEN NEEDLE 32G X 4MM
- PREVENT PEN NEEDLE 31GX1/4"
- PREVENT PEN NEEDLE 31GX5/16"
- PRO COMFORT 0.5 ML 30GX1/2"
- PRO COMFORT 0.5 ML 30GX5/16"
- PRO COMFORT 0.5 ML 31GX5/16"
- PRO COMFORT 1 ML 30GX1/2"
- PRO COMFORT 1 ML 30GX5/16"
- PRO COMFORT 1 ML 31GX5/16"
- PRO COMFORT ALCOHOL 70% PADS
- PRO COMFORT PEN NDL 31GX5/16"
- PRO COMFORT PEN NDL 32G X 1/4"
- PRO COMFORT PEN NDL 4MM 32G
- PRO COMFORT PEN NDL 5MM 32G
- PRODIGY INS SYR 1 ML 28GX1/2"
- PRODIGY SYRNG 0.5 ML 31GX5/16"
- PRODIGY SYRNGE 0.3 ML 31GX5/16"
- PURE CMFT SFTY PEN NDL 31G 5MM
- PURE CMFT SFTY PEN NDL 31G 6MM
- PURE CMFT SFTY PEN NDL 32G 4MM
- PURE COMFORT ALCOHOL 70% PADS
- PURE COMFORT PEN NDL 32G 4MM
- PURE COMFORT PEN NDL 32G 5MM
- PURE COMFORT PEN NDL 32G 6MM
- PURE COMFORT PEN NDL 32G 8MM
- RAYA SURE PEN NEEDLE 29G 12MM
- RAYA SURE PEN NEEDLE 31G 4MM
- RAYA SURE PEN NEEDLE 31G 5MM
- RAYA SURE PEN NEEDLE 31G 6MM
- RELI-ON INSULIN 0.5 ML SYR
- RELI-ON INSULIN 1 ML SYR
- RELION INS SYR 0.3 ML 31GX6MM

- RELION INS SYR 0.5 ML 31GX6MM
- RELION INS SYR 1 ML 31GX15/64"
- RELION MINI PEN 31G X 1/4" NDL
- SAFESNAP INS SYR UNITS-100 0.3 ML 30GX5/16",10X10
- SAFESNAP INS SYR UNITS-100 0.5 ML 29GX1/2",10X10
- SAFESNAP INS SYR UNITS-100 0.5 ML 30GX5/16",10X10
- SAFESNAP INS SYR UNITS-100 1 ML 28GX1/2",10X10
- SAFESNAP INS SYR UNITS-100 1 ML 29GX1/2",10X10
- SAFETY PEN NEEDLE 31G 4MM
- SAFETY PEN NEEDLE 5MM X 31G
- SAFETY SYRINGE 0.5 ML 30G 1/2"
- SECURESAFE PEN NDL 30GX5/16" OUTER
- SECURESAFE SYR 0.5 ML 29G 1/2" OUTER
- SECURESAFE SYRNG 1 ML 29G 1/2" OUTER
- SKY SAFETY PEN NEEDLE 30G 5MM
- SKY SAFETY PEN NEEDLE 30G 8MM
- SM ULT CFT 0.3 ML 31GX5/16(1/2)
- STERILE PADS 2" X 2"
- SURE CMFT SFTY PEN NDL 31G 6MM
- SURE CMFT SFTY PEN NDL 32G 4MM
- SURE COMFORT 0.5 ML SYRINGE
- SURE COMFORT 1 ML SYRINGE
- SURE COMFORT 3/10 ML SYRINGE
- SURE COMFORT 3/10 ML SYRINGE INSULIN SYRINGE
- SURE COMFORT 30G PEN NEEDLE
- SURE COMFORT ALCOHOL PREP PADS
- SURE COMFORT INS 0.3 ML 31GX1/4
- SURE COMFORT INS 0.5 ML 31GX1/4
- SURE COMFORT INS 1 ML 31GX1/4"
- SURE COMFORT PEN NDL 29GX1/2"
 12.7MM
- SURE COMFORT PEN NDL 31G 5MM
- SURE COMFORT PEN NDL 31G 8MM
- SURE COMFORT PEN NDL 32G 4MM
- SURE COMFORT PEN NDL 32G 6MM
- SURE-FINE PEN NEEDLES 12.7MM
- SURE-FINE PEN NEEDLES 5MM
- SURE-FINE PEN NEEDLES 8MM

- SURE-JECT INSU SYR U100 0.3 ML
- SURE-JECT INSU SYR U100 0.5 ML
- SURE-JECT INSU SYR U100 1 ML
- SURE-JECT INSUL SYR U100 1 ML
- SURE-JECT INSULIN SYRINGE 1 ML
- SURE-PREP ALCOHOL PREP PADS
- TECHLITE 0.3 ML 29GX12MM (1/2)
- TECHLITE 0.3 ML 30GX8MM (1/2)
- TECHLITE 0.3 ML 31GX6MM (1/2)
- TECHLITE 0.3 ML 31GX8MM (1/2)
- TECHLITE 0.5 ML 30GX12MM (1/2)
- TECHLITE 0.5 ML 30GX8MM (1/2)
- TECHLITE 0.5 ML 31GX6MM (1/2)
- TECHLITE 0.5 ML 31GX8MM (1/2)
- TECHLITE INS SYR 1 ML 29GX12MM
- TECHLITE INS SYR 1 ML 30GX12MM
- TECHLITE INS SYR 1 ML 31GX6MM
- TECHLITE INS SYR 1 ML 31GX8MM
- TECHLITE PEN NEEDLE 29GX1/2"
- TECHLITE PEN NEEDLE 29GX3/8"
- TECHLITE PEN NEEDLE 31GX1/4"
- TECHLITE PEN NEEDLE 31GX3/16"
- TECHLITE PEN NEEDLE 31GX5/16"
- TECHLITE PEN NEEDLE 32GX1/4"
- TECHLITE PEN NEEDLE 32GX5/16"
- TECHLITE PEN NEEDLE 32GX5/32"
- TECHLITE PLUS PEN NDL 32G 4MM
- TERUMO INS SYRINGE U100-1 ML
- TERUMO INS SYRINGE U100-1/2 ML
- TERUMO INS SYRINGE U100-1/3 ML
- TERUMO INS SYRNG U100-1/2 ML
- THINPRO INS SYRIN U100-0.3 ML
- THINPRO INS SYRIN U100-0.5 ML
- THINPRO INS SYRIN U100-1 ML
- TOPCARE CLICKFINE 31G X 1/4"
- TOPCARE CLICKFINE 31G X 5/16"
- TOPCARE ULTRA COMFORT SYRINGE
- TRUE CMFRT PRO 0.5 ML 30G 5/16"
- TRUE CMFRT PRO 0.5 ML 31G 5/16"
- TRUE CMFRT PRO 0.5 ML 32G 5/16"
- TRUE CMFT SFTY PEN NDL 31G 5MM
- TRUE CMFT SFTY PEN NDL 31G 6MM
- TRUE CMFT SFTY PEN NDL 32G 4MM
- TRUE COMFORT 0.5 ML 30G 1/2"
- TRUE COMFORT 0.5 ML 30G 5/16" TRUE COMFORT 0.5 ML 31G 5/16"
- TRUE COMFORT 0.5 ML 31GX5/16"

- TRUE COMFORT 1 ML 31GX5/16"
- TRUE COMFORT ALCOHOL 70% PADS
- TRUE COMFORT PEN NDL 31G 8MM
- TRUE COMFORT PEN NDL 31GX5MM
- TRUE COMFORT PEN NDL 31GX6MM
- TRUE COMFORT PEN NDL 32G 5MM
- TRUE COMFORT PEN NDL 32G 6MM
- TRUE COMFORT PEN NDL 32GX4MM
- TRUE COMFORT PEN NDL 33G 4MM
- TRUE COMFORT PEN NDL 33G 5MM
- TRUE COMFORT PEN NDL 33G 6MM
- TRUE COMFORT PRO 1 ML 30G 1/2"
- TRUE COMFORT PRO 1 ML 30G 5/16"
- TRUE COMFORT PRO 1 ML 31G 5/16"
- TRUE COMFORT PRO 1 ML 32G 5/16"
- TRUE COMFORT PRO ALCOHOL PADS
- TRUE COMFORT SFTY 1 ML 30G 1/2"
- TRUE COMFRT PRO 0.5 ML 30G 1/2"
- TRUE COMFRT SFTY 1 ML 30G 5/16"
- TRUE COMFRT SFTY 1 ML 31G 5/16"
- TRUE COMFRT SFTY 1 ML 32G 5/16"
- TRUEPLUS PEN NEEDLE 29GX1/2"
- TRUEPLUS PEN NEEDLE 31G X 1/4"
- TRUEPLUS PEN NEEDLE 31GX3/16"
- TRUEPLUS PEN NEEDLE 31GX5/16"
- TRUEPLUS PEN NEEDLE 32GX5/32"
- TRUEPLUS SYR 0.3 ML 29GX1/2"
- TRUEPLUS SYR 0.3 ML 30GX5/16"
- TRUEPLUS SYR 0.3 ML 31GX5/16"
- TRUEPLUS SYR 0.5 ML 28GX1/2"
- TRUEPLUS SYR 0.5 ML 29GX1/2"
- TRUEPLUS SYR 0.5 ML 30GX5/16"
- TRUEPLUS SYR 0.5 ML 31GX5/16"
- TRUEPLUS SYR 1 ML 28GX1/2"
- TRUEPLUS SYR 1 ML 29GX1/2"
- TRUEPLUS SYR 1 ML 30GX5/16"
- TRUEPLUS SYR 1 ML 31GX5/16"
- ULTICAR INS 0.3 ML 31GX1/4(1/2)
- ULTICARE INS 1 ML 31GX1/4"
- ULTICARE INS SYR 0.3 ML 31G 6MM

ULTICARE INS SYR 0.3 ML 30G 8MM

- ULTICARE INS SYR 0.3 ML 31G 8MM
- ULTICARE INS SYR 0.5 ML 31G 6MM
- ULTICARE INS SYR 0.5 ML 31G 8MM (OTC)
- ULTICARE INS SYR 1 ML 30GX1/2"
- ULTICARE PEN NEEDLE 31GX3/16"

- **ULTICARE PEN NEEDLE 6MM 31G**
- **ULTICARE PEN NEEDLE 8MM 31G**
- **ULTICARE PEN NEEDLES 12MM 29G**
- **ULTICARE PEN NEEDLES 4MM 32G** MICRO, 32GX4MM
- **ULTICARE PEN NEEDLES 6MM 32G**
- **ULTICARE SAFE PEN NDL 30G 8MM**
- **ULTICARE SAFE PEN NDL 5MM 30G**
- ULTICARE SYR 0.3 ML 29G 12.7MM
- ULTICARE SYR 0.3 ML 30GX1/2"
- ULTICARE SYR 0.3 ML 31GX5/16" SHORT NDL
- ULTICARE SYR 0.5 ML 30GX1/2"
- ULTICARE SYR 0.5 ML 31GX5/16" SHORT NDL
- ULTICARE SYR 1 ML 31GX5/16"
- ULTIGUARD SAFE 1 ML 30G 12.7MM
- ULTIGUARD SAFE0.3 ML 30G 12.7MM
- ULTIGUARD SAFE0.5 ML 30G 12.7MM
- ULTIGUARD SAFEPACK 1 ML 31G 8MM
- **ULTIGUARD SAFEPACK 29G 12.7MM**
- **ULTIGUARD SAFEPACK 31G 5MM**
- **ULTIGUARD SAFEPACK 31G 6MM**
- **ULTIGUARD SAFEPACK 31G 8MM**
- **ULTIGUARD SAFEPACK 32G 4MM**
- **ULTIGUARD SAFEPACK 32G 6MM**
- ULTIGUARD SAFEPK 0.3 ML 31G 8MM
- ULTIGUARD SAFEPK 0.5 ML 31G 8MM
- ULTILET ALCOHOL STERL SWAB
- ULTILET INSULIN SYRINGE 0.3 ML
- **ULTILET INSULIN SYRINGE 0.5 ML**
- ULTILET INSULIN SYRINGE 1 ML
- **ULTILET PEN NEEDLE**
- **ULTILET PEN NEEDLE 4MM 32G**
- ULTRA COMFORT 0.3 ML SYRINGE
- ULTRA COMFORT 0.5 ML 28GX1/2" **CONVERTS TO 29G**
- ULTRA COMFORT 0.5 ML 29GX1/2"
- ULTRA COMFORT 0.5 ML SYRINGE
- ULTRA COMFORT 1 ML 31GX5/16"
- ULTRA COMFORT 1 ML SYRINGE
- ULTRA FLO 0.3 ML 30G 1/2" (1/2)
- ULTRA FLO 0.3 ML 30G 5/16"(1/2)
- ULTRA FLO 0.3 ML 31G 5/16"(1/2)
- ULTRA FLO PEN NEEDLE 31G 5MM
- ULTRA FLO PEN NEEDLE 31G 8MM
- ULTRA FLO PEN NEEDLE 32G 4MM

- **ULTRA FLO PEN NEEDLE 33G 4MM**
- ULTRA FLO PEN NEEDLES 12MM 29G
- ULTRA FLO SYR 0.3 ML 29GX1/2"
- ULTRA FLO SYR 0.3 ML 30G 5/16"
- ULTRA FLO SYR 0.3 ML 31G 5/16"
- ULTRA FLO SYR 0.5 ML 29G 1/2"
- ULTRA THIN PEN NDL 32G X 4MM
- ULTRA-FINE 0.3 ML 30G 12.7MM
- ULTRA-FINE 0.3 ML 31G 6MM (1/2)
- ULTRA-FINE 0.3 ML 31G 8MM (1/2)
- ULTRA-FINE 0.5 ML 30G 12.7MM
- ULTRA-FINE INS SYR 1 ML 31G 8MM
- ULTRA-FINE PEN NDL 29G 12.7MM
- ULTRA-FINE PEN NEEDLE 32G 6MM
- ULTRA-FINE SYR 0.5 ML 31G 8MM
- ULTRA-FINE SYR 1 ML 30G 12.7MM
- ULTRA-THIN II 1 ML 31GX5/16"
- ULTRA-THIN II INS 0.3 ML 30G
- ULTRA-THIN II INS 0.3 ML 31G
- ULTRA-THIN II INS 0.5 ML 29G
- ULTRA-THIN II INS 0.5 ML 30G
- ULTRA-THIN II INS 0.5 ML 31G
- ULTRA-THIN II INS SYR 1 ML 29G
- ULTRA-THIN II INS SYR 1 ML 30G
- ULTRA-THIN II PEN NDL 29GX1/2"
- ULTRA-THIN II PEN NDL 31GX5/16
- ULTRACARE INS 0.3 ML 30GX5/16"
- ULTRACARE INS 0.3 ML 31GX5/16"
- ULTRACARE INS 0.5 ML 30GX1/2"
- ULTRACARE INS 0.5 ML 30GX5/16" ULTRACARE INS 0.5 ML 31GX5/16"
- ULTRACARE INS 1 ML 30G X 5/16"
- ULTRACARE INS 1 ML 30GX1/2"
- ULTRACARE INS 1 ML 31G X 5/16"
- ULTRACARE PEN NEEDLE 31GX1/4"
- ULTRACARE PEN NEEDLE 31GX3/16"
- ULTRACARE PEN NEEDLE 31GX5/16"
- ULTRACARE PEN NEEDLE 32GX1/4"
- ULTRACARE PEN NEEDLE 32GX3/16"
- ULTRACARE PEN NEEDLE 32GX5/32"
- ULTRACARE PEN NEEDLE 33GX5/32"
- UNIFINE OTC PEN NEEDLE 31G 5MM
- UNIFINE OTC PEN NEEDLE 32G 4MM
- UNIFINE PEN NEEDLE 32G 4MM
- UNIFINE PENTIPS 12MM 29G 29GX12MM, STRL
- UNIFINE PENTIPS 31GX3/16"

- 31GX5MM,STRL,MINI
- UNIFINE PENTIPS 32GX1/4"
- UNIFINE PENTIPS 32GX5/32" 32GX4MM, STRL, NANO
- UNIFINE PENTIPS 33GX5/32"
- UNIFINE PENTIPS 6MM 31G
- UNIFINE PENTIPS MAX 30GX3/16"
- UNIFINE PENTIPS NEEDLES 29G
- UNIFINE PENTIPS PLUS 29GX1/2" 12MM
- UNIFINE PENTIPS PLUS 30GX3/16"
- UNIFINE PENTIPS PLUS 31GX1/4" ULTRA SHORT, 6MM
- UNIFINE PENTIPS PLUS 31GX3/16" MINI
- UNIFINE PENTIPS PLUS 31GX5/16" SHORT
- UNIFINE PENTIPS PLUS 32GX5/32"
- UNIFINE PENTIPS PLUS 33GX5/32"
- UNIFINE PROTECT 30G 5MM
- UNIFINE PROTECT 30G 8MM
- UNIFINE PROTECT 32G 4MM
- UNIFINE SAFECONTROL 30G 5MM
- UNIFINE SAFECONTROL 30G 8MM
- UNIFINE SAFECONTROL 31G 5MM
- UNIFINE SAFECONTROL 31G 6MM
- UNIFINE SAFECONTROL 31G 8MM
- UNIFINE SAFECONTROL 32G 4MM
- UNIFINE ULTRA PEN NDL 31G 5MM

- UNIFINE ULTRA PEN NDL 31G 6MM
- UNIFINE ULTRA PEN NDL 31G 8MM
- UNIFINE ULTRA PEN NDL 32G 4MM
- VANISHPOINT 0.5 ML 30GX1/2" SY OUTER
- VANISHPOINT INS 1 ML 30GX3/16"
- VANISHPOINT U-100 29X1/2 SYR
- VERIFINE INS SYR 1 ML 29G 1/2"
- VERIFINE PEN NEEDLE 29G 12MM
- VERIFINE PEN NEEDLE 31G 5MM
- VERIFINE PEN NEEDLE 31G X 6MM
- VERIFINE PEN NEEDLE 31G X 8MM
- VERIFINE PEN NEEDLE 32G 6MM
- VERIFINE PEN NEEDLE 32G X 4MM
- VERIFINE PEN NEEDLE 32G X 5MM
- VERIFINE PLUS PEN NDL 31G 5MM
- VERIFINE PLUS PEN NDL 31G 8MM
- VERIFINE PLUS PEN NDL 32G 4MM
- VERIFINE PLUS PEN NDL 32G 4MM-SHARPS CONTAINER
- VERIFINE SYRING 0.5 ML 29G 1/2"
- VERIFINE SYRING 1 ML 31G 5/16"
- VERIFINE SYRNG 0.3 ML 31G 5/16"
- VERIFINE SYRNG 0.5 ML 31G 5/16"
- VERSALON ALL PURPOSE SPONGE 25'S,N-STERILE,3PLY
- WEBCOL ALCOHOL PREPS 20'S,LARGE

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	LIFETIME

PA Criteria	Criteria Details
Other Criteria	ONLY COVERED UNDER PART D WHEN USED CONCURRENTLY WITH INSULIN.
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No

INTERFERON FOR MS-AVONEX

- AVONEX INTRAMUSCULAR PEN INJECTOR KIT
- AVONEX INTRAMUSCULAR SYRINGE KIT
- AVONEX PEN 30 MCG/0.5 ML

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	12 MONTHS
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No

INTERFERON FOR MS-BETASERON

Products Affected

• BETASERON SUBCUTANEOUS KIT

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	12 MONTHS
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No

INTERFERON FOR MS-PLEGRIDY

Products Affected

- PLEGRIDY SUBCUTANEOUS PEN INJECTOR 125 MCG/0.5 ML, 63 MCG/0.5 ML- 94 MCG/0.5 ML
- PLEGRIDY SUBCUTANEOUS SYRINGE

125 MCG/0.5 ML, 63 MCG/0.5 ML- 94 MCG/0.5 ML

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	12 MONTHS
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No

INTERFERON GAMMA-1B

Products Affected

ACTIMMUNE

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	INITIAL: CHRONIC GRANULOMATOUS DISEASE (CGD): PRESCRIBED BY OR IN CONSULTATION WITH A HEMATOLOGIST, INFECTIOUS DISEASE SPECIALIST, OR IMMUNOLOGIST. SEVERE MALIGNANT OSTEOPETROSIS (SMO): PRESCRIBED BY OR IN CONSULTATION WITH AN ENDOCRINOLOGIST OR HEMATOLOGIST.
Coverage Duration	INITIAL: 6 MONTHS. RENEWAL: 12 MONTHS
Other Criteria	RENEWAL: CGD, SMO: 1) DEMONSTRATED CLINICAL BENEFIT COMPARED TO BASELINE, AND 2) HAS NOT RECEIVED HEMATOPOIETIC CELL TRANSPLANTATION.
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No

IPILIMUMAB

Products Affected

• YERVOY

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	INITIAL: UNRESECT/MET MEL: 4MO, RCC/CRC/HCC: 3MO, ALL OTHERS: 12MO. INITIAL/RENEWAL: CUTAN MEL: 6MO
Other Criteria	RENEWAL: ADJUVANT CUTANEOUS MELANOMA: NO EVIDENCE OF DISEASE RECURRENCE (DEFINED AS THE APPEARANCE OF ONE OR MORE NEW MELANOMA LESIONS: LOCAL, REGIONAL OR DISTANT METASTASIS). THIS DRUG ALSO REQUIRES PAYMENT DETERMINATION AND MAY BE COVERED UNDER MEDICARE PART B OR D.
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No

IVACAFTOR

Products Affected

KALYDECO

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	CYSTIC FIBROSIS (CF): INITIAL: CONFIRMED MUTATION IN CFTR GENE ACCEPTABLE FOR THE TREATMENT OF CYSTIC FIBROSIS
Age Restrictions	
Prescriber Restrictions	CF: INITIAL: PRESCRIBED BY OR IN CONSULTATION WITH A PULMONOLOGIST OR CYSTIC FIBROSIS EXPERT
Coverage Duration	INITIAL: 12 MONTHS. RENEWAL: LIFETIME
Other Criteria	CF: INITIAL: NOT HOMOZYGOUS FOR F508DEL MUTATION IN CFTR GENE. RENEWAL: IMPROVEMENT IN CLINICAL STATUS.
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No

IVOSIDENIB

Products Affected

TIBSOVO

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	12 MONTHS
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No

IXAZOMIB

Products Affected

NINLARO

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	12 MONTHS
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No

LANREOTIDE

- lanreotide subcutaneous syringe 120 mg/0.5 ml
- SOMATULINE DEPOT SUBCUTANEOUS SYRINGE 60 MG/0.2 ML, 90 MG/0.3 ML

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	ACROMEGALY: INITIAL: THERAPY IS PRESCRIBED BY OR IN CONSULTATION WITH AN ENDOCRINOLOGIST.
Coverage Duration	ACROMEGALY: INITIAL: 3 MOS, RENEWAL: 12 MOS.GEP-NETS, CARCINOID SYNDROME: 12 MOS.
Other Criteria	ACROMEGALY: INITIAL: TRIAL OF OR CONTRAINDICATION TO ONE GENERIC OCTREOTIDE INJECTION. RENEWAL: 1) REDUCTION, NORMALIZATION, OR MAINTENANCE OF IGF-1 LEVELS BASED ON AGE AND GENDER, AND 2) IMPROVEMENT OR SUSTAINED REMISSION OF CLINICAL SYMPTOMS.
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No

LAPATINIB

Products Affected

• lapatinib

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	12 MONTHS
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No

LAROTRECTINIB

- VITRAKVI ORAL CAPSULE 100 MG, 25 MG
- VITRAKVI ORAL SOLUTION

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	12 MONTHS
Other Criteria	VITRAKVI ORAL SOLUTION: 1) TRIAL OF VITRAKVI CAPSULES, OR 2) UNABLE TO TAKE CAPSULE FORMULATION.
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No

LAZERTINIB

Products Affected

• LAZCLUZE ORAL TABLET 240 MG, 80 MG

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	12 MONTHS
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No

LEDIPASVIR-SOFOSBUVIR

- HARVONI ORAL PELLETS IN PACKET 33.75-150 MG, 45-200 MG
- HARVONI ORAL TABLET

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	HCV RNA LEVEL WITHIN PAST 6 MONTHS.
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	CRITERIA WILL BE APPLIED CONSISTENT WITH CURRENT AASLD/IDSA GUIDANCE.
Other Criteria	1) CRITERIA WILL BE APPLIED CONSISTENT WITH CURRENT AASLD/IDSA GUIDANCE, AND 2) NOT CONCURRENTLY TAKING ANY OF THE FOLLOWING: CARBAMAZEPINE, PHENYTOIN, PHENOBARBITAL, OXCARBAZEPINE, RIFAMPIN, RIFABUTIN, RIFAPENTINE, ROSUVASTATIN, TIPRANAVIR/RITONAVIR, SOFOSBUVIR (AS A SINGLE AGENT), EPCLUSA, ZEPATIER, MAVYRET, OR VOSEVI. REQUESTS FOR HARVONI 45MG-200MG PELLETS: PATIENT IS UNABLE TO SWALLOW TABLETS.
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No

LENALIDOMIDE

Products Affected

• lenalidomide

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	12 MONTHS
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No

LENVATINIB

Products Affected

LENVIMA

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	12 MONTHS
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No

LETERMOVIR

Products Affected

• PREVYMIS ORAL TABLET

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	HSCT: NOT AT RISK FOR LATE CMV: 4 MOS, AT RISK FOR LATE CMV: 7 MOS. KIDNEY TRANSPLANT: 7 MOS.
Other Criteria	HEMATOPOIETIC STEM CELL TRANSPLANT (HSCT): 1) THERAPY WILL BE INITIATED BETWEEN DAY 0 AND DAY 28 POST TRANSPLANT, AND 2) WILL NOT RECEIVE THE MEDICATION BEYOND 100 DAYS POST TRANSPLANT IF NOT AT RISK FOR LATE CYTOMEGALOVIRUS (CMV) INFECTION AND DISEASE, OR BEYOND 200 DAYS POST TRANSPLANT IF AT RISK FOR LATE CMV INFECTION AND DISEASE. KIDNEY TRANSPLANT: 1) THERAPY WILL BE INITIATED BETWEEN DAY 0 AND DAY 7 POST TRANSPLANT, AND 2) WILL NOT RECEIVE THE MEDICATION BEYOND 200 DAYS POST TRANSPLANT.
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No

LEUPROLIDE

Products Affected

• leuprolide subcutaneous kit

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	PROSTATE CANCER: 12 MONTHS.
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No

LEUPROLIDE DEPOT

Products Affected

• leuprolide (3 month)

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	12 MONTHS
Other Criteria	THIS DRUG ALSO REQUIRES PAYMENT DETERMINATION AND MAY BE COVERED UNDER MEDICARE PART B OR D.
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No

LEUPROLIDE-ELIGARD

- ELIGARD
- ELIGARD (3 MONTH)
- ELIGARD (4 MONTH)
- ELIGARD (6 MONTH)

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	12 MONTHS.
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No

LEUPROLIDE-LUPRON DEPOT

- LUPRON DEPOT
- LUPRON DEPOT (3 MONTH)
- LUPRON DEPOT (4 MONTH)
- LUPRON DEPOT (6 MONTH)

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	INITIAL: ENDOMETRIOSIS: DIAGNOSIS IS CONFIRMED VIA SURGICAL OR DIRECT VISUALIZATION (E.G., PELVIC ULTRASOUND) OR HISTOPATHOLOGICAL CONFIRMATION (E.G., LAPAROSCOPY OR LAPAROTOMY) IN THE LAST 10 YEARS.
Age Restrictions	
Prescriber Restrictions	INITIAL: ENDOMETRIOSIS: PRESCRIBED BY OR IN CONSULTATION WITH AN OBSTETRICIAN/GYNECOLOGIST.
Coverage Duration	PROSTATE CA: 12 MOS. UTERINE FIBROIDS: 3 MOS. ENDOMETRIOSIS: INITIAL/RENEWAL: 6 MOS.
Other Criteria	INITIAL: ENDOMETRIOSIS: 1) NO CONCURRENT USE WITH ANOTHER GNRH-MODULATING AGENT, 2) TRIAL OF OR CONTRAINDICATION TO NSAID AND PROGESTIN-CONTAINING PREPARATION, AND 3) HAS NOT RECEIVED A TOTAL OF 12 MONTHS OF TREATMENT PER LIFETIME. RENEWAL: ENDOMETRIOSIS: 1) IMPROVEMENT OF PAIN RELATED TO ENDOMETRIOSIS WHILE ON THERAPY, 2) RECEIVING CONCOMITANT ADD-BACK THERAPY (I.E., COMBINATION ESTROGEN-PROGESTIN OR PROGESTIN-ONLY CONTRACEPTIVE PREPARATION), 3) NO CONCURRENT USE WITH ANOTHER GNRH-MODULATING AGENT, AND 4) HAS NOT RECEIVED A TOTAL OF 12 MONTHS OF TREATMENT PER LIFETIME. THIS DRUG ALSO REQUIRES PAYMENT DETERMINATION AND MAY BE COVERED UNDER MEDICARE PART B OR D.
Indications	All FDA-approved Indications.
Off Label Uses	

PA Criteria	Criteria Details
Part B Prerequisite	No

LEUPROLIDE-LUPRON DEPOT-PED

- LUPRON DEPOT-PED (3 MONTH)
- LUPRON DEPOT-PED INTRAMUSCULAR SYRINGE KIT

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	CENTRAL PRECOCIOUS PUBERTY (CPP): INITIAL: FEMALES: ELEVATED LEVELS OF FOLLICLE-STIMULATING HORMONE (FSH) GREATER THAN 4.0 MIU/ML AND LUTEINIZING HORMONE (LH) LEVEL GREATER THAN 0.2 TO 0.3 MIU/ML AT DIAGNOSIS. MALES: ELEVATED LEVELS OF FSH GREATER THAN 5.0 MIU/ML AND LH LEVEL GREATER THAN 0.2 TO 0.3 MIU/ML AT DIAGNOSIS.
Age Restrictions	
Prescriber Restrictions	CPP: INITIAL: PRESCRIBED BY OR IN CONSULTATION WITH AN ENDOCRINOLOGIST.
Coverage Duration	INITIAL/RENEWAL: 12 MONTHS.
Other Criteria	CPP: INITIAL: FEMALES: 1) YOUNGER THAN 8 YEARS OF AGE AT ONSET OF CPP, AND 2) AT TANNER STAGE 2 OR ABOVE FOR BREAST DEVELOPMENT AND PUBIC HAIR GROWTH. MALES: 1) YOUNGER THAN 9 YEARS OF AGE AT ONSET OF CPP, AND 2) AT TANNER STAGE 2 OR ABOVE FOR GENITAL DEVELOPMENT AND PUBIC HAIR GROWTH. RENEWAL: 1) TANNER STAGING AT INITIAL DIAGNOSIS HAS STABILIZED OR REGRESSED DURING THREE SEPARATE MEDICAL VISITS IN THE PREVIOUS YEAR, AND 2) HAS NOT REACHED ACTUAL AGE WHICH CORRESPONDS TO CURRENT PUBERTAL AGE. THIS DRUG ALSO REQUIRES PAYMENT DETERMINATION AND MAY BE COVERED UNDER MEDICARE PART B OR D.
Indications	All FDA-approved Indications.
Off Label Uses	

PA Criteria	Criteria Details
Part B Prerequisite	No

L-GLUTAMINE

Products Affected

• glutamine (sickle cell)

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	SICKLE CELL DISEASE(SCD): INITIAL: PRESCRIBED BY OR IN CONSULTATION WITH A HEMATOLOGIST
Coverage Duration	INITIAL: 12 MONTHS. RENEWAL: LIFETIME.
Other Criteria	SCD: INITIAL: AGES 18 YEARS OR OLDER: 1) AT LEAST 2 SICKLE CELL CRISES IN THE PAST YEAR, 2) SICKLE-CELL ASSOCIATED SYMPTOMS WHICH ARE INTERFERING WITH ACTIVITIES OF DAILY LIVING, OR 3) HISTORY OF OR HAS RECURRENT ACUTE CHEST SYNDROME. AGES 5 TO 17 YEARS: APPROVED WITHOUT ADDITIONAL CRITERIA. RENEWAL: MAINTAINED OR EXPERIENCED A REDUCTION IN ACUTE COMPLICATIONS OF SCD.
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No

LIDOCAINE OINTMENT

Products Affected

• lidocaine topical ointment

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	12 MONTHS
Other Criteria	THIS DRUG MAY BE EITHER BUNDLED WITH AND COVERED UNDER END STAGE RENAL DISEASE DIALYSIS RELATED SERVICES OR COVERED UNDER MEDICARE D DEPENDING UPON THE CIRCUMSTANCES.
Indications	All Medically-accepted Indications.
Off Label Uses	
Part B Prerequisite	No

LIDOCAINE PATCH

- ZTLIDO
- dermacinrx lidocan 5% patch outerlidocaine topical adhesive patch,medicated 5
- lidocan iii

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	1) PAIN ASSOCIATED WITH POST-HERPETIC NEURALGIA, 2) NEUROPATHY DUE TO DIABETES MELLITUS, 3) CHRONIC BACK PAIN, OR 4) OSTEOARTHRITIS OF THE KNEE OR HIP.
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	12 MONTHS
Other Criteria	
Indications	All Medically-accepted Indications.
Off Label Uses	
Part B Prerequisite	No

LIDOCAINE PRILOCAINE

Products Affected

• lidocaine-prilocaine topical cream

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	12 MONTHS
Other Criteria	THIS DRUG MAY BE EITHER BUNDLED WITH AND COVERED UNDER END STAGE RENAL DISEASE DIALYSIS RELATED SERVICES OR COVERED UNDER MEDICARE D DEPENDING UPON THE CIRCUMSTANCES. INFORMATION MAY NEED TO BE SUBMITTED DESCRIBING THE USE AND SETTING OF THE DRUG TO MAKE THE DETERMINATION.
Indications	All Medically-accepted Indications.
Off Label Uses	
Part B Prerequisite	No

LONCASTUXIMAB TESIRINE-LPYL

Products Affected

ZYNLONTA

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	12 MONTHS
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No

LORLATINIB

Products Affected

• LORBRENA ORAL TABLET 100 MG, 25 MG

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	12 MONTHS
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No

LOTILANER

Products Affected

• XDEMVY

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	DEMODEX BLEPHARITIS: 18 YEARS OF AGE OR OLDER
Prescriber Restrictions	
Coverage Duration	6 WEEKS
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No

LUMACAFTOR-IVACAFTOR

Products Affected

• ORKAMBI ORAL TABLET

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	INITIAL: CYSTIC FIBROSIS (CF): CONFIRMED MUTATION IN CFTR GENE ACCEPTABLE FOR THE TREATMENT OF CF.
Age Restrictions	
Prescriber Restrictions	CF: INITIAL: PRESCRIBED BY OR IN CONSULTATION WITH A PULMONOLOGIST OR CF EXPERT.
Coverage Duration	INITIAL: 6 MONTHS, RENEWAL: LIFETIME.
Other Criteria	CF: RENEWAL: IMPROVEMENT IN CLINICAL STATUS.
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No

MACITENTAN

Products Affected

OPSUMIT

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	PULMONARY ARTERIAL HYPERTENSION (PAH): INITIAL: DIAGNOSIS CONFIRMED BY RIGHT HEART CATHETERIZATION WITH THE FOLLOWING PARAMETERS: 1) MEAN PULMONARY ARTERY PRESSURE (PAP) GREATER THAN 20 MMHG, 2) PULMONARY CAPILLARY WEDGE PRESSURE (PCWP) OF 15 MMHG OR LESS, AND 3) PULMONARY VASCULAR RESISTANCE (PVR) GREATER THAN 2 WOOD UNITS.
Age Restrictions	
Prescriber Restrictions	PAH: INITIAL: PRESCRIBED BY OR IN CONSULTATION WITH A CARDIOLOGIST OR PULMONOLOGIST.
Coverage Duration	INITIAL/RENEWAL: 12 MONTHS.
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No

MARGETUXIMAB-CMKB

Products Affected

MARGENZA

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	12 MONTHS
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No

MARIBAVIR

Products Affected

LIVTENCITY

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	12 MONTHS
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No

MECASERMIN

Products Affected

INCRELEX

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	INITIAL: PRESCRIBED BY OR IN CONSULTATION WITH AN ENDOCRINOLOGIST OR NEPHROLOGIST.
Coverage Duration	INITIAL: 6 MONTHS. RENEWAL: 12 MONTHS.
Other Criteria	INITIAL: OPEN EPIPHYSES AS CONFIRMED BY RADIOGRAPH OF WRIST AND HAND. RENEWAL: IMPROVEMENT WHILE ON THERAPY (I.E., INCREASE IN HEIGHT OR INCREASE IN HEIGHT VELOCITY).
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No

MECHLORETHAMINE

Products Affected

VALCHLOR

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	12 MONTHS
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No

MEPOLIZUMAB

- NUCALA SUBCUTANEOUS AUTO-INJECTOR
- NUCALA SUBCUTANEOUS RECON SOLN
- NUCALA SUBCUTANEOUS SYRINGE 100 MG/ML, 40 MG/0.4 ML

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	INITIAL: ASTHMA: BLOOD EOSINOPHIL LEVEL OF AT LEAST 150 CELLS/MCL WITHIN THE PAST 12 MONTHS.
Age Restrictions	
Prescriber Restrictions	INITIAL: ASTHMA: PRESCRIBED BY OR IN CONSULTATION WITH A PHYSICIAN SPECIALIZING IN PULMONARY OR ALLERGY MEDICINE. CRSWNP: PRESCRIBED BY OR IN CONSULTATION WITH AN OTOLARYNGOLOGIST, ALLERGIST OR IMMUNOLOGIST.
Coverage Duration	INITIAL: ASTHMA: 12 MO. CRSWNP: 6 MO. OTHERS: 12 MO. RENEWAL: CRSWNP, ASTHMA: 12 MO.

PA Criteria	Criteria Details
Other Criteria	INITIAL: ASTHMA: 1) CONCURRENT THERAPY WITH A MEDIUM, HIGH-DOSE OR MAXIMALLY TOLERATED DOSE OF AN INHALED CORTICOSTEROID (ICS) AND AT LEAST ONE OTHER MAINTENANCE MEDICATION, 2) ONE OF THE FOLLOWING: (A) AT LEAST ONE ASTHMA EXACERBATION REQUIRING SYSTEMIC CORTICOSTEROID BURST LASTING 3 OR MORE DAYS WITHIN THE PAST 12 MONTHS OR AT LEAST ONE SERIOUS EXACERBATION REQUIRING HOSPITALIZATION OR ER VISIT WITHIN THE PAST 12 MONTHS, OR (B) POOR SYMPTOM CONTROL DESPITE CURRENT THERAPY AS EVIDENCED BY AT LEAST THREE OF THE FOLLOWING WITHIN THE PAST 4 WEEKS: DAYTIME ASTHMA SYMPTOMS MORE THAN TWICE/WEEK, ANY NIGHT WAKING DUE TO ASTHMA, SABA RELIEVER FOR SYMPTOMS MORE THAN TWICE/WEEK, ANY ACTIVITY LIMITATION DUE TO ASTHMA, AND 3) NO CONCURRENT USE WITH XOLAIR, DUPIXENT, TEZSPIRE, OR OTHER ANTI-ILS BIOLOGICS WHEN USED FOR ASTHMA. CRSWNP: 1) A 56 DAY TRIAL OF ONE TOPICAL NASAL CORTICOSTEROID, AND 2) NO CONCURRENT USE WITH ANOTHER SYSTEMIC BIOLOGIC OR TARGETED SMALL MOLECULES (E.G., JAK INHIBITOR, PDE-4 INHIBITOR) FOR AN AUTOIMMUNE INDICATION. RENEWAL: ASTHMA: 1) NO CONCURRENT USE WITH XOLAIR, DUPIXENT, TEZSPIRE, OR OTHER ANTI-ILS BIOLOGICS WHEN USED FOR ASTHMA, 2) CONTINUED USE OF ICS AND AT LEAST ONE OTHER MAINTENANCE MEDICATION, AND 3) CLINICAL RESPONSE AS EVIDENCED BY: (A) REDUCTION IN ASTHMA EXACERBATIONS FROM BASELINE, (B) DECREASED UTILIZATION OF RESCUE MEDICATIONS, (C) REDUCTION IN SEVERITY OR FREQUENCY OF ASTHMA-RELATED SYMPTOMS, OR (D) INCREASE IN PERCENT PREDICTED FEVI FROM PRETREATMENT BASELINE. CRSWNP: 1) CLINICAL BENEFIT COMPARED TO BASELINE, AND 2) NO CONCURRENT USE WITH ANOTHER SYSTEMIC BIOLOGIC OR TARGETED SMALL MOLECULES (E.G., JAK INHIBITOR, PDE-4 INHIBITOR) FOR AN AUTOIMMUNE INDICATION.
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No

MIDOSTAURIN

Products Affected

RYDAPT

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	ACUTE MYELOID LEUKEMIA: 6 MONTHS. ADVANCED SYSTEMIC MASTOCYTOSIS: 12 MONTHS
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No

MIFEPRISTONE

Products Affected

• mifepristone oral tablet 300 mg

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	CUSHINGS SYNDROME (CS): INITIAL: DIAGNOSIS CONFIRMED BY: 1) 24-HR URINE FREE CORTISOL (2 OR MORE TESTS TO CONFIRM), 2) OVERNIGHT 1MG DEXAMETHASONE TEST, OR 3) LATE NIGHT SALIVARY CORTISOL (2 OR MORE TESTS TO CONFIRM).
Age Restrictions	
Prescriber Restrictions	CS: INITIAL: PRESCRIBED BY OR IN CONSULTATION WITH AN ENDOCRINOLOGIST.
Coverage Duration	INITIAL/RENEWAL: 12 MONTHS
Other Criteria	CS: INITIAL: HYPERCORTISOLISM IS NOT A RESULT OF CHRONIC GLUCOCORTICOIDS. RENEWAL: 1) CONTINUES TO HAVE IMPROVEMENT OF GLUCOSE TOLERANCE OR STABLE GLUCOSE TOLERANCE (E.G., REDUCED A1C, IMPROVED FASTING GLUCOSE, ETC.), 2) CONTINUES TO HAVE TOLERABILITY TO THERAPY, AND 3) CONTINUES TO NOT BE A CANDIDATE FOR SURGICAL TREATMENT OR HAS FAILED SURGERY.
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No

MILTEFOSINE

Products Affected

IMPAVIDO

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	12 MONTHS
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No

MIRDAMETINIB

- GOMEKLI ORAL CAPSULE 1 MG, 2 MG
- GOMEKLI ORAL TABLET FOR SUSPENSION

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	12 MONTHS
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No

MIRVETUXIMAB SORAVTANSINE-GYNX

Products Affected

• ELAHERE

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	EPITHELIAL OVARIAN, FALLOPIAN TUBE, OR PRIMARY PERITONEAL CANCER: AN OPHTHALMIC EXAM, INCLUDING VISUAL ACUITY AND SLIT LAMP EXAM, WILL BE COMPLETED PRIOR TO THE INITIATION OF THERAPY AND AT THE RECOMMENDED SCHEDULED INTERVALS.
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	12 MONTHS
Other Criteria	THIS DRUG ALSO REQUIRES PAYMENT DETERMINATION AND MAY BE COVERED UNDER MEDICARE PART B OR D.
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No

MOMELOTINIB

Products Affected

OJJAARA

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	12 MONTHS
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No

MOSUNETUZUMAB-AXGB

Products Affected

• LUNSUMIO

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	RELAPSED OR REFRACTORY FOLLICULAR LYMPHOMA: INITIAL: 6 MONTHS. RENEWAL: 7 MONTHS.
Other Criteria	RELAPSED OR REFRACTORY FOLLICULAR LYMPHOMA: RENEWAL: 1) HAS ACHIEVED A PARTIAL RESPONSE TO TREATMENT, AND 2) HAS NOT PREVIOUSLY RECEIVED MORE THAN 17 CYCLES OF TREATMENT. THIS DRUG ALSO REQUIRES PAYMENT DETERMINATION AND MAY BE COVERED UNDER MEDICARE PART B OR D.
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No

NARCOLEPSY AGENTS

- armodafinil
- modafinil oral tablet 100 mg, 200 mg

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	12 MONTHS
Other Criteria	
Indications	All Medically-accepted Indications.
Off Label Uses	
Part B Prerequisite	No

NAXITAMAB-GQGK

Products Affected

DANYELZA

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	12 MONTHS
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No

NERATINIB

Products Affected

NERLYNX

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	12 MONTHS
Other Criteria	EARLY-STAGE (STAGE I-III) BREAST CANCER: MEDICATION IS BEING REQUESTED WITHIN 2 YEARS OF COMPLETING THE LAST TRASTUZUMAB DOSE. ALL OTHER FDA APPROVED INDICATIONS ARE COVERED WITHOUT ADDITIONAL CRITERIA, EXCEPT THOSE CRITERIA IN THE FDA APPROVED LABEL.
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No

NILOTINIB

Products Affected

• TASIGNA ORAL CAPSULE 150 MG, 200 MG, 50 MG

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	PREVIOUSLY TREATED PHILADELPHIA CHROMOSOME-POSITIVE CHRONIC MYELOID LEUKEMIA (Ph+ CML): MUTATIONAL ANALYSIS PRIOR TO INITIATION AND TASIGNA IS APPROPRIATE PER NCCN GUIDELINE TABLE FOR TREATMENT RECOMMENDATIONS BASED ON BCR-ABL1 MUTATION PROFILE.
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	12 MONTHS
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No

NILOTINIB-DANZITEN

Products Affected

DANZITEN

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	PREVIOUSLY TREATED PHILADELPHIA CHROMOSOME-POSITIVE CHRONIC MYELOID LEUKEMIA (Ph+ CML): 1) PERFORMED MUTATIONAL ANALYSIS PRIOR TO INITIATION OF THERAPY, AND 2) THERAPY IS APPROPRIATE PER NCCN GUIDELINE TABLE FOR TREATMENT RECOMMENDATIONS BASED ON BCR-ABL1 MUTATION PROFILE.
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	12 MONTHS
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No

NINTEDANIB

Products Affected

• OFEV

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	INITIAL: IDIOPATHIC PULMONARY FIBROSIS (IPF): 1) A USUAL INTERSTITIAL PNEUMONIA (UIP) PATTERN AS EVIDENCED BY HIGH-RESOLUTION COMPUTED TOMOGRAPHY (HRCT) ALONE OR VIA A COMBINATION OF SURGICAL LUNG BIOPSY AND HRCT, AND 2) BASELINE FORCED VITAL CAPACITY (FVC) AT LEAST 50% OF PREDICTED VALUE. SYSTEMIC SCLEROSIS-ASSOCIATED INTERSTITIAL LUNG DISEASE (SSC-ILD): 1) AT LEAST 10% FIBROSIS ON A CHEST HRCT, AND 2) BASELINE FVC AT LEAST 40% OF PREDICTED VALUE. CHRONIC FIBROSING INTERSTITIAL LUNG DISEASE WITH A PROGRESSIVE PHENOTYPE (PF-ILD): 1) AT LEAST 10% FIBROSIS ON A CHEST HRCT, AND 2) BASELINE FVC AT LEAST 45% OF PREDICTED VALUE.
Age Restrictions	
Prescriber Restrictions	INITIAL: IPF: PRESCRIBED BY OR IN CONSULTATION WITH A PULMONOLOGIST. SSC-ILD, PF-ILD: PRESCRIBED BY OR IN CONSULTATION WITH A PULMONOLOGIST OR RHEUMATOLOGIST.
Coverage Duration	INITIAL: SSC-ILD: 6 MOS. IPF, PF-ILD: 12 MOS. RENEWAL (ALL INDICATIONS): 12 MOS.

PA Criteria	Criteria Details
Other Criteria	INITIAL: IPF: 1) DOES NOT HAVE OTHER KNOWN CAUSES OF INTERSTITIAL LUNG DISEASE (E.G., CONNECTIVE TISSUE DISEASE, DRUG TOXICITY, ASBESTOS OR BERYLLIUM EXPOSURE, HYPERSENSITIVITY PNEUMONITIS), AND 2) TRIAL OF OR CONTRAINDICATION TO THE PREFERRED AGENT: ESBRIET (PIRFENIDONE). SSC-ILD: 1) DOES NOT HAVE OTHER KNOWN CAUSES OF INTERSTITIAL LUNG DISEASE (E.G., HEART FAILURE/FLUID OVERLOAD, DRUG-INDUCED LUNG TOXICITY, RECURRENT ASPIRATION), AND 2) TRIAL OF OR CONTRAINDICATION TO THE PREFERRED AGENT: ACTEMRA SUBQ. PF-ILD: LUNG FUNCTION AND RESPIRATORY SYMPTOMS OR CHEST IMAGING HAVE WORSENED/PROGRESSED DESPITE TREATMENT WITH MEDICATIONS USED IN CLINICAL PRACTICE FOR ILD (NOT ATTRIBUTABLE TO COMORBIDITIES SUCH AS INFECTION, HEART FAILURE). RENEWAL: IPF, SSC-ILD, PF-ILD: CLINICAL MEANINGFUL IMPROVEMENT OR MAINTENANCE IN ANNUAL RATE OF DECLINE.
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No

NIRAPARIB

Products Affected

- ZEJULA ORAL CAPSULE
- ZEJULA ORAL TABLET

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	12 MONTHS
Other Criteria	RECURRENT EPITHELIAL OVARIAN, FALLOPIAN TUBE, OR PRIMARY PERITONEAL CANCER: 1) ZEJULA WILL BE USED AS MONOTHERAPY, AND 2) ZEJULA IS STARTED NO LATER THAN 8 WEEKS AFTER THE MOST RECENT PLATINUM-CONTAINING REGIMEN.
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No

NIRAPARIB-ABIRATERONE

Products Affected

AKEEGA

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	12 MONTHS
Other Criteria	METASTATIC CASTRATION-RESISTANT PROSTATE CANCER (MCRPC): 1) RECEIVED A BILATERAL ORCHIECTOMY, 2) CASTRATE LEVEL OF TESTOSTERONE (I.E., LESS THAN 50 NG/DL), OR 3) CONCURRENT USE WITH A GONADOTROPIN RELEASING HORMONE (GNRH) ANALOG.
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No

NIROGACESTAT

Products Affected

• OGSIVEO ORAL TABLET 100 MG, 150 MG, 50 MG

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	12 MONTHS
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No

NITISINONE

Products Affected

- nitisinone
- ORFADIN ORAL SUSPENSION

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	HEREDITARY TYROSINEMIA TYPE 1 (HT-1): INITIAL: DIAGNOSIS CONFIRMED BY ELEVATED URINARY OR PLASMA SUCCINYLACETONE LEVELS OR A MUTATION IN THE FUMARYLACETOACETATE HYDROLASE GENE. RENEWAL: URINARY OR PLASMA SUCCINYLACETONE LEVELS HAVE DECREASED FROM BASELINE WHILE ON TREATMENT WITH NITISINONE.
Age Restrictions	
Prescriber Restrictions	HT-1: INITIAL: PRESCRIBED BY OR IN CONSULTATION WITH A PRESCRIBER SPECIALIZING IN INHERITED METABOLIC DISEASES.
Coverage Duration	INITIAL: 6 MONTHS, RENEWAL: 12 MONTHS.
Other Criteria	HT-1: INITIAL: ORFADIN SUSPENSION: TRIAL OF OR CONTRAINDICATION TO PREFERRED NITISINONE TABLETS OR CAPSULES.
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No

NIVOLUMAB

Products Affected

OPDIVO

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	12 MONTHS
Other Criteria	UNRESECTABLE OR METASTATIC MELANOMA: NO CONCURRENT USE WITH TARGETED THERAPY (I.E., BRAF INHIBITORS, MEK INHIBITORS, AND NTRK INHIBITORS).
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No

NIVOLUMAB-HYALURONIDASE-NVHY

Products Affected

• OPDIVO QVANTIG

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	12 MONTHS
Other Criteria	THIS DRUG ALSO REQUIRES PAYMENT DETERMINATION AND MAY BE COVERED UNDER MEDICARE PART B OR D.
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No

NIVOLUMAB-RELATLIMAB-RMBW

Products Affected

OPDUALAG

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	12 MONTHS
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No

NOGAPENDEKIN ALFA

Products Affected

ANKTIVA

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	40 MONTHS
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No

OCRELIZUMAB

Products Affected

OCREVUS

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	12 MONTHS
Other Criteria	RELAPSING FORM OF MULTIPLE SCLEROSIS (MS): TRIAL OF TWO AGENTS INDICATED FOR THE TREATMENT OF RELAPSING FORMS OF MS. THIS DRUG ALSO REQUIRES PAYMENT DETERMINATION AND MAY BE COVERED UNDER MEDICARE PART B OR D.
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No

OCRELIZUMAB-HYALURONIDASE-OCSQ

Products Affected

OCREVUS ZUNOVO

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	12 MONTHS
Other Criteria	RELAPSING FORM OF MULTIPLE SCLEROSIS (MS): TRIAL OF TWO AGENTS INDICATED FOR THE TREATMENT OF RELAPSING FORMS OF MS. THIS DRUG ALSO REQUIRES PAYMENT DETERMINATION AND MAY BE COVERED UNDER MEDICARE PART B OR D.
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No

OFATUMUMAB-SQ

Products Affected

KESIMPTA PEN

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	12 MONTHS
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No

OLANZAPINE/SAMIDORPHAN

Products Affected

LYBALVI

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	SCHIZOPHRENIA, BIPOLAR I: PRESCRIBED BY OR IN CONSULTATION WITH A PSYCHIATRIST
Coverage Duration	12 MONTHS
Other Criteria	SCHIZOPHRENIA: 1) AT HIGH RISK FOR WEIGHT GAIN, AND 2) TRIAL OF OR CONTRAINDICATION TO A FORMULARY VERSION OF LURASIDONE OR ONE OF THE FOLLOWING ORAL ANTIPSYCHOTICS: RISPERIDONE, CLOZAPINE TABLET, OLANZAPINE, IMMEDIATE RELEASE QUETIAPINE FUMARATE, ZIPRASIDONE, ARIPIPRAZOLE. BIPOLAR I: 1) AT HIGH RISK FOR WEIGHT GAIN, AND 2) TRIAL OF OR CONTRAINDICATION TO ONE OF THE FOLLOWING ORAL ANTIPSYCHOTICS: RISPERIDONE, OLANZAPINE, IMMEDIATE RELEASE QUETIAPINE FUMARATE, ZIPRASIDONE, ARIPIPRAZOLE.
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No

OLAPARIB

Products Affected

LYNPARZA

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	12 MONTHS
Other Criteria	RECURRENT EPITHELIAL OVARIAN, FALLOPIAN TUBE OR PRIMARY PERITONEAL CANCER: MEDICATION WILL BE USED AS MONOTHERAPY. METASTATIC CASTRATION-RESISTANT PROSTATE CANCER: 1) RECEIVED A BILATERAL ORCHIECTOMY, 2) CASTRATE LEVEL OF TESTOSTERONE (I.E., LESS THAN 50 NG/DL), OR 3) CONCURRENT USE WITH A GONADOTROPIN RELEASING HORMONE (GNRH) ANALOG. ALL OTHER FDA APPROVED INDICATIONS ARE COVERED WITHOUT ADDITIONAL CRITERIA, EXCEPT THOSE CRITERIA IN THE FDA APPROVED LABEL.
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No

OLUTASIDENIB

Products Affected

REZLIDHIA

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	12 MONTHS
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No

OMACETAXINE

Products Affected

SYNRIBO

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	12 MONTHS
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No

OMALIZUMAB

Products Affected

XOLAIR

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	INITIAL: ASTHMA: POSITIVE SKIN PRICK OR BLOOD TEST (E.G., ELISA, FEIA) TO A PERENNIAL AEROALLERGEN AND A BASELINE IGE SERUM LEVEL OF AT LEAST 30 IU/ML. FOOD ALLERGY: 1) IGE SERUM LEVEL OF AT LEAST 30 IU/ML, AND 2) ALLERGEN SPECIFIC IGE SERUM LEVEL OF AT LEAST 6 KUA/L TO AT LEAST ONE FOOD, OR POSITIVE SKIN PRICK TEST TO AT LEAST ONE FOOD, OR POSITIVE MEDICALLY MONITORED FOOD CHALLENGE TO AT LEAST ONE FOOD.
Age Restrictions	
Prescriber Restrictions	INITIAL/RENEWAL: CHRONIC SPONTANEOUS URTICARIA (CSU): PRESCRIBED BY OR IN CONSULTATION WITH AN ALLERGIST, DERMATOLOGIST, OR IMMUNOLOGIST. INITIAL: CHRONIC RHINOSINUSITIS WITH NASAL POLYPS (CRSWNP): PRESCRIBED BY OR IN CONSULTATION WITH AN OTOLARYNGOLOGIST, ALLERGIST OR IMMUNOLOGIST. ASTHMA: PRESCRIBED BY OR IN CONSULTATION WITH A PHYSICIAN SPECIALIZING IN ALLERGY OR PULMONARY MEDICINE. FOOD ALLERGY: PRESCRIBED BY OR IN CONSULTATION WITH ALLERGIST OR IMMUNOLOGIST.
Coverage Duration	INITIAL/RENEWAL: ASTHMA 12 MO/12 MO, CSU 6 MO/12 MO, CRSWNP 6 MO/12 MO, FOOD ALLERGY 12 MO/24 MO

PA Criteria	Criteria Details
PA Criteria Other Criteria	INITIAL: CSU: 1) TRIAL OF AND MAINTAINED ON, OR CONTRAINDICATION TO A SECOND GENERATION H1 ANTIHISTAMINE AND 2) STILL EXPERIENCES HIVES OR ANGIOEDEMA ON MOST DAYS OF THE WEEK FOR AT LEAST 6 WEEKS. CRSWNP: 1) A 56 DAY TRIAL OF ONE TOPICAL NASAL CORTICOSTEROID, 2) TRIAL OF OR CONTRAINDICATION TO ONE PREFERRED AGENT: NUCALA, DUPIXENT, AND 3) NO CONCURRENT USE WITH ANOTHER SYSTEMIC BIOLOGIC OR TARGETED SMALL MOLECULES (E.G., JAK INHIBITOR, PDE-4 INHIBITOR) FOR AN AUTOIMMUNE INDICATION. ASTHMA: 1) CONCURRENT THERAPY WITH A MEDIUM, HIGH-DOSE OR MAXIMALLY TOLERATED DOSE OF AN INHALED CORTICOSTEROID (ICS) AND AT LEAST ONE OTHER MAINTENANCE MEDICATION, 2) ONE OF THE FOLLOWING: (A) AT LEAST ONE ASTHMA EXACERBATION REQUIRING SYSTEMIC CORTICOSTEROID BURST LASTING 3 OR MORE DAYS WITHIN THE PAST 12 MONTHS OR AT LEAST ONE SERIOUS EXACERBATION REQUIRING HOSPITALIZATION OR ER VISIT WITHIN THE PAST 12 MONTHS, OR (B) POOR SYMPTOM CONTROL DESPITE CURRENT THERAPY AS EVIDENCED BY AT LEAST THREE OF THE FOLLOWING WITHIN THE PAST 4 WEEKS: DAYTIME ASTHMA SYMPTOMS MORE THAN TWICE/WEEK, ANY NIGHT WAKING DUE TO ASTHMA, SABA RELIEVER FOR SYMPTOMS MORE THAN TWICE/WEEK, ANY ACTIVITY LIMITATION DUE TO ASTHMA, AND 3) NO CONCURRENT USE WITH DUPIXENT, TEZSPIRE, OR ANTI-IL5 BIOLOGICS WHEN USED FOR ASTHMA. FOOD ALLERGY: 1)
	CONCURRENT USE WITH DUPIXENT, TEZSPIRE, OR ANTI-IL5
	CONCURRENT USE WITH PEANUT-SPECIFIC IMMUNOTHERAPY. RENEWAL: CSU: MAINTAINED ON OR CONTRAINDICATION TO A SECOND GENERATION H1 ANTI- HISTAMINE. CRSWNP: 1) CLINICAL BENEFIT COMPARED TO BASELINE, AND 2) NO CONCURRENT USE WITH ANOTHER SYSTEMIC BIOLOGIC OR TARGETED SMALL MOLECULES (E.G.,

PA Criteria	Criteria Details
	JAK INHIBITOR, PDE-4 INHIBITOR) FOR AN AUTOIMMUNE INDICATION. ASTHMA: 1) NO CONCURRENT USE WITH DUPIXENT, TEZSPIRE, OR ANTI-IL5 BIOLOGICS WHEN USED FOR ASTHMA, 2) CONTINUED USE OF ICS AND AT LEAST ONE OTHER MAINTENANCE MEDICATION, AND 3) CLINICAL RESPONSE AS EVIDENCED BY ONE OF THE FOLLOWING: (A) REDUCTION IN ASTHMA EXACERBATIONS FROM BASELINE, (B) DECREASED UTILIZATION OF RESCUE MEDICATIONS, (C) REDUCTION IN SEVERITY OR FREQUENCY OF ASTHMARELATED SYMPTOMS, OR (D) INCREASE IN PERCENT PREDICTED FEV1 FROM PRETREATMENT BASELINE. FOOD ALLERGY: 1) PERSISTENT IGE-MEDIATED FOOD ALLERGY, 2) CONCURRENT USE WITH AN ACTIVE PRESCRIPTION FOR EPINEPHRINE AUTO-INJECTOR/INJECTION, AND 3) NO CONCURRENT USE WITH PEANUT-SPECIFIC IMMUNOTHERAPY.
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No

OSIMERTINIB

Products Affected

TAGRISSO

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	12 MONTHS
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No

OXANDROLONE

Products Affected

• oxandrolone

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	6 MONTHS
Other Criteria	PROTEIN CATABOLISM, BONE PAIN: 1) MONITORED FOR PELIOSIS HEPATIS, LIVER CELL TUMORS, AND BLOOD LIPID CHANGES, 2) DOES NOT HAVE KNOWN OR SUSPECTED: CARCINOMA OF THE PROSTATE OR BREAST IN MALE PATIENTS, CARCINOMA OF THE BREAST IN FEMALES WITH HYPERCALCEMIA, NEPHROSIS (THE NEPHROTIC PHASE OF NEPHRITIS), OR HYPERCALCEMIA, AND 3) DOES NOT HAVE SEVERE HEPATIC DYSFUNCTION.
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No

PACRITINIB

Products Affected

VONJO

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	INITIAL: 6 MONTHS. RENEWAL: 12 MONTHS
Other Criteria	MYELOFIBROSIS: RENEWAL: CONTINUES TO BENEFIT FROM THE MEDICATION
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No

PALBOCICLIB

Products Affected

• IBRANCE

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	12 MONTHS
Other Criteria	ADVANCED OR METASTATIC BREAST CANCER: TRIAL OF OR CONTRAINDICATION TO ONE OF THE PREFERRED AGENTS, WHERE INDICATIONS ALIGN: KISQALI, VERZENIO.
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No

PARATHYROID HORMONE

Products Affected

NATPARA

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	HYPOCALCEMIA SECONDARY TO HYPOPARATHYROIDISM: PRESCRIBED BY OR IN CONSULTATION WITH AN ENDOCRINOLOGIST.
Coverage Duration	12 MONTHS
Other Criteria	HYPOCALCEMIA SECONDARY TO HYPOPARATHYROIDISM: 1) TRIAL OF OR CONTRAINDICATION TO CALCITRIOL, 2) HYPOPARATHYROIDISM IS NOT DUE TO A CALCIUM SENSING RECEPTOR (CSR) MUTATION, AND 3) HYPOPARATHYROIDISM IS NOT CONSIDERED ACUTE POST-SURGICAL HYPOPARATHYROIDISM.
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No

PASIREOTIDE DIASPARTATE

Products Affected

SIGNIFOR

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	CUSHINGS DISEASE (CD): INITIAL: PRESCRIBED BY OR IN CONSULTATION WITH AN ENDOCRINOLOGIST.
Coverage Duration	INITIAL: 6 MONTHS, RENEWAL: 12 MONTHS.
Other Criteria	CD: RENEWAL: 1) CONTINUED IMPROVEMENT OF CUSHINGS DISEASE, AND 2) MAINTAINED TOLERABILITY TO SIGNIFOR.
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No

PAZOPANIB

Products Affected

pazopanib

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	12 MONTHS
Other Criteria	ADVANCED SOFT TISSUE SARCOMA (STS): NOT USED FOR ADIPOCYTIC STS OR GASTROINTESTINAL STROMAL TUMORS (GIST)
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No

PEGFILGRASTIM - APGF

Products Affected

NYVEPRIA

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	PRESCRIBED BY OR IN CONSULTATION WITH A HEMATOLOGIST OR ONCOLOGIST.
Coverage Duration	12 MONTHS
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No

PEGFILGRASTIM-NEULASTA ONPRO

Products Affected

NEULASTA ONPRO

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	PRESCRIBED BY OR IN CONSULTATION WITH A HEMATOLOGIST OR ONCOLOGIST.
Coverage Duration	12 MONTHS
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No

PEGINTERFERON ALFA-2A

Products Affected

PEGASYS

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	HEPATITIS B: PRESCRIBED BY OR IN CONSULTATION WITH A GASTROENTEROLOGIST, INFECTIOUS DISEASE SPECIALIST, OR PHYSICIAN SPECIALIZING IN THE TREATMENT OF HEPATITIS (E.G., HEPATOLOGIST).
Coverage Duration	HEP B/HEP C: 48 WEEKS.
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No

PEGVISOMANT

Products Affected

SOMAVERT

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	12 MONTHS
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No

PEMBROLIZUMAB

Products Affected

KEYTRUDA

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	12 MONTHS
Other Criteria	UNRESECTABLE OR METASTATIC MELANOMA: NO CONCURRENT USE WITH TARGETED THERAPY (I.E., BRAF INHIBITORS, MEK INHIBITORS, AND NTRK INHIBITORS).
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No

PEMIGATINIB

Products Affected

• PEMAZYRE

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	12 MONTHS
Other Criteria	CHOLANGIOCARCINOMA, MYELOID/LYMPHOID NEOPLASMS: COMPREHENSIVE OPHTHALMOLOGICAL EXAMINATION, INCLUDING OPTICAL COHERENCE TOMOGRAPHY (OCT), WILL BE COMPLETED PRIOR TO INITIATION OF THERAPY AND AT THE RECOMMENDED SCHEDULED INTERVALS.
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No

PENICILLAMINE TABLET

Products Affected

• penicillamine oral tablet

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	INITIAL: CYSTINURIA: HAS NEPHROLITHIASIS AND ONE OF THE FOLLOWING: 1) STONE ANALYSIS SHOWING PRESENCE OF CYSTINE, 2) PRESENCE OF PATHOGNOMONIC HEXAGONAL CYSTINE CRYSTALS ON URINALYSIS, OR 3) FAMILY HISTORY OF CYSTINURIA AND POSITIVE CYANIDE-NITROPRUSSIDE SCREENING.
Age Restrictions	
Prescriber Restrictions	INITIAL: WILSONS DISEASE: PRESCRIBED BY OR IN CONSULTATION WITH A HEPATOLOGIST OR GASTROENTEROLOGIST. CYSTINURIA: PRESCRIBED BY OR IN CONSULTATION WITH A NEPHROLOGIST. RHEUMATOID ARTHRITIS (RA): PRESCRIBED BY OR IN CONSULTATION WITH A RHEUMATOLOGIST.
Coverage Duration	INITIAL: 12 MONTHS, RENEWAL: LIFETIME.
Other Criteria	INITIAL: WILSONS DISEASE: 1) LEIPZIG SCORE OF 4 OR GREATER. RA: 1) NO HISTORY OR OTHER EVIDENCE OF RENAL INSUFFICIENCY, AND 2) TRIAL OF OR CONTRAINDICATION TO 3 MONTHS OF TREATMENT WITH ONE DMARD (DISEASE-MODIFYING ANTIRHEUMATIC DRUG) - IF PATIENT TRIED METHOTREXATE, THEN TRIAL AT A DOSE GREATER THAN OR EQUAL TO 20 MG PER WEEK OR MAXIMALLY TOLERATED DOSE IS REQUIRED. RENEWAL: RA: 1) NO HISTORY OR OTHER EVIDENCE OF RENAL INSUFFICIENCY, AND 2) EXPERIENCED OR MAINTAINED IMPROVEMENT IN TENDER JOINT COUNT OR SWOLLEN JOINT COUNT COMPARED TO BASELINE. WILSONS DISEASE, CYSTINURIA: CONTINUES TO BENEFIT FROM THE MEDICATION.

PA Criteria	Criteria Details
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No

PEXIDARTINIB

Products Affected

TURALIO

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	12 MONTHS
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No

PIMAVANSERIN

Products Affected

NUPLAZID

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	PSYCHOSIS IN PARKINSONS DISEASE (PD): INITIAL: 18 YEARS OR OLDER
Prescriber Restrictions	PSYCHOSIS IN PD: INITIAL: PRESCRIBED BY OR IN CONSULTATION WITH A NEUROLOGIST, GERIATRICIAN, OR A BEHAVIORAL HEALTH SPECIALIST (E.G., PSYCHIATRIST).
Coverage Duration	INITIAL/RENEWAL: 12 MONTHS.
Other Criteria	PSYCHOSIS IN PD: RENEWAL: IMPROVEMENT IN PSYCHOSIS SYMPTOMS FROM BASELINE AND DEMONSTRATES A CONTINUED NEED FOR TREATMENT.
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No

PIRFENIDONE

Products Affected

- pirfenidone oral capsulepirfenidone oral tablet 267 mg, 534 mg, 801

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	IDIOPATHIC PULMONARY FIBROSIS (IPF): INITIAL: 1) A USUAL INTERSTITIAL PNEUMONIA (UIP) PATTERN AS EVIDENCED BY HIGH-RESOLUTION COMPUTED TOMOGRAPHY (HRCT) ALONE OR VIA A COMBINATION OF SURGICAL LUNG BIOPSY AND HRCT, AND 2) PREDICTED FORCED VITAL CAPACITY (FVC) OF AT LEAST 50% AT BASELINE.
Age Restrictions	IPF: INITIAL: 18 YEARS OR OLDER.
Prescriber Restrictions	IPF: INITIAL: PRESCRIBED BY OR IN CONSULTATION WITH A PULMONOLOGIST.
Coverage Duration	INITIAL/RENEWAL: 12 MONTHS.
Other Criteria	IPF: INITIAL: 1) DOES NOT HAVE OTHER KNOWN CAUSES OF INTERSTITIAL LUNG DISEASE (E.G., CONNECTIVE TISSUE DISEASE, DRUG TOXICITY, ASBESTOS OR BERYLLIUM EXPOSURE, HYPERSENSITIVITY PNEUMONITIS, SYSTEMIC SCLEROSIS, RHEUMATOID ARTHRITIS, RADIATION, SARCOIDOSIS, BRONCHIOLITIS OBLITERANS ORGANIZING PNEUMONIA, HUMAN IMMUNODEFICIENCY VIRUS (HIV) INFECTION, VIRAL HEPATITIS, OR CANCER). RENEWAL: CLINICAL MEANINGFUL IMPROVEMENT OR MAINTENANCE IN ANNUAL RATE OF DECLINE.
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No

PIRTOBRUTINIB

Products Affected

 JAYPIRCA ORAL TABLET 100 MG, 50 MG

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	12 MONTHS
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No

POMALIDOMIDE

Products Affected

POMALYST

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	12 MONTHS
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No

PONATINIB

Products Affected

• ICLUSIG

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	CHRONIC MYELOID LEUKEMIA (CML): MUTATIONAL ANALYSIS PRIOR TO INITIATION AND ICLUSIG IS APPROPRIATE PER NCCN GUIDELINE TABLE FOR TREATMENT RECOMMENDATIONS BASED ON BCR-ABL1 MUTATION PROFILE.
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	12 MONTHS
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No

POSACONAZOLE TABLET

Products Affected

• posaconazole oral tablet,delayed release (dr/ec)

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	CONTINUATION OF THERAPY AFTER HOSPITAL DISCHARGE, PROPHYLAXIS: 6 MONTHS. TREATMENT: 12 WEEKS.
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No

PRALSETINIB

Products Affected

GAVRETO

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	12 MONTHS
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No

PYRIMETHAMINE

Products Affected

• pyrimethamine

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	TOXOPLASMOSIS: INITIAL: PRESCRIBED BY OR IN CONSULTATION WITH AN INFECTIOUS DISEASE SPECIALIST.
Coverage Duration	TOXOPLASMOSIS: INITIAL: 8 WEEKS, RENEWAL: 6 MOS.
Other Criteria	TOXOPLASMOSIS: RENEWAL: ONE OF THE FOLLOWING: (1) PERSISTENT CLINICAL DISEASE (HEADACHE, NEUROLOGICAL SYMPTOMS, OR FEVER) AND PERSISTENT RADIOGRAPHIC DISEASE (ONE OR MORE MASS LESIONS ON BRAIN IMAGING), OR (2) CD4 COUNT LESS THAN 200 CELLS/MM3 AND CURRENTLY TAKING AN ANTI-RETROVIRAL THERAPY IF HIV POSITIVE.
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No

QUININE

Products Affected

• quinine sulfate

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	12 MONTHS
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No

QUIZARTINIB

Products Affected

VANFLYTA

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	12 MONTHS
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No

REGORAFENIB

Products Affected

STIVARGA

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	12 MONTHS
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No

RELUGOLIX

Products Affected

ORGOVYX

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	12 MONTHS
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No

REPOTRECTINIB

Products Affected

AUGTYRO ORAL CAPSULE 160 MG, 40 MG

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	12 MONTHS
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No

RESLIZUMAB

Products Affected

CINQAIR

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	ASTHMA: INITIAL: BLOOD EOSINOPHIL LEVEL OF AT LEAST 150 CELLS/MCL WITHIN THE PAST 12 MONTHS.
Age Restrictions	
Prescriber Restrictions	ASTHMA: INITIAL: PRESCRIBED BY OR IN CONSULTATION WITH A PHYSICIAN SPECIALIZING IN ALLERGY OR PULMONARY MEDICINE.
Coverage Duration	INITIAL/RENEWAL: 12 MONTHS.

PA Criteria	Criteria Details
Other Criteria	ASTHMA: INITIAL: 1) CONCURRENT THERAPY WITH A MEDIUM, HIGH-DOSE OR MAXIMALLY TOLERATED DOSE OF AN INHALED CORTICOSTEROID (ICS) AND ONE OTHER MAINTENANCE MEDICATION, 2) ONE ASTHMA EXACERBATION REQUIRING SYSTEMIC CORTICOSTEROID BURST LASTING 3 OR MORE DAYS WITHIN THE PAST 12 MONTHS, OR AT LEAST ONE SERIOUS EXACERBATION REQUIRING HOSPITALIZATION OR ER VISIT WITHIN THE PAST 12 MONTHS, OR POOR SYMPTOM CONTROL DESPITE CURRENT THERAPY AS EVIDENCED BY AT LEAST THREE OF THE FOLLOWING WITHIN THE PAST 4 WEEKS: (A) DAYTIME ASTHMA SYMPTOMS MORE THAN TWICE/WEEK, (B) ANY NIGHT WAKING DUE TO ASTHMA, (C) SABA RELIEVER FOR SYMPTOMS MORE THAN TWICE/WEEK, (D) ANY ACTIVITY LIMITATION DUE TO ASTHMA, 3) TRIAL OF OR CONTRAINDICATION TO TWO OF THE FOLLOWING PREFERRED AGENTS: FASENRA, NUCALA, DUPIXENT, AND 4) NO CONCURRENT USE WITH XOLAIR, DUPIXENT, TEZSPIRE, OR OTHER ANTI-IL5 BIOLOGICS WHEN USED FOR ASTHMA. RENEWAL: 1) NO CONCURRENT USE WITH XOLAIR, DUPIXENT, TEZSPIRE, OR OTHER ANTI-IL5 BIOLOGICS WHEN USED FOR ASTHMA, 2) CONTINUED USE OF ICS AND ONE OTHER MAINTENANCE MEDICATION, AND 3) CLINICAL RESPONSE AS EVIDENCED BY: (A) REDUCTION IN ASTHMA EXACERBATIONS FROM BASELINE, (B) DECREASED UTILIZATION OF RESCUE MEDICATIONS, (C) REDUCTION IN SEVERITY OR FREQUENCY OF ASTHMA-RELATED SYMPTOMS, OR (D) INCREASE IN PERCENT PREDICTED FEV1 FROM PRETREATMENT BASELINE. THIS DRUG ALSO REQUIRES PAYMENT DETERMINATION AND MAY BE COVERED UNDER MEDICARE PART B OR D.
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No

RETIFANLIMAB-DLWR

Products Affected

ZYNYZ

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	12 MONTHS
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No

REVUMENIB

Products Affected

• REVUFORJ ORAL TABLET 110 MG, 160 MG, 25 MG

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	12 MONTHS
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No

RIBOCICLIB

Products Affected

 KISQALI ORAL TABLET 200 MG/DAY (200 MG X 1), 400 MG/DAY (200 MG X 2), 600 MG/DAY (200 MG X 3)

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	12 MONTHS
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No

RIBOCICLIB-LETROZOLE

Products Affected

 KISQALI FEMARA CO-PACK ORAL TABLET 200 MG/DAY(200 MG X 1)-2.5 MG, 400 MG/DAY(200 MG X 2)-2.5 MG, 600 MG/DAY(200 MG X 3)-2.5 MG

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	12 MONTHS
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No

RIFAXIMIN

Products Affected

• XIFAXAN ORAL TABLET 200 MG, 550 MG

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	TRAVELERS DIARRHEA, HEPATIC ENCEPHALOPATHY (HE): 12 MOS. IBS-D: 8 WKS.
Other Criteria	HE: TRIAL OF OR CONTRAINDICATION TO LACTULOSE OR CONCURRENT LACTULOSE THERAPY.
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No

RILONACEPT

Products Affected

ARCALYST

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	CRYOPYRIN-ASSOCIATED PERIODIC SYNDROMES (CAPS): 1) ONE OF THE FOLLOWING: (A) GENETIC TEST FOR GAIN-OF- FUNCTION MUTATIONS IN THE NLRP3 GENE, OR (B) HAS INFLAMMATORY MARKERS (I.E., ELEVATED CRP, ESR, SERUM AMYLOID A PROTEIN (SAA) OR S100 PROTEINS), AND 2) TWO OF THE FOLLOWING: URTICARIAL-LIKE RASH (NEUTROPHILIC DERMATITIS), COLD-TRIGGERED EPISODES, SENSORINEURAL HEARING LOSS, MUSCULOSKELETAL SYMPTOMS, CHRONIC ASEPTIC MENINGITIS, SKELETAL ABNORMALITIES. DEFICIENCY OF INTERLEUKIN-1 RECEPTOR ANTAGONIST (DIRA): 1) ONE OF THE FOLLOWING: (A) GENETIC TEST FOR GAIN-OF-FUNCTION MUTATIONS IN THE ILIRN GENE, OR (B) HAS INFLAMMATORY MARKERS (I.E., ELEVATED CRP, ESR), AND 2) ONE OF THE FOLLOWING: PUSTULAR PSORIASIS-LIKE RASHES, OSTEOMYELITIS, ABSENCE OF BACTERIAL OSTEOMYELITIS, ONYCHOMADESIS. RECURRENT PERICARDITIS (RP): TWO OF THE FOLLOWING: CHEST PAIN CONSISTENT WITH PERICARDITIS, PERICARDIAL FRICTION RUB, ECG SHOWING DIFFUSE ST-SEGMENT ELEVATION OR PR- SEGMENT DEPRESSION, NEW OR WORSENING PERICARDIAL EFFUSION.
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	CAPS, DIRA: LIFETIME. RP: 12 MONTHS.

PA Criteria	Criteria Details
Other Criteria	CAPS: NO CONCURRENT USE WITH OTHER IL-1 INHIBITORS. DIRA: 1) NO CONCURRENT USE WITH OTHER IL-1 INHIBITORS, AND 2) TRIAL OF THE PREFERRED AGENT: KINERET. RP: 1) HAD AN EPISODE OF ACUTE PERICARDITIS, 2) SYMPTOM-FREE FOR 4 TO 6 WEEKS, AND 3) NO CONCURRENT USE WITH OTHER IL-1 INHIBITORS.
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No

RIMEGEPANT

Products Affected

NURTEC ODT

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	INITIAL: 6 MONTHS. RENEWAL: 12 MONTHS.
Other Criteria	INITIAL: ACUTE MIGRAINE TREATMENT: 1) TRIAL OF OR CONTRAINDICATION TO ONE TRIPTAN (E.G., SUMATRIPTAN, RIZATRIPTAN), AND 2) NO CONCURRENT USE WITH OTHER CGRP INHIBITORS FOR ACUTE MIGRAINE TREATMENT. EPISODIC MIGRAINE PREVENTION: 1) NO CONCURRENT USE WITH OTHER CGRP INHIBITORS FOR MIGRAINE PREVENTION, AND 2) TRIAL OF OR CONTRAINDICATION TO ONE OF THE FOLLOWING PREVENTIVE MIGRAINE TREATMENTS: DIVALPROEX SODIUM, TOPIRAMATE, PROPRANOLOL, TIMOLOL. RENEWAL: ACUTE MIGRAINE TREATMENT: 1) NO CONCURRENT USE WITH OTHER CGRP INHIBITORS FOR ACUTE MIGRAINE TREATMENT, AND 2) ONE OF THE FOLLOWING: (A) IMPROVEMENT FROM BASELINE IN A VALIDATED ACUTE TREATMENT PATIENT-REPORTED OUTCOME QUESTIONNAIRE, OR (B) THERAPY WORKS CONSISTENTLY IN MAJORITY OF MIGRAINE ATTACKS. EPISODIC MIGRAINE PREVENTION: 1) NO CONCURRENT USE WITH OTHER CGRP INHIBITORS FOR MIGRAINE PREVENTION, AND 2) REDUCTION IN MIGRAINE OR HEADACHE FREQUENCY, MIGRAINE SEVERITY, OR MIGRAINE DURATION WITH THERAPY.

PA Criteria	Criteria Details
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No

RIOCIGUAT

Products Affected

ADEMPAS

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	INITIAL: PULMONARY ARTERIAL HYPERTENSION (PAH): DIAGNOSIS CONFIRMED BY RIGHT HEART CATHETERIZATION WITH THE FOLLOWING PARAMETERS: 1) MEAN PULMONARY ARTERY PRESSURE (PAP) GREATER THAN 20 MMHG, 2) PULMONARY CAPILLARY WEDGE PRESSURE (PCWP) OF 15 MMHG OR LESS, AND 3) PULMONARY VASCULAR RESISTANCE (PVR) GREATER THAN 2 WOOD UNITS. PERSISTENT/RECURRENT CHRONIC THROMBOEMBOLIC PULMONARY HYPERTENSION (CTEPH) (WHO GROUP 4): WHO FUNCTIONAL CLASS II-IV SYMPTOMS.
Age Restrictions	
Prescriber Restrictions	INITIAL: PAH, CTEPH: PRESCRIBED BY OR IN CONSULTATION WITH A CARDIOLOGIST OR PULMONOLOGIST.
Coverage Duration	INITIAL/RENEWAL: 12 MONTHS.
Other Criteria	INITIAL: PAH: NO CONCURRENT USE WITH NITRATES, NITRIC OXIDE DONORS, PHOSPHODIESTERASE (PDE) INHIBITORS, OR NON-SPECIFIC PDE INHIBITORS. CTEPH: 1) NO CONCURRENT USE WITH NITRATES, NITRIC OXIDE DONORS, PDE INHIBITORS, OR NON-SPECIFIC PDE INHIBITORS, AND 2) NOT A CANDIDATE FOR SURGERY OR HAS INOPERABLE CTEPH OR HAS PERSISTENT OR RECURRENT DISEASE AFTER SURGICAL TREATMENT. RENEWAL: PAH, CTEPH: NO CONCURRENT USE WITH NITRATES, NITRIC OXIDE DONORS, PDE INHIBITORS, OR NON-SPECIFIC PDE INHIBITORS.
Indications	All FDA-approved Indications.
Off Label Uses	

PA Criteria	Criteria Details
Part B Prerequisite	No

RIPRETINIB

Products Affected

• QINLOCK

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	12 MONTHS
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No

RISANKIZUMAB-RZAA

Products Affected

SKYRIZI

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	INITIAL: PLAQUE PSORIASIS (PSO): PLAQUE PSORIASIS COVERING 3 PERCENT OR MORE OF BODY SURFACE AREA OR PSORIATIC LESIONS AFFECTING THE HANDS, FEET, FACE, SCALP, OR GENITAL AREA.
Age Restrictions	
Prescriber Restrictions	INITIAL: PSO: PRESCRIBED BY OR IN CONSULTATION WITH A DERMATOLOGIST. PSORIATIC ARTHRITIS (PSA): PRESCRIBED BY OR IN CONSULTATION WITH A RHEUMATOLOGIST OR DERMATOLOGIST. CROHNS DISEASE (CD), ULCERATIVE COLITIS (UC): PRESCRIBED BY OR IN CONSULTATION WITH A GASTROENTEROLOGIST.
Coverage Duration	INITIAL: 6 MONTHS. RENEWAL: 12 MONTHS

PA Criteria	Criteria Details
Other Criteria	INITIAL: PSO: 1) ONE OF THE FOLLOWING: (A) AT LEAST A 3 MONTH TRIAL OF ONE ORAL IMMUNOSUPPRESSANT (CYCLOSPORINE, METHOTREXATE, TACROLIMUS) OR PUVA (PHOTOTHERAPY) FOR THE TREATMENT OF PSO, (B) CONTRAINDICATION OR INTOLERANCE TO BOTH IMMUNOSUPPRESSANT AND PUVA FOR THE TREATMENT OF PSO, OR (C) PATIENT IS SWITCHING FROM A DIFFERENT BIOLOGIC, PDE-4 INHIBITOR, OR JAK INHIBITOR FOR THE SAME INDICATION, AND 2) NO CONCURRENT USE WITH ANOTHER SYSTEMIC BIOLOGIC OR TARGETED SMALL MOLECULES (E.G., JAK INHIBITOR, PDE-4 INHIBITOR) FOR PSO. PSA: NO CONCURRENT USE WITH ANOTHER SYSTEMIC BIOLOGIC OR TARGETED SMALL MOLECULES FOR PSA. CD: NO CONCURRENT USE WITH ANOTHER SYSTEMIC BIOLOGIC OR TARGETED SMALL MOLECULES FOR CD. UC: NO CONCURRENT USE WITH ANOTHER SYSTEMIC BIOLOGIC OR TARGETED SMALL MOLECULES FOR UC. RENEWAL: PSO: 1) CONTINUES TO BENEFIT FROM THE MEDICATION, AND 2) NO CONCURRENT USE WITH ANOTHER SYSTEMIC BIOLOGIC OR TARGETED SMALL MOLECULES FOR PSO. PSA: 1) CONTINUES TO BENEFIT FROM THE MEDICATION, AND 2) NO CONCURRENT USE WITH ANOTHER SYSTEMIC BIOLOGIC OR TARGETED SMALL MOLECULES FOR PSO. PSA: 1) CONTINUES TO BENEFIT FROM THE MEDICATION, AND 2) NO CONCURRENT USE WITH ANOTHER SYSTEMIC BIOLOGIC OR TARGETED SMALL MOLECULES FOR PSA. CD: NO CONCURRENT USE WITH ANOTHER SYSTEMIC BIOLOGIC OR TARGETED SMALL MOLECULES FOR CD. UC: NO CONCURRENT USE WITH ANOTHER SYSTEMIC BIOLOGIC OR TARGETED SMALL MOLECULES FOR CD. UC: NO CONCURRENT USE WITH ANOTHER SYSTEMIC BIOLOGIC OR TARGETED SMALL MOLECULES FOR CD. UC: NO CONCURRENT USE WITH ANOTHER SYSTEMIC BIOLOGIC OR TARGETED SMALL MOLECULES FOR CD. UC: NO CONCURRENT USE WITH ANOTHER SYSTEMIC BIOLOGIC OR TARGETED SMALL MOLECULES FOR CD. UC: NO CONCURRENT USE WITH ANOTHER SYSTEMIC BIOLOGIC OR TARGETED SMALL MOLECULES FOR CD. UC: NO CONCURRENT USE WITH ANOTHER SYSTEMIC BIOLOGIC OR TARGETED SMALL MOLECULES FOR CD. UC: NO CONCURRENT USE WITH ANOTHER SYSTEMIC BIOLOGIC OR TARGETED SMALL MOLECULES FOR UC.
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No

RITUXIMAB AND HYALURONIDASE HUMAN-SQ

Products Affected

RITUXAN HYCELA

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	12 MONTHS
Other Criteria	FOLLICULAR LYMPHOMA (FL), DIFFUSE LARGE B-CELL LYMPHOMA (DLBCL), CHRONIC LYMPHOCYTIC LEUKEMIA (CLL): HAS RECEIVED OR WILL RECEIVE AT LEAST ONE FULL DOSE OF A RITUXIMAB PRODUCT BY INTRAVENOUS INFUSION PRIOR TO INITIATION OF RITUXIMAB AND HYALURONIDASE. THIS DRUG ALSO REQUIRES PAYMENT DETERMINATION AND MAY BE COVERED UNDER MEDICARE PART B OR D.
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No

RITUXIMAB-ABBS

Products Affected

TRUXIMA

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	INITIAL: RHEUMATOID ARTHRITIS (RA): PRESCRIBED BY OR IN CONSULTATION WITH A RHEUMATOLOGIST. NON-HODGKINS LYMPHOMA (NHL), CHRONIC LYMPHOCYTIC LEUKEMIA (CLL): PRESCRIBED BY OR IN CONSULTATION WITH AN ONCOLOGIST.
Coverage Duration	RA: INITIAL: 6 MO, RENEWAL: 12 MO. NHL, GPA, MPA: 12 MO. CLL: 6 MO.
Other Criteria	RA: INITIAL: TRIAL OF OR CONTRAINDICATION TO TWO OF THE FOLLOWING PREFERRED AGENTS: ENBREL, HUMIRA/CYLTEZO/YUFLYMA, XELJANZ, RINVOQ, ORENCIA. RENEWAL: CONTINUES TO BENEFIT FROM THE MEDICATION. THIS DRUG ALSO REQUIRES PAYMENT DETERMINATION AND MAY BE COVERED UNDER MEDICARE PART B OR D.
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No

RITUXIMAB-ARRX

Products Affected

RIABNI

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	RHEUMATOID ARTHRITIS (RA): INITIAL: PRESCRIBED BY OR IN CONSULTATION WITH A RHEUMATOLOGIST. NON-HODGKINS LYMPHOMA (NHL), CHRONIC LYMPHOCYTIC LEUKEMIA (CLL): PRESCRIBED BY OR IN CONSULTATION WITH AN ONCOLOGIST.
Coverage Duration	RA: INITIAL: 6 MO, RENEWAL: 12 MO. NHL, GPA, MPA: 12 MO. CLL: 6 MO.
Other Criteria	RA: INITIAL: TRIAL OF OR CONTRAINDICATION TO TWO OF THE FOLLOWING PREFERRED AGENTS: ENBREL, HUMIRA/CYLTEZO/YUFLYMA, XELJANZ, RINVOQ, ORENCIA. RENEWAL: CONTINUES TO BENEFIT FROM THE MEDICATION. THIS DRUG ALSO REQUIRES PAYMENT DETERMINATION AND MAY BE COVERED UNDER MEDICARE PART B OR D.
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No

RITUXIMAB-PVVR

Products Affected

RUXIENCE

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	RA: INITIAL: PRESCRIBED BY OR IN CONSULTATION WITH A RHEUMATOLOGIST. NON-HODGKINS LYMPHOMA (NHL), CHRONIC LYMPHOCYTIC LEUKEMIA (CLL): PRESCRIBED BY OR IN CONSULTATION WITH AN ONCOLOGIST.
Coverage Duration	RA: INITIAL: 6 MO, RENEWAL: 12 MO. NHL, GPA, MPA: 12 MO. CLL: 6 MO.
Other Criteria	RA: INITIAL: TRIAL OF OR CONTRAINDICATION TO TWO PREFERRED AGENTS: ENBREL, HUMIRA/CYLTEZO/YUFLYMA, XELJANZ, RINVOQ, ORENCIA. RENEWAL: CONTINUES TO BENEFIT FROM THE MEDICATION. THIS DRUG ALSO REQUIRES PAYMENT DETERMINATION AND MAY BE COVERED UNDER MEDICARE PART B OR D.
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No

ROPEGINTERFERON ALFA-2B-NJFT

Products Affected

BESREMI

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	12 MONTHS
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No

RUCAPARIB

Products Affected

RUBRACA

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	12 MONTHS
Other Criteria	METASTATIC CASTRATION-RESISTANT PROSTATE CANCER: ONE OF THE FOLLOWING: 1) RECEIVED A BILATERAL ORCHIECTOMY, 2) CASTRATE LEVEL OF TESTOSTERONE (I.E., LESS THAN 50 NG/DL), OR 3) CONCURRENT USE WITH A GONADOTROPIN RELEASING HORMONE (GNRH) ANALOG.
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No

RUXOLITINIB

Products Affected

JAKAFI

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	MYELOFIBROSIS: INITIAL: 6 MONTHS, RENEWAL: 12 MONTHS. POLYCYTHEMIA VERA, GVHD: 12 MONTHS
Other Criteria	MYELOFIBROSIS: RENEWAL: CONTINUES TO BENEFIT FROM THE MEDICATION.
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No

SAPROPTERIN

Products Affected

- javygtor oral tablet, soluble
- sapropterin oral tablet, soluble

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	INITIAL: 2 MONTHS, RENEWAL 12 MONTHS.
Other Criteria	HYPERPHENYLALANINEMIA (HPA): INITIAL: NO CONCURRENT USE WITH PALYNZIQ. RENEWAL: 1) CONTINUES TO BENEFIT FROM TREATMENT, AND 2) NO CONCURRENT USE WITH PALYNZIQ.
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No

SECUKINUMAB IV

Products Affected

COSENTYX INTRAVENOUS

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	INITIAL: NON-RADIOGRAPHIC AXIAL SPONDYLOARTHRITIS (NR-AXSPA): 1) C-REACTIVE PROTEIN (CRP) LEVELS ABOVE THE UPPER LIMIT OF NORMAL, OR 2) SACROILIITIS ON MAGNETIC RESONANCE IMAGING (MRI).
Age Restrictions	
Prescriber Restrictions	INITIAL: PSORIATIC ARTHRITIS (PSA): PRESCRIBED BY OR IN CONSULTATION WITH A RHEUMATOLOGIST OR A DERMATOLOGIST. ANKYLOSING SPONDYLITIS (AS), NR-AXSPA: PRESCRIBED BY OR IN CONSULTATION WITH A RHEUMATOLOGIST.
Coverage Duration	INITIAL: 6 MONTHS. RENEWAL: 12 MONTHS

PA Criteria	Criteria Details
Other Criteria	INITIAL: PSA: NO CONCURRENT USE WITH ANOTHER SYSTEMIC BIOLOGIC OR TARGETED SMALL MOLECULES (E.G., JAK INHIBITOR, PDE-4 INHIBITOR) FOR PSA. AS: 1) TRIAL OF OR CONTRAINDICATION TO AN NSAID, AND 2) NO CONCURRENT USE WITH ANOTHER SYSTEMIC BIOLOGIC OR TARGETED SMALL MOLECULES FOR AS. NR-AXSPA: 1) TRIAL OF OR CONTRAINDICATION TO AN NSAID, AND 2) NO CONCURRENT USE WITH ANOTHER SYSTEMIC BIOLOGIC OR TARGETED SMALL MOLECULES FOR NR-AXSPA. RENEWAL: PSA: 1) CONTINUES TO BENEFIT FROM THE MEDICATION, AND 2) NO CONCURRENT USE WITH ANOTHER SYSTEMIC BIOLOGIC OR TARGETED SMALL MOLECULES FOR PSA. AS: 1) CONTINUES TO BENEFIT FROM THE MEDICATION, AND 2) NO CONCURRENT USE WITH ANOTHER SYSTEMIC BIOLOGIC OR TARGETED SMALL MOLECULES FOR AS. NR-AXSPA: 1) CONTINUES TO BENEFIT FROM THE MEDICATION, AND 2) NO CONCURRENT USE WITH ANOTHER SYSTEMIC BIOLOGIC OR TARGETED SMALL MOLECULES FOR AS. NR-AXSPA: 1) CONTINUES TO BENEFIT FROM THE MEDICATION, AND 2) NO CONCURRENT USE WITH ANOTHER SYSTEMIC BIOLOGIC OR TARGETED SMALL MOLECULES FOR NR-AXSPA. THIS DRUG ALSO REQUIRES PAYMENT DETERMINATION AND MAY BE COVERED UNDER MEDICARE PART B OR D.
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No

SECUKINUMAB SQ

Products Affected

- COSENTYX (2 SYRINGES)
- COSENTYX PEN (2 PENS)
- COSENTYX SUBCUTANEOUS SYRINGE 75 MG/0.5 ML

• COSENTYX UNOREADY PEN

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	INITIAL: PLAQUE PSORIASIS (PSO): PSORIASIS COVERING 3 PERCENT OR MORE OF BODY SURFACE AREA OR PSORIATIC LESIONS AFFECTING THE HANDS, FEET, GENITAL AREA, SCALP, OR FACE. NON-RADIOGRAPHIC AXIAL SPONDYLOARTHRITIS (NR-AXSPA): 1) C-REACTIVE PROTEIN (CRP) LEVELS ABOVE THE UPPER LIMIT OF NORMAL, OR 2) SACROILIITIS ON MAGNETIC RESONANCE IMAGING (MRI).
Age Restrictions	
Prescriber Restrictions	INITIAL: PSO, HIDRADENITIS SUPPURATIVA (HS): PRESCRIBED BY OR IN CONSULTATION WITH A DERMATOLOGIST. PSORIATIC ARTHRITIS (PSA): PRESCRIBED BY OR IN CONSULTATION WITH A RHEUMATOLOGIST OR A DERMATOLOGIST. ANKYLOSING SPONDYLITIS (AS), NR-AXSPA, ENTHESITIS-RELATED ARTHRITIS (ERA): PRESCRIBED BY OR IN CONSULTATION WITH A RHEUMATOLOGIST.
Coverage Duration	INITIAL: HS: 12 MONTHS, ALL OTHER INDICATIONS: 6 MONTHS. RENEWAL: 12 MONTHS.

PA Criteria	Criteria Details
Other Criteria	INITIAL: PSO: 1) ONE OF THE FOLLOWING: (A) AT LEAST A 3 MONTH TRIAL OF ONE ORAL IMMUNOSUPPRESSANT (CYCLOSPORINE, METHOTREXATE, TACROLIMUS) OR PUVA (PHOTOTHERAPY) FOR THE TREATMENT OF PSO, (B) CONTRAINDICATION OR INTOLERANCE TO BOTH IMMUNOSUPPRESSANT AND PUVA FOR THE TREATMENT OF PSO, OR (C) PATIENT IS SWITCHING FROM A DIFFERENT BIOLOGIC, PDE-4 INHIBITOR, OR JAK INHIBITOR FOR THE SAME INDICATION, AND 2) NO CONCURRENT USE WITH ANOTHER SYSTEMIC BIOLOGIC OR TARGETED SMALL MOLECULES (E.G., JAK INHIBITOR, PDE-4 INHIBITOR) FOR PSO. PSA: NO CONCURRENT USE WITH ANOTHER SYSTEMIC BIOLOGIC OR TARGETED SMALL MOLECULES FOR PSA. AS: 1) TRIAL OF OR CONTRAINDICATION TO AN NSAID, AND 2) NO CONCURRENT USE WITH ANOTHER SYSTEMIC BIOLOGIC OR TARGETED SMALL MOLECULES FOR AS. NR-AXSPA: 1) TRIAL OF OR CONTRAINDICATION TO AN NSAID, AND 2) NO CONCURRENT USE WITH ANOTHER SYSTEMIC BIOLOGIC OR TARGETED SMALL MOLECULES FOR NS. AND 2) NO CONCURRENT USE WITH ANOTHER SYSTEMIC BIOLOGIC OR TARGETED SMALL MOLECULES FOR NR-AXSPA. ERA: TRIAL OF OR CONTRAINDICATION TO ONE NSAID, SULFASALAZINE, OR METHOTREXATE. HS: NO CONCURRENT USE WITH ANOTHER SYSTEMIC BIOLOGIC OR TARGETED SMALL MOLECULES FOR HS. RENEWAL: PSO: 1) CONTINUES TO BENEFIT FROM THE MEDICATION, AND 2) NO CONCURRENT USE WITH ANOTHER SYSTEMIC BIOLOGIC OR TARGETED SMALL MOLECULES FOR PSO. PSA: 1) CONTINUES TO BENEFIT FROM THE MEDICATION, AND 2) NO CONCURRENT USE WITH ANOTHER SYSTEMIC BIOLOGIC OR TARGETED SMALL MOLECULES FOR PSA. AS: 1) CONTINUES TO BENEFIT FROM THE MEDICATION, AND 2) NO CONCURRENT USE WITH ANOTHER SYSTEMIC BIOLOGIC OR TARGETED SMALL MOLECULES FOR PSA. AS: 1) CONTINUES TO BENEFIT FROM THE MEDICATION, AND 2) NO CONCURRENT USE WITH ANOTHER SYSTEMIC BIOLOGIC OR TARGETED SMALL MOLECULES FOR AS. NR-AXSPA: 1) CONTINUES TO BENEFIT FROM THE MEDICATION, AND 2) NO CONCURRENT USE WITH ANOTHER SYSTEMIC BIOLOGIC OR TARGETED SMALL MOLECULES FOR AS. NR-AXSPA: 1) CONTINUES TO BENEFIT FROM THE MEDICATION, AND 2) NO CONCURRENT USE WITH ANOTHER SYSTEMIC BIOLOGIC OR TARGETED SMALL
	MOLECULES FOR NR-AXSPA. ERA, HS: CONTINUES TO BENEFIT FROM THE MEDICATION.
Indications	All FDA-approved Indications.
Off Label Uses	

PA Criteria	Criteria Details
Part B Prerequisite	No

SELEXIPAG

Products Affected

- UPTRAVI INTRAVENOUS
- UPTRAVI ORAL TABLET 1,000 MCG, 1,200 MCG, 1,400 MCG, 1,600 MCG, 200 MCG, 400 MCG, 600 MCG, 800 MCG
- UPTRAVI ORAL TABLETS, DOSE PACK

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	PULMONARY ARTERIAL HYPERTENSION (PAH): INITIAL: DIAGNOSIS CONFIRMED BY RIGHT HEART CATHETERIZATION WITH THE FOLLOWING PARAMETERS: 1) MEAN PULMONARY ARTERY PRESSURE (PAP) GREATER THAN 20 MMHG, 2) PULMONARY CAPILLARY WEDGE PRESSURE (PCWP) OF 15 MMHG OR LESS, AND 3) PULMONARY VASCULAR RESISTANCE (PVR) GREATER THAN 2 WOOD UNITS.
Age Restrictions	
Prescriber Restrictions	PAH: INITIAL: PRESCRIBED BY OR IN CONSULTATION WITH A CARDIOLOGIST OR PULMONOLOGIST.
Coverage Duration	INITIAL/RENEWAL: 12 MONTHS
Other Criteria	PAH: INITIAL: TRIAL OF OR CONTRAINDICATION TO TWO OF THE FOLLOWING AGENTS FROM DIFFERENT DRUG CLASSES: 1) FORMULARY VERSION OF AN ORAL ENDOTHELIN RECEPTOR ANTAGONIST, 2) FORMULARY VERSION OF AN ORAL PHOSPHODIESTERASE TYPE-5 INHIBITOR FOR PAH, 3) FORMULARY VERSION OF AN ORAL CGMP STIMULATOR.
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No

SELINEXOR

Products Affected

• XPOVIO ORAL TABLET 100 MG/WEEK (50 MG X 2), 40 MG/WEEK (10 MG X 4), 40 MG/WEEK (20 MG X 2), 40 MG/WEEK (40 MG X 1), 40MG TWICE WEEK (40 MG X 2), 60 MG/WEEK (60 MG X 1), 60MG TWICE WEEK (120 MG/WEEK), 80 MG/WEEK (40 MG X 2), 80MG TWICE WEEK (160 MG/WEEK)

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	12 MONTHS
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No

SELPERCATINIB

Products Affected

- RETEVMO ORAL CAPSULE 40 MG, 80 MG
- RETEVMO ORAL TABLET 120 MG, 160 MG, 40 MG, 80 MG

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	12 MONTHS
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No

SELUMETINIB

Products Affected

• KOSELUGO ORAL CAPSULE 10 MG, 25 MG

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	12 MONTHS
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No

SILDENAFIL TABLET

Products Affected

• sildenafil (pulm.hypertension) oral tablet

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	PULMONARY ARTERIAL HYPERTENSION (PAH): INITIAL: AGES 18 YEARS OR OLDER: DIAGNOSIS CONFIRMED BY RIGHT HEART CATHETERIZATION WITH THE FOLLOWING PARAMETERS: 1) MEAN PULMONARY ARTERY PRESSURE (PAP) GREATER THAN 20 MMHG, 2) PULMONARY CAPILLARY WEDGE PRESSURE (PCWP) OF 15 MMHG OR LESS, AND 3) PULMONARY VASCULAR RESISTANCE (PVR) GREATER THAN 2 WOOD UNITS. AGES 1 TO 17 YEARS: DIAGNOSIS CONFIRMED BY RIGHT HEART CATHETERIZATION WITH THE FOLLOWING PARAMETERS: 1) MEAN PAP GREATER THAN 20 MMHG, 2) PCWP OF 15 MMHG OR LESS, AND 3) PVR OF 3 WOOD UNITS OR GREATER.
Age Restrictions	
Prescriber Restrictions	PAH: INITIAL: PRESCRIBED BY OR IN CONSULTATION WITH A CARDIOLOGIST OR PULMONOLOGIST.
Coverage Duration	INITIAL/RENEWAL: 12 MONTHS.
Other Criteria	PAH: INITIAL/RENEWAL: 1) NOT CONCURRENTLY OR INTERMITTENTLY TAKING ORAL ERECTILE DYSFUNCTION AGENTS (E.G. CIALIS, VIAGRA) OR ANY ORGANIC NITRATES IN ANY FORM AND 2) NO CONCURRENT USE WITH GUANYLATE CYCLASE STIMULATORS.
Indications	All Medically-accepted Indications.
Off Label Uses	
Part B Prerequisite	No

SIPONIMOD

Products Affected

- MAYZENT ORAL TABLET 0.25 MG, 1 MG, 2 MG
- MAYZENT STARTER(FOR 1MG MAINT)
- MAYZENT STARTER (FOR 2MG MAINT)

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	12 MONTHS
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No

SIROLIMUS PROTEIN-BOUND

Products Affected

FYARRO

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	12 MONTHS
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No

SODIUM OXYBATE-XYREM

Products Affected

• sodium oxybate

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	INITIAL: CATAPLEXY IN NARCOLEPSY, EXCESSIVE DAYTIME SLEEPINESS (EDS) IN NARCOLEPSY: PRESCRIBED BY OR IN CONSULTATION WITH A NEUROLOGIST, PSYCHIATRIST, OR SPECIALIST IN SLEEP MEDICINE
Coverage Duration	INITIAL: 6 MONTHS. RENEWAL: 12 MONTHS
Other Criteria	INITIAL: EDS IN NARCOLEPSY: 1) NO CONCURRENT USE WITH A SEDATIVE HYPNOTIC AGENT, 2) AGES 18 YEARS OR OLDER: TRIAL, FAILURE OF, OR CONTRAINDICATION TO A FORMULARY VERSION OF MODAFINIL, ARMODAFINIL, OR SUNOSI AND ONE GENERIC STIMULANT INDICATED FOR EDS IN NARCOLEPSY, AND 3) AGES 7 TO 17 YEARS: TRIAL, FAILURE OF, OR CONTRAINDICATION TO ONE GENERIC STIMULANT INDICATED FOR EDS IN NARCOLEPSY. CATAPLEXY IN NARCOLEPSY: NO CONCURRENT USE WITH A SEDATIVE HYPNOTIC AGENT. RENEWAL: CATAPLEXY IN NARCOLEPSY, EDS IN NARCOLEPSY: 1) SUSTAINED IMPROVEMENT OF SYMPTOMS COMPARED TO BASELINE, AND 2) NO CONCURRENT USE WITH A SEDATIVE HYPNOTIC AGENT.
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No

SOFOSBUVIR/VELPATASVIR

Products Affected

- EPCLUSA ORAL PELLETS IN PACKET 150-37.5 MG, 200-50 MG
- EPCLUSA ORAL TABLET

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	HCV RNA LEVEL WITHIN PAST 6 MONTHS.
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	CRITERIA WILL BE APPLIED CONSISTENT WITH CURRENT AASLD/IDSA GUIDANCE.
Other Criteria	1) CRITERIA WILL BE APPLIED CONSISTENT WITH CURRENT AASLD/IDSA GUIDANCE, 2) NOT CONCURRENTLY TAKING ANY OF THE FOLLOWING MEDICATIONS: AMIODARONE, CARBAMAZEPINE, PHENYTOIN, PHENOBARBITAL, OXCARBAZEPINE, RIFAMPIN, RIFABUTIN, RIFAPENTINE, HIV REGIMEN THAT CONTAINS EFAVIRENZ, ROSUVASTATIN AT DOSES ABOVE 10MG, TIPRANAVIR/RITONAVIR, TOPOTECAN, SOVALDI (AS A SINGLE AGENT), HARVONI, ZEPATIER, MAVYRET, OR VOSEVI, AND 3) PATIENTS WITH DECOMPENSATED CIRRHOSIS REQUIRE CONCURRENT RIBAVIRIN UNLESS RIBAVIRIN INELIGIBLE.
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No

SOFOSBUVIR/VELPATASVIR/VOXILAPREVIR

Products Affected

VOSEVI

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	HCV RNA LEVEL WITHIN PAST 6 MONTHS
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	CRITERIA WILL BE APPLIED CONSISTENT WITH CURRENT AASLD/IDSA GUIDANCE.
Other Criteria	1) CRITERIA WILL BE APPLIED CONSISTENT WITH CURRENT AASLD/IDSA GUIDANCE, 2) NOT CONCURRENTLY TAKING ANY OF THE FOLLOWING MEDICATIONS: AMIODARONE, CARBAMAZEPINE, PHENYTOIN, PHENOBARBITAL, OXCARBAZEPINE, RIFAMPIN, RIFABUTIN, RIFAPENTINE, CYCLOSPORINE, PITAVASTATIN, PRAVASTATIN (DOSES ABOVE 40MG), ROSUVASTATIN, METHOTREXATE, MITOXANTRONE, IMATINIB, IRINOTECAN, LAPATINIB, SULFASALAZINE, TOPOTECAN, OR HIV REGIMEN THAT CONTAINS EFAVIRENZ, ATAZANAVIR, LOPINAVIR, TIPRANAVIR/RITONAVIR, SOVALDI (AS A SINGLE AGENT), EPCLUSA, HARVONI, ZEPATIER, OR MAVYRET, AND 3) DOES NOT HAVE MODERATE OR SEVERE HEPATIC IMPAIRMENT (CHILD-PUGH B OR C).
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No

SOMATROPIN - NORDITROPIN

Products Affected

NORDITROPIN FLEXPRO

PA Criteria	Criteria Details
Exclusion Criteria	INITIAL/RENEWAL: ATHLETIC ENHANCEMENT, ANTI-AGING PURPOSES.
Required Medical Information	INITIAL: PEDIATRIC GROWTH HORMONE DEFICIENCY (GHD), IDIOPATHIC SHORT STATURE (ISS), SMALL FOR GESTATIONAL AGE (SGA), TURNER SYNDROME (TS), NOONAN SYNDROME: HEIGHT AT LEAST 2 STANDARD DEVIATIONS BELOW THE MEAN HEIGHT FOR CHILDREN OF THE SAME AGE AND GENDER. PRADER WILLI SYNDROME (PWS): CONFIRMED GENETIC DIAGNOSIS.
Age Restrictions	
Prescriber Restrictions	INITIAL/RENEWAL: ALL INDICATIONS: PRESCRIBED BY OR IN CONSULTATION WITH AN ENDOCRINOLOGIST.
Coverage Duration	INITIAL/RENEWAL: 12 MONTHS.
Other Criteria	INITIAL: ADULT GHD: GHD ALONE OR ASSOCIATED WITH MULTIPLE HORMONE DEFICIENCIES (HYPOPITUITARISM), AS A RESULT OF PITUITARY DISEASE, HYPOTHALAMIC DISEASE, SURGERY, RADIATION THERAPY, OR TRAUMA, OR FOR CONTINUATION OF THERAPY FROM CHILDHOOD ONSET GHD. PEDIATRIC GHD, ISS, SGA, TS, NOONAN SYNDROME: OPEN EPIPHYSES AS CONFIRMED BY RADIOGRAPH OF THE WRIST AND HAND. RENEWAL: PEDIATRIC GHD: 1) IMPROVEMENT WHILE ON THERAPY (I.E., INCREASED HEIGHT OR INCREASED GROWTH VELOCITY), AND 2) OPEN EPIPHYSES AS CONFIRMED BY RADIOGRAPH OF THE WRIST AND HAND OR HAS NOT COMPLETED PREPUBERTAL GROWTH. ISS, SGA, TS, NOONAN SYNDROME: 1) IMPROVEMENT WHILE ON THERAPY (I.E., INCREASED HEIGHT OR INCREASED GROWTH VELOCITY), AND 2) OPEN EPIPHYSES AS CONFIRMED BY RADIOGRAPH OF THE WRIST AND HAND. PWS: IMPROVEMENT IN BODY COMPOSITION.

PA Criteria	Criteria Details
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No

SOMATROPIN - SEROSTIM

Products Affected

• SEROSTIM SUBCUTANEOUS RECON SOLN 4 MG, 5 MG, 6 MG

PA Criteria	Criteria Details
Exclusion Criteria	INITIAL/RENEWAL: ATHLETIC ENHANCEMENT, ANTI-AGING PURPOSES
Required Medical Information	INITIAL: HIV/WASTING: ONE OF THE FOLLOWING FOR WEIGHT LOSS: 1) 10% UNINTENTIONAL WEIGHT LOSS OVER 12 MONTHS, 2) 7.5% UNINTENTIONAL WEIGHT LOSS OVER 6 MONTHS, 3) 5% BODY CELL MASS (BCM) LOSS WITHIN 6 MONTHS, 4) BCM LESS THAN 35% (MEN) OF TOTAL BODY WEIGHT AND BODY MASS INDEX (BMI) LESS THAN 27 KG PER METER SQUARED, 5) BCM LESS THAN 23% (WOMEN) OF TOTAL BODY WEIGHT AND BMI LESS THAN 27 KG PER METER SQUARED, OR 6) BMI LESS THAN 18.5 KG PER METER SQUARED.
Age Restrictions	
Prescriber Restrictions	HIV/WASTING: INITIAL: PRESCRIBED BY OR IN CONSULTATION WITH A GASTROENTEROLOGIST, NUTRITIONAL SUPPORT SPECIALIST, OR INFECTIOUS DISEASE SPECIALIST.
Coverage Duration	INITIAL/RENEWAL: 3 MONTHS.
Other Criteria	HIV/WASTING: INITIAL: 1) INADEQUATE RESPONSE TO ONE PREVIOUS THERAPY (E.G., MEGACE, APPETITE STIMULANTS, ANABOLIC STEROIDS). RENEWAL: 1) CLINICAL BENEFIT IN MUSCLE MASS AND WEIGHT.
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No

SONIDEGIB

Products Affected

ODOMZO

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	LOCALLY ADVANCED BASAL CELL CARCINOMA (BCC): BASELINE SERUM CREATINE KINASE (CK) AND SERUM CREATININE LEVELS
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	12 MONTHS
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No

SORAFENIB

Products Affected

sorafenib

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	12 MONTHS
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No

SOTATERCEPT-CSRK

Products Affected

WINREVAIR

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	PULMONARY ARTERIAL HYPERTENSION (PAH): INITIAL: DIAGNOSIS CONFIRMED BY RIGHT HEART CATHETERIZATION WITH THE FOLLOWING PARAMETERS: 1) MEAN PULMONARY ARTERY PRESSURE (PAP) GREATER THAN 20 MMHG, 2) PULMONARY CAPILLARY WEDGE PRESSURE (PCWP) OF 15 MMHG OR LESS, AND 3) PULMONARY VASCULAR RESISTANCE (PVR) GREATER THAN 2 WOOD UNITS.
Age Restrictions	
Prescriber Restrictions	PAH: INITIAL: PRESCRIBED BY OR IN CONSULTATION WITH A CARDIOLOGIST OR PULMONOLOGIST.
Coverage Duration	INITIAL/RENEWAL: 12 MONTHS.
Other Criteria	PAH: INITIAL: 1) ON BACKGROUND PAH THERAPY (FOR AT LEAST 3 MONTHS) WITH AT LEAST TWO OF THE FOLLOWING AGENTS FROM DIFFERENT DRUG CLASSES: A) ORAL ENDOTHELIN RECEPTOR ANTAGONIST, B) ORAL PHOSPHODIESTERASE TYPE-5 INHIBITOR FOR PAH, C) ORAL CGMP STIMULATOR, D) IV/SQ PROSTACYCLIN, OR 2) ON ONE AGENT FROM ONE OF THE ABOVE DRUG CLASSES, AND HAS A CONTRAINDICATION OR INTOLERANCE TO ALL OF THE OTHER DRUG CLASSES.
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No

SOTORASIB

Products Affected

• LUMAKRAS ORAL TABLET 120 MG, 240 MG, 320 MG

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	12 MONTHS
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No

STIRIPENTOL

Products Affected

- DIACOMIT ORAL CAPSULE 250 MG, 500 MG
- DIACOMIT ORAL POWDER IN PACKET 250 MG, 500 MG

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	DRAVET SYNDROME: INITIAL: PRESCRIBED BY OR IN CONSULTATION WITH A NEUROLOGIST.
Coverage Duration	INITIAL/RENEWAL: 12 MONTHS.
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No

SUNITINIB

Products Affected

• sunitinib malate

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	12 MONTHS
Other Criteria	GASTROINTESTINAL STROMAL TUMORS (GIST): TRIAL OF OR CONTRAINDICATION TO IMATINIB (GLEEVEC).
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No

TADALAFIL - ADCIRCA, ALYQ

Products Affected

alyq

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	PULMONARY ARTERIAL HYPERTENSION (PAH): INITIAL: DIAGNOSIS CONFIRMED BY RIGHT HEART CATHETERIZATION WITH THE FOLLOWING PARAMETERS: 1) MEAN PULMONARY ARTERY PRESSURE (PAP) GREATER THAN 20 MMHG, 2) PULMONARY CAPILLARY WEDGE PRESSURE (PCWP) OF 15 MMHG OR LESS, AND 3) PULMONARY VASCULAR RESISTANCE (PVR) GREATER THAN 2 WOOD UNITS.
Age Restrictions	
Prescriber Restrictions	PAH: INITIAL: PRESCRIBED BY OR IN CONSULTATION WITH A CARDIOLOGIST OR PULMONOLOGIST.
Coverage Duration	INITIAL/RENEWAL: 12 MONTHS.
Other Criteria	PAH: INITIAL/RENEWAL: 1) NOT CONCURRENTLY OR INTERMITTENTLY TAKING ORAL ERECTILE DYSFUNCTION AGENTS (E.G. CIALIS, VIAGRA) OR ANY ORGANIC NITRATES IN ANY FORM, AND 2) NO CONCURRENT USE WITH GUANYLATE CYCLASE STIMULATORS.
Indications	All Medically-accepted Indications.
Off Label Uses	
Part B Prerequisite	No

TADALAFIL-CIALIS

Products Affected

• tadalafil oral tablet 2.5 mg, 5 mg

PA Criteria	Criteria Details
Exclusion Criteria	ERECTILE DYSFUNCTION WITHOUT DIAGNOSIS OF BENIGN PROSTATIC HYPERPLASIA (BPH).
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	12 MONTHS
Other Criteria	BPH: 1) TRIAL OF ONE ALPHA BLOCKER (E.G., DOXAZOSIN, TERAZOSIN, TAMSULOSIN, ALFUZOSIN), AND 2) TRIAL OF ONE 5-ALPHA-REDUCTASE INHIBITOR (E.G., FINASTERIDE, DUTASTERIDE). APPLIES TO 2.5MG AND 5MG STRENGTHS ONLY
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No

TALAZOPARIB

Products Affected

TALZENNA

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	12 MONTHS
Other Criteria	ADVANCED OR METASTATIC BREAST CANCER: 1) HAS BEEN TREATED WITH CHEMOTHERAPY IN THE NEOADJUVANT, ADJUVANT, OR METASTATIC SETTING, AND 2) IF HORMONE RECEPTOR (HR)-POSITIVE BREAST CANCER, RECEIVED PRIOR TREATMENT WITH ENDOCRINE THERAPY OR IS CONSIDERED INAPPROPRIATE FOR ENDOCRINE THERAPY. METASTATIC CASTRATION-RESISTANT PROSTATE CANCER: 1) RECEIVED A BILATERAL ORCHIECTOMY, 2) CASTRATE LEVEL OF TESTOSTERONE (I.E., LESS THAN 50 NG/DL), OR 3) CONCURRENT USE WITH A GONADOTROPIN RELEASING HORMONE (GNRH) ANALOG.
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No

TALQUETAMAB-TGVS

Products Affected

TALVEY

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	12 MONTHS
Other Criteria	THIS DRUG ALSO REQUIRES PAYMENT DETERMINATION AND MAY BE COVERED UNDER MEDICARE PART B OR D.
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No

TARLATAMAB-DLLE

Products Affected

IMDELLTRA

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	12 MONTHS
Other Criteria	THIS DRUG ALSO REQUIRES PAYMENT DETERMINATION AND MAY BE COVERED UNDER MEDICARE PART B OR D.
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No

TAZEMETOSTAT

Products Affected

TAZVERIK

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	12 MONTHS
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No

TEBENTAFUSP-TEBN

Products Affected

KIMMTRAK

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	12 MONTHS
Other Criteria	THIS DRUG ALSO REQUIRES PAYMENT DETERMINATION AND MAY BE COVERED UNDER MEDICARE PART B OR D.
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No

TECLISTAMAB-CQYV

Products Affected

TECVAYLI

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	12 MONTHS
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No

TELOTRISTAT

Products Affected

XERMELO

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	CARCINOID SYNDROME DIARRHEA: PRESCRIBED BY OR IN CONSULTATION WITH AN ONCOLOGIST OR GASTROENTEROLOGIST
Coverage Duration	12 MONTHS
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No

TEPOTINIB

Products Affected

TEPMETKO

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	12 MONTHS
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No

TERIPARATIDE

Products Affected

• teriparatide subcutaneous pen injector 20 mcg/dose (620mcg/2.48ml)

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	24 MONTHS
Other Criteria	OSTEOPOROSIS: HAS NOT RECEIVED A TOTAL OF 24 MONTHS CUMULATIVE TREATMENT WITH ANY PARATHYROID HORMONE THERAPY, UNLESS REMAINS AT OR HAS RETURNED TO HAVING A HIGH RISK FOR FRACTURE.
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No

TESTOSTERONE

- testosterone transdermal gel in metered-dose pump 12.5 mg/ 1.25 gram (1 %), 20.25 mg/1.25 gram (1.62 %)
- $(25 \ mg/2.5 gram), \ 1 \% \ (50 \ mg/5 \ gram)$
- testosterone transdermal gel in packet 1 %

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	MALE HYPOGONADISM: INITIAL: CONFIRMED BY: 1) AT LEAST TWO TOTAL SERUM TESTOSTERONE LEVELS OF LESS THAN 300 NG/DL TAKEN ON SEPARATE OCCASIONS, OR 2) FREE SERUM TESTOSTERONE LEVEL OF LESS THAN 5 NG/DL.
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	INITIAL/RENEWAL: 12 MONTHS
Other Criteria	MALE HYPOGONADISM: INITIAL: 1) 40 YEARS OR OLDER: PROSTATE SPECIFIC ANTIGEN (PSA) HAS BEEN EVALUATED FOR PROSTATE CANCER SCREENING. RENEWAL: 1) 40 YEARS OR OLDER: PSA HAS BEEN EVALUATED FOR PROSTATE CANCER SCREENING, AND 2) IMPROVED SYMPTOMS COMPARED TO BASELINE AND TOLERANCE TO TREATMENT.
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No

TESTOSTERONE CYPIONATE

Products Affected

• testosterone cypionate

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	MALE HYPOGONADISM: INITIAL: CONFIRMED BY: 1) AT LEAST TWO TOTAL SERUM TESTOSTERONE LEVELS OF LESS THAN 300 NG/DL TAKEN ON SEPARATE OCCASIONS, OR 2) FREE SERUM TESTOSTERONE LEVEL OF LESS THAN 5 NG/DL.
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	INITIAL/RENEWAL: 12 MONTHS
Other Criteria	MALE HYPOGONADISM: INITIAL: 1) 40 YEARS OR OLDER: PROSTATE SPECIFIC ANTIGEN (PSA) HAS BEEN EVALUATED FOR PROSTATE CANCER SCREENING. RENEWAL: 1) 40 YEARS OR OLDER: PSA HAS BEEN EVALUATED FOR PROSTATE CANCER SCREENING, AND 2) IMPROVED SYMPTOMS COMPARED TO BASELINE AND TOLERANCE TO TREATMENT.
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No

TESTOSTERONE ENANTHATE

- testosterone enanthate
- XYOSTED

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	MALE HYPOGONADISM: INITIAL: CONFIRMED BY: 1) AT LEAST TWO TOTAL SERUM TESTOSTERONE LEVELS OF LESS THAN 300 NG/DL TAKEN ON SEPARATE OCCASIONS, OR 2) FREE SERUM TESTOSTERONE LEVEL OF LESS THAN 5 NG/DL.
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	INITIAL/RENEWAL: MALE DELAYED PUBERTY: 6MO, MALE HYPOGONADISM: 12 MO. OTHER INDICATIONS: 12 MO.
Other Criteria	INITIAL: MALE HYPOGONADISM: 1) 40 YEARS OR OLDER: PROSTATE SPECIFIC ANTIGEN (PSA) HAS BEEN EVALUATED FOR PROSTATE CANCER SCREENING. RENEWAL: MALE HYPOGONADISM: 1) 40 YEARS OR OLDER: PSA HAS BEEN EVALUATED FOR PROSTATE CANCER SCREENING, AND 2) IMPROVED SYMPTOMS COMPARED TO BASELINE AND TOLERANCE TO TREATMENT. MALE DELAYED PUBERTY: HAS NOT RECEIVED MORE THAN TWO 6-MONTH COURSES OF TESTOSTERONE REPLACEMENT THERAPY
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No

TETRABENAZINE

Products Affected

tetrabenazine

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	HUNTINGTONS DISEASE: PRESCRIBED BY OR IN CONSULTATION WITH A NEUROLOGIST OR MOVEMENT DISORDER SPECIALIST
Coverage Duration	12 MONTHS
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No

THALIDOMIDE

Products Affected

• THALOMID

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	12 MONTHS
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No

TISLELIZUMAB-JSGR

Products Affected

• TEVIMBRA

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	12 MONTHS
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No

TISOTUMAB VEDOTIN-TFTV

Products Affected

• TIVDAK

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	12 MONTHS
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No

TIVOZANIB

Products Affected

FOTIVDA

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	12 MONTHS
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No

TOCILIZUMAB IV

Products Affected

ACTEMRA

PA Criteria	Criteria Details
Exclusion Criteria	CORONAVIRUS DISEASE 2019 (COVID-19) IN HOSPITALIZED ADULTS
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	INITIAL: RHEUMATOID ARTHRITIS (RA), POLYARTICULAR JUVENILE IDIOPATHIC ARTHRITIS (PJIA): PRESCRIBED BY OR IN CONSULTATION WITH A RHEUMATOLOGIST. SYSTEMIC JUVENILE IDIOPATHIC ARTHRITIS (SJIA): PRESCRIBED BY OR IN CONSULTATION WITH A RHEUMATOLOGIST, DERMATOLOGIST, OR IMMUNOLOGIST.
Coverage Duration	INITIAL: RA, PJIA, SJIA, GCA: 6 MONTHS. CRS: 1 MONTH. RENEWAL: RA, PJIA, SJIA, GCA: 12 MONTHS.

PA Criteria	Criteria Details
Other Criteria	INITIAL: RA: TRIAL OF OR CONTRAINDICATION TO TWO OF THE FOLLOWING PREFERRED AGENTS: ENBREL, HUMIRA/CYLTEZO/YUFLYMA, XELJANZ, RINVOQ, ORENCIA. PJIA: 1) TRIAL OF OR CONTRAINDICATION TO TWO OF THE FOLLOWING PREFERRED AGENTS: ENBREL, HUMIRA/CYLTEZO/YUFLYMA, XELJANZ IR, RINVOQ, ORENCIA, AND 2) NO CONCURRENT USE WITH ANOTHER SYSTEMIC BIOLOGIC OR TARGETED SMALL MOLECULES (E.G., JAK INHIBITOR, PDE-4 INHIBITOR) FOR PJIA. SJIA: NO CONCURRENT USE WITH ANOTHER SYSTEMIC BIOLOGIC OR TARGETED SMALL MOLECULES FOR SJIA. RENEWAL: RA: CONTINUES TO BENEFIT FROM THE MEDICATION. PJIA: 1) CONTINUES TO BENEFIT FROM THE MEDICATION, AND 2) NO CONCURRENT USE WITH ANOTHER SYSTEMIC BIOLOGIC OR TARGETED SMALL MOLECULES FOR PJIA. SJIA: 1) CONTINUES TO BENEFIT FROM THE MEDICATION, AND 2) NO CONCURRENT USE WITH ANOTHER SYSTEMIC BIOLOGIC OR TARGETED SMALL MOLECULES FOR PJIA. SJIA: 1) CONTINUES TO BENEFIT FROM THE MEDICATION, AND 2) NO CONCURRENT USE WITH ANOTHER SYSTEMIC BIOLOGIC OR TARGETED SMALL MOLECULES FOR SJIA.
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No

TOCILIZUMAB SQ

- ACTEMRA
- ACTEMRA ACTPEN

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	INITIAL: RHEUMATOID ARTHRITIS (RA), POLYARTICULAR JUVENILE IDIOPATHIC ARTHRITIS (PJIA): PRESCRIBED BY OR IN CONSULTATION WITH A RHEUMATOLOGIST. SYSTEMIC JUVENILE IDIOPATHIC ARTHRITIS (SJIA): PRESCRIBED BY OR IN CONSULTATION WITH A RHEUMATOLOGIST, DERMATOLOGIST, OR IMMUNOLOGIST. SYSTEMIC SCLEROSIS-ASSOCIATED INTERSTITIAL LUNG DISEASE (SSC-ILD): PRESCRIBED BY OR IN CONSULTATION WITH A PULMONOLOGIST OR RHEUMATOLOGIST.
Coverage Duration	INITIAL: 6 MONTHS, RENEWAL: 12 MONTHS.

PA Criteria	Criteria Details
Other Criteria	INITIAL: RA: TRIAL OF OR CONTRAINDICATION TO TWO OF THE FOLLOWING PREFERRED AGENTS: ENBREL, HUMIRA/CYLTEZO/YUFLYMA, XELJANZ, RINVOQ, ORENCIA. PJIA: 1) TRIAL OF OR CONTRAINDICATION TO TWO OF THE FOLLOWING PREFERRED AGENTS: ENBREL, HUMIRA/CYLTEZO/YUFLYMA, XELJANZ IR, RINVOQ, ORENCIA, AND 2) NO CONCURRENT USE WITH ANOTHER SYSTEMIC BIOLOGIC OR TARGETED SMALL MOLECULES (E.G., JAK INHIBITOR, PDE-4 INHIBITOR) FOR PJIA. SJIA: NO CONCURRENT USE WITH ANOTHER SYSTEMIC BIOLOGIC OR TARGETED SMALL MOLECULES FOR SJIA. SSC-ILD: DOES NOT HAVE OTHER KNOWN CAUSES OF INTERSTITIAL LUNG DISEASE (E.G., CONNECTIVE TISSUE DISEASE, DRUG TOXICITY, ASBESTOS OR BERYLLIUM EXPOSURE, HYPERSENSITIVITY PNEUMONITIS). RENEWAL: RA: CONTINUES TO BENEFIT FROM THE MEDICATION. PJIA: 1) CONTINUES TO BENEFIT FROM THE MEDICATION, AND 2) NO CONCURRENT USE WITH ANOTHER SYSTEMIC BIOLOGIC OR TARGETED SMALL MOLECULES FOR PJIA. SJIA: 1) CONTINUES TO BENEFIT FROM THE SYSTEMIC BIOLOGIC OR TARGETED SMALL MOLECULES FOR PJIA. SJIA: 1) CONTINUES TO BENEFIT FROM THE SYSTEMIC BIOLOGIC OR TARGETED SMALL MOLECULES FOR SJIA. SSC-ILD: CLINICAL MEANINGFUL IMPROVEMENT OR MAINTENANCE IN ANNUAL RATE OF DECLINE.
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No

TOCILIZUMAB-AAZG

- TYENNE
- TYENNE AUTOINJECTOR

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	INITIAL: RHEUMATOID ARTHRITIS (RA), POLYARTICULAR JUVENILE IDIOPATHIC ARTHRITIS (PJIA): PRESCRIBED BY OR IN CONSULTATION WITH A RHEUMATOLOGIST. SYSTEMIC JUVENILE IDIOPATHIC ARTHRITIS (SJIA): PRESCRIBED BY OR IN CONSULTATION WITH A RHEUMATOLOGIST, DERMATOLOGIST, OR IMMUNOLOGIST.
Coverage Duration	INITIAL: 6 MONTHS. RENEWAL: 12 MONTHS.

PA Criteria	Criteria Details
Other Criteria	INITIAL: RA: TRIAL OF OR CONTRAINDICATION TO TWO OF THE FOLLOWING PREFERRED AGENTS: ENBREL, HUMIRA/CYLTEZO/YUFLYMA, XELJANZ, RINVOQ, ORENCIA. PJIA: 1) TRIAL OF OR CONTRAINDICATION TO TWO OF THE FOLLOWING PREFERRED AGENTS: ENBREL, HUMIRA/CYLTEZO/YUFLYMA, XELJANZ IR, ORENCIA, RINVOQ, AND 2) NO CONCURRENT USE WITH ANOTHER SYSTEMIC BIOLOGIC OR TARGETED SMALL MOLECULES (E.G., JAK INHIBITOR, PDE-4 INHIBITOR) FOR PJIA. SJIA: NO CONCURRENT USE WITH ANOTHER SYSTEMIC BIOLOGIC OR TARGETED SMALL MOLECULES FOR SJIA. RENEWAL: RA: CONTINUES TO BENEFIT FROM THE MEDICATION. PJIA: 1) CONTINUES TO BENEFIT FROM THE MEDICATION, AND 2) NO CONCURRENT USE WITH ANOTHER SYSTEMIC BIOLOGIC OR TARGETED SMALL MOLECULES FOR PJIA. SJIA: 1) CONTINUES TO BENEFIT FROM THE MEDICATION, AND 2) NO CONCURRENT USE WITH ANOTHER SYSTEMIC BIOLOGIC OR TARGETED SMALL MOLECULES FOR PJIA. SJIA: 1) CONTINUES TO BENEFIT FROM THE MEDICATION, AND 2) NO CONCURRENT USE WITH ANOTHER SYSTEMIC BIOLOGIC OR TARGETED SMALL MOLECULES FOR SJIA.
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No

TOCILIZUMAB-AAZG IV

Products Affected

• TYENNE

PA Criteria	Criteria Details
Exclusion Criteria	CORONAVIRUS DISEASE 2019 (COVID-19) IN HOSPITALIZED ADULTS
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	INITIAL: RHEUMATOID ARTHRITIS (RA), POLYARTICULAR JUVENILE IDIOPATHIC ARTHRITIS (PJIA): PRESCRIBED BY OR IN CONSULTATION WITH A RHEUMATOLOGIST. SYSTEMIC JUVENILE IDIOPATHIC ARTHRITIS (SJIA): PRESCRIBED BY OR IN CONSULTATION WITH A RHEUMATOLOGIST, DERMATOLOGIST, OR IMMUNOLOGIST.
Coverage Duration	INITIAL: RA, PJIA, SJIA, GCA: 6 MOS. CRS: 1 MO. RENEWAL: RA, PJIA, SJIA, GCA: 12 MOS.
Other Criteria	INITIAL: RA: TRIAL OF OR CONTRAINDICATION TO TWO OF THE FOLLOWING PREFERRED AGENTS: ENBREL, HUMIRA/CYLTEZO/YUFLYMA, XELJANZ, RINVOQ, ORENCIA. PJIA: TRIAL OF OR CONTRAINDICATION TO TWO OF THE FOLLOWING PREFERRED AGENTS: ENBREL, HUMIRA/CYLTEZO/YUFLYMA, XELJANZ IR, ORENCIA, RINVOQ. CYTOKINE RELEASE SYNDROME (CRS): NO CONCURRENT USE WITH ANOTHER SYSTEMIC BIOLOGIC OR TARGETED SMALL MOLECULES (E.G., JAK INHIBITOR, PDE-4 INHIBITOR) FOR CRS. INITIAL/RENEWAL FOR PJIA, SJIA: NO CONCURRENT USE WITH ANOTHER SYSTEMIC BIOLOGIC OR TARGETED SMALL MOLECULES FOR SAME INDICATION. RENEWAL FOR RA, PJIA, SJIA: CONTINUES TO BENEFIT FROM MEDICATION.
Indications	All FDA-approved Indications.
Off Label Uses	

PA Criteria	Criteria Details
Part B Prerequisite	No

TOFACITINIB

- XELJANZ
- XELJANZ XR

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	INITIAL: RHEUMATOID ARTHRITIS (RA), ANKYLOSING SPONDYLITIS (AS), POLYARTICULAR COURSE JUVENILE IDIOPATHIC ARTHRITIS (PCJIA): PRESCRIBED BY OR IN CONSULTATION WITH A RHEUMATOLOGIST. PSORIATIC ARTHRITIS (PSA): PRESCRIBED BY OR IN CONSULTATION WITH A RHEUMATOLOGIST OR DERMATOLOGIST. ULCERATIVE COLITIS (UC): PRESCRIBED BY OR IN CONSULTATION WITH A GASTROENTEROLOGIST.
Coverage Duration	INITIAL: 6 MONTHS. RENEWAL: 12 MONTHS.

PA Criteria	Criteria Details
Other Criteria	INITIAL: RA: TRIAL OF OR CONTRAINDICATION TO 3 MONTHS OF TREATMENT WITH ONE DMARD (DISEASE-MODIFYING ANTIRHEUMATIC DRUG) - IF A PATIENT TRIED METHOTREXATE, THEN TRIAL AT A DOSE GREATER THAN OR EQUAL TO 20 MG PER WEEK OR MAXIMALLY TOLERATED DOSE IS REQUIRED. PSA: NO CONCURRENT USE WITH ANOTHER SYSTEMIC BIOLOGIC OR TARGETED SMALL MOLECULES (E.G., JAK INHIBITOR, PDE-4 INHIBITOR) FOR PSA. PCJIA: NO CONCURRENT USE WITH ANOTHER SYSTEMIC BIOLOGIC OR TARGETED SMALL MOLECULES FOR PCJIA. AS: 1) TRIAL OF OR CONTRAINDICATION TO AN NSAID, AND 2) NO CONCURRENT USE WITH ANOTHER SYSTEMIC BIOLOGIC OR TARGETED SMALL MOLECULES FOR AS. UC: NO CONCURRENT USE WITH ANOTHER SYSTEMIC BIOLOGIC OR TARGETED SMALL MOLECULES FOR UC. RENEWAL: RA: CONTINUES TO BENEFIT FROM THE MEDICATION. PSA: 1) CONTINUES TO BENEFIT FROM THE MEDICATION, AND 2) NO CONCURRENT USE WITH ANOTHER SYSTEMIC BIOLOGIC OR TARGETED SMALL MOLECULES FOR PSA. AS: 1) CONTINUES TO BENEFIT FROM THE MEDICATION, AND 2) NO CONCURRENT USE WITH ANOTHER SYSTEMIC BIOLOGIC OR TARGETED SMALL MOLECULES FOR AS. PCJIA: 1) CONTINUES TO BENEFIT FROM THE MEDICATION, AND 2) NO CONCURRENT USE WITH ANOTHER SYSTEMIC BIOLOGIC OR TARGETED SMALL MOLECULES FOR AS. PCJIA: 1) CONTINUES TO BENEFIT FROM THE MEDICATION, AND 2) NO CONCURRENT USE WITH ANOTHER SYSTEMIC BIOLOGIC OR TARGETED SMALL MOLECULES FOR PCJIA. UC: NO CONCURRENT USE WITH ANOTHER SYSTEMIC BIOLOGIC OR TARGETED SMALL MOLECULES FOR PCJIA. UC: NO CONCURRENT USE WITH ANOTHER SYSTEMIC BIOLOGIC OR TARGETED SMALL MOLECULES FOR UC.
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No

TOPICAL TRETINOIN

- ALTRENO
- tretinoin topical cream

PA Criteria	Criteria Details
Exclusion Criteria	COSMETIC INDICATIONS SUCH AS WRINKLES, PHOTOAGING, MELASMA.
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	12 MONTHS
Other Criteria	ACNE VULGARIS: BRAND TOPICAL TRETINOIN REQUIRES TRIAL OF OR CONTRAINDICATION TO A GENERIC TOPICAL TRETINOIN PRODUCT.
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No

TORIPALIMAB-TPZI

Products Affected

• LOQTORZI

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	NASOPHARYNGEAL CARCINOMA (NPC): FIRST LINE TREATMENT: 24 MOS, PREVIOUSLY TREATED: LIFETIME.
Other Criteria	THIS DRUG ALSO REQUIRES PAYMENT DETERMINATION AND MAY BE COVERED UNDER MEDICARE PART B OR D.
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No

TOVORAFENIB

- OJEMDA ORAL SUSPENSION FOR RECONSTITUTION
- OJEMDA ORAL TABLET

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	12 MONTHS
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No

TRAMETINIB SOLUTION

Products Affected

• MEKINIST ORAL RECON SOLN

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	12 MONTHS
Other Criteria	UNRESECTABLE OR METASTATIC MELANOMA, MELANOMA, METASTATIC NON-SMALL CELL LUNG CANCER (NSCLC), LOCALLY ADVANCED OR METASTATIC ANAPLASTIC THYROID CANCER (ATC), UNRESECTABLE OR METASTATIC SOLID TUMOR, LOW-GRADE GLIOMA (LGG): UNABLE TO SWALLOW MEKINIST TABLETS.
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No

TRAMETINIB TABLET

Products Affected

• MEKINIST ORAL TABLET 0.5 MG, 2 MG

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	12 MONTHS
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No

TRASTUZUMAB-DKST

Products Affected

OGIVRI

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	12 MONTHS
Other Criteria	THIS DRUG ALSO REQUIRES PAYMENT DETERMINATION AND MAY BE COVERED UNDER MEDICARE PART B OR D.
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No

TRASTUZUMAB-DTTB

Products Affected

ONTRUZANT

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	12 MONTHS
Other Criteria	THIS DRUG ALSO REQUIRES PAYMENT DETERMINATION AND MAY BE COVERED UNDER MEDICARE PART B OR D.
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No

TRASTUZUMAB-HYALURONIDASE-OYSK

Products Affected

• HERCEPTIN HYLECTA

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	12 MONTHS
Other Criteria	ADJUVANT BREAST CANCER, METASTATIC BREAST CANCER: TRIAL OF OR CONTRAINDICATION TO ONE OF THE FOLLOWING PREFERRED AGENTS: HERZUMA, OGIVRI, ONTRUZANT, TRAZIMERA.
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No

TRASTUZUMAB-PKRB

Products Affected

HERZUMA

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	12 MONTHS
Other Criteria	THIS DRUG ALSO REQUIRES PAYMENT DETERMINATION AND MAY BE COVERED UNDER MEDICARE PART B OR D.
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No

TRASTUZUMAB-QYYP

Products Affected

TRAZIMERA

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	12 MONTHS
Other Criteria	THIS DRUG ALSO REQUIRES PAYMENT DETERMINATION AND MAY BE COVERED UNDER MEDICARE PART B OR D.
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No

TRAZODONE

Products Affected

RALDESY

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	12 MONTHS
Other Criteria	MAJOR DEPRESSIVE DISORDER (MDD): CONTRAINDICATION TO OR UNABLE TO SWALLOW TRAZODONE TABLETS.
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No

TREMELIMUMAB-ACTL

Products Affected

• IMJUDO

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	UHCC: 30 DAYS. METASTATIC NON-SMALL CELL LUNG CANCER (NSCLC): 5 MONTHS.
Other Criteria	UNRESECTABLE HEPATOCELLULAR CARCINOMA (UHCC): HAS NOT RECEIVED PRIOR TREATMENT WITH IMJUDO. NSCLC: HAS NOT RECEIVED A TOTAL OF 5 DOSES OF IMJUDO.
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No

TRIENTINE CAPSULE

Products Affected

• trientine oral capsule 250 mg

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	WILSONS DISEASE: INITIAL: PRESCRIBED BY OR IN CONSULTATION WITH A HEPATOLOGIST OR GASTROENTEROLOGIST.
Coverage Duration	INITIAL: 12 MONTHS, RENEWAL: LIFETIME.
Other Criteria	WILSONS DISEASE: INITIAL: 1) LEIPZIG SCORE OF 4 OR GREATER, AND 2) TRIAL OF OR CONTRAINDICATION TO FORMULARY VERSION OF PENICILLAMINE TABLET. RENEWAL: CONTINUES TO BENEFIT FROM THE MEDICATION.
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No

TRIFLURIDINE/TIPIRACIL

Products Affected

• LONSURF ORAL TABLET 15-6.14 MG, 20-8.19 MG

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	12 MONTHS
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No

TRIPTORELIN-TRELSTAR

Products Affected

• TRELSTAR INTRAMUSCULAR SUSPENSION FOR RECONSTITUTION

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	12 MONTHS.
Other Criteria	THIS DRUG ALSO REQUIRES PAYMENT DETERMINATION AND MAY BE COVERED UNDER MEDICARE PART B OR D.
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No

TUCATINIB

Products Affected

• TUKYSA ORAL TABLET 150 MG, 50 MG

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	12 MONTHS
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No

UBROGEPANT

Products Affected

UBRELVY

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	INITIAL: 6 MONTHS. RENEWAL: 12 MONTHS.
Other Criteria	ACUTE MIGRAINE TREATMENT: INITIAL: 1) TRIAL OF OR CONTRAINDICATION TO ONE TRIPTAN (E.G., SUMATRIPTAN, RIZATRIPTAN), AND 2) NO CONCURRENT USE WITH OTHER CGRP INHIBITORS FOR ACUTE MIGRAINE TREATMENT. RENEWAL: 1) NO CONCURRENT USE WITH OTHER CGRP INHIBITORS FOR ACUTE MIGRAINE TREATMENT, AND 2) ONE OF THE FOLLOWING: (A) IMPROVEMENT FROM BASELINE IN A VALIDATED ACUTE TREATMENT PATIENT-REPORTED OUTCOME QUESTIONNAIRE, OR (B) THERAPY WORKS CONSISTENTLY IN MAJORITY OF MIGRAINE ATTACKS.
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No

UPADACITINIB

Products Affected

- RINVOQRINVOQ LQ

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	INITIAL: NON-RADIOGRAPHIC AXIAL SPONDYLOARTHRITIS (NR-AXSPA): 1) C-REACTIVE PROTEIN LEVELS ABOVE THE UPPER LIMIT OF NORMAL, OR 2) SACROILIITIS ON MAGNETIC RESONANCE IMAGING (MRI). ATOPIC DERMATITIS (AD): ATOPIC DERMATITIS COVERING AT LEAST 10 PERCENT OF BODY SURFACE AREA OR ATOPIC DERMATITIS AFFECTING THE FACE, HEAD, NECK, HANDS, FEET, GROIN, OR INTERTRIGINOUS AREAS
Age Restrictions	
Prescriber Restrictions	INITIAL: RHEUMATOID ARTHRITIS (RA), ANKYLOSING SPONDYLITIS (AS), NR-AXSPA, POLYARTICULAR JUVENILE IDIOPATHIC ARTHRITIS (PJIA): PRESCRIBED BY OR IN CONSULTATION WITH A RHEUMATOLOGIST. PSORIATIC ARTHRITIS: PRESCRIBED BY OR IN CONSULTATION WITH A RHEUMATOLOGIST OR DERMATOLOGIST. AD: PRESCRIBED BY OR IN CONSULTATION WITH A DERMATOLOGIST, ALLERGIST, OR IMMUNOLOGIST. ULCERATIVE COLITIS (UC), CROHNS DISEASE (CD): PRESCRIBED BY OR IN CONSULTATION WITH A GASTROENTEROLOGIST.
Coverage Duration	INITIAL: 6 MONTHS. RENEWAL: 12 MONTHS.

PA Criteria	Criteria Details
Other Criteria	INITIAL: RA: TRIAL OF OR CONTRAINDICATION TO 3 MONTHS OF TREATMENT WITH ONE DMARD (DISEASE-MODIFYING ANTIRHEUMATIC DRUG) - IF A PATIENT TRIED METHOTREXATE, THEN TRIAL AT A DOSE GREATER THAN OR EQUAL TO 20 MG PER WEEK OR MAXIMALLY TOLERATED DOSE IS REQUIRED. PSA: NO CONCURRENT USE WITH ANOTHER SYSTEMIC BIOLOGIC OR TARGETED SMALL MOLECULES (E.G., JAK INHIBITOR, PDE-4 INHIBITOR) FOR PSA. PJIA: NO CONCURRENT USE WITH ANOTHER SYSTEMIC BIOLOGIC OR TARGETED SMALL MOLECULES FOR PJIA. AD: 1) INTRACTABLE PRURITUS OR CRACKING/OOZING/BLEEDING OF AFFECTED SKIN, 2) TRIAL OF OR CONTRAINDICATION TO A TOPICAL CORTICOSTEROID, TOPICAL CALCINEURIN INHIBITOR, TOPICAL PDE4 INHIBITOR, OR TOPICAL JAK INHIBITOR, AND 3) NO CONCURRENT USE WITH OTHER SYSTEMIC BIOLOGICS FOR ATOPIC DERMATITIS OR OTHER JAK INHIBITORS FOR ANY INDICATION. UC: NO CONCURRENT USE WITH ANOTHER SYSTEMIC BIOLOGIC OR TARGETED SMALL MOLECULES FOR UC. CD: NO CONCURRENT USE WITH ANOTHER SYSTEMIC BIOLOGIC OR TARGETED SMALL MOLECULES FOR CD. AS: 1) TRIAL OF OR CONTRAINDICATION TO AN NSAID (NON-STEROIDAL ANTI-INFLAMMATORY DRUG), AND 2) NO CONCURRENT USE WITH ANOTHER SYSTEMIC BIOLOGIC OR TARGETED SMALL MOLECULES FOR AS. NR-AXSPA: 1) TRIAL OF OR CONTRAINDICATION TO AN NSAID, AND 2) NO CONCURRENT USE WITH ANOTHER SYSTEMIC BIOLOGIC OR TARGETED SMALL MOLECULES FOR NR-AXSPA. RENEWAL: RA: CONTINUES TO BENEFIT FROM THE MEDICATION. AD: 1) IMPROVEMENT WHILE ON THERAPY, AND 2) NO CONCURRENT USE WITH OTHER SYSTEMIC BIOLOGICS FOR ATOPIC DERMATITIS OR OTHER JAK INHIBITOR FOR ANY INDICATION. PSA: 1) CONTINUES TO BENEFIT FROM MEDICATION. AND 2) NO CONCURRENT USE WITH ANOTHER SYSTEMIC BIOLOGICS FOR ATOPIC DERMATITIS OR OTHER JAK INHIBITOR FOR ANY INDICATION. PSA: 1) CONTINUES TO BENEFIT FROM MEDICATION, AND 2) NO CONCURRENT USE WITH ANOTHER SYSTEMIC BIOLOGICS FOR ATOPIC DERMATITIS OR OTHER JAK INHIBITOR FOR ANY INDICATION. PSA: 1) CONTINUES TO BENEFIT MEDICATION, AND 2) NO CONCURRENT USE WITH ANOTHER SYSTEMIC BIOLOGICS FOR AS: 1) CONTINUES TO BENEFIT MEDICATION, AND 2) NO

PA Criteria	Criteria Details
	CONCURRENT USE WITH ANOTHER SYSTEMIC BIOLOGIC OR TARGETED SMALL MOLECULES FOR AS. NR-AXSPA: 1) CONTINUES TO BENEFIT FROM MEDICATION, AND 2) NO CONCURRENT USE WITH ANOTHER SYSTEMIC BIOLOGIC OR TARGETED SMALL MOLECULES FOR NR-AXSPA. PJIA: 1) CONTINUES TO BENEFIT FROM MEDICATION, AND 2) NO CONCURRENT USE WITH ANOTHER SYSTEMIC BIOLOGIC OR TARGETED SMALL MOLECULES FOR PJIA. UC: NO CONCURRENT USE WITH ANOTHER SYSTEMIC BIOLOGIC OR TARGETED SMALL MOLECULES FOR UC. CD: NO CONCURRENT USE WITH ANOTHER SYSTEMIC BIOLOGIC OR TARGETED SMALL MOLECULES FOR UC. TARGETED SMALL MOLECULES FOR CD.
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No

USTEKINUMAB

Products Affected

• STELARA

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	INITIAL: PLAQUE PSORIASIS (PSO): PSORIASIS COVERING 3 PERCENT OR MORE OF BODY SURFACE AREA OR PSORIATIC LESIONS AFFECTING THE HANDS, FEET, GENITAL AREA, SCALP OR FACE.
Age Restrictions	
Prescriber Restrictions	INITIAL: PSORIATIC ARTHRITIS (PSA): PRESCRIBED BY OR IN CONSULTATION WITH A DERMATOLOGIST OR RHEUMATOLOGIST. PSO: PRESCRIBED BY OR IN CONSULTATION WITH A DERMATOLOGIST. CROHNS DISEASE (CD), ULCERATIVE COLITIS (UC): PRESCRIBED BY OR IN CONSULTATION WITH A GASTROENTEROLOGIST.
Coverage Duration	INITIAL: 6 MONTHS. RENEWAL: 12 MONTHS.

PA Criteria	Criteria Details
Other Criteria	INITIAL: PSA: NO CONCURRENT USE WITH ANOTHER SYSTEMIC BIOLOGIC OR TARGETED SMALL MOLECULES (E.G., JAK INHIBITOR, PDE-4 INHIBITOR) FOR PSA. PSO: 1) ONE OF THE FOLLOWING: (A) AT LEAST A 3 MONTH TRIAL OF ONE ORAL IMMUNOSUPPRESSANT (CYCLOSPORINE, METHOTREXATE, TACROLIMUS) OR PUVA (PHOTOTHERAPY) FOR THE TREATMENT OF PSO, (B) CONTRAINDICATION OR INTOLERANCE TO BOTH IMMUNOSUPPRESSANT AND PUVA FOR THE TREATMENT OF PSO, OR (C) PATIENT IS SWITCHING FROM A DIFFERENT BIOLOGIC, PDE-4 INHIBITOR, OR JAK INHIBITOR FOR THE SAME INDICATION, AND 2) NO CONCURRENT USE WITH ANOTHER SYSTEMIC BIOLOGIC OR TARGETED SMALL MOLECULES FOR PSO. CD: NO CONCURRENT USE WITH ANOTHER SYSTEMIC BIOLOGIC OR TARGETED SMALL MOLECULES FOR CD. UC: NO CONCURRENT USE WITH ANOTHER SYSTEMIC BIOLOGIC OR TARGETED SMALL MOLECULES FOR PSO. 2) NO CONCURRENT USE WITH ANOTHER SYSTEMIC BIOLOGIC OR TARGETED SMALL MOLECULES FOR PSO. PSO. 1) CONTINUES TO BENEFIT FROM THE MEDICATION, AND 2) NO CONCURRENT USE WITH ANOTHER SYSTEMIC BIOLOGIC OR TARGETED SMALL MOLECULES FOR PSO. PSO. 1) CONTINUES TO BENEFIT FROM THE MEDICATION, AND 2) NO CONCURRENT USE WITH ANOTHER SYSTEMIC BIOLOGIC OR TARGETED SMALL MOLECULES FOR PSO. CD: NO CONCURRENT USE WITH ANOTHER SYSTEMIC BIOLOGIC OR TARGETED SMALL MOLECULES FOR PSO. CD: NO CONCURRENT USE WITH ANOTHER SYSTEMIC BIOLOGIC OR TARGETED SMALL MOLECULES FOR CD. UC: NO CONCURRENT USE WITH ANOTHER SYSTEMIC BIOLOGIC OR TARGETED SMALL MOLECULES FOR CD. UC: NO CONCURRENT USE WITH ANOTHER SYSTEMIC BIOLOGIC OR TARGETED SMALL MOLECULES FOR CD. UC: NO CONCURRENT USE WITH ANOTHER SYSTEMIC BIOLOGIC OR TARGETED SMALL MOLECULES FOR CD. UC: NO CONCURRENT USE WITH ANOTHER SYSTEMIC BIOLOGIC OR TARGETED SMALL MOLECULES FOR CD. UC: NO CONCURRENT USE WITH ANOTHER SYSTEMIC BIOLOGIC OR TARGETED SMALL MOLECULES FOR CD. UC: NO CONCURRENT USE WITH ANOTHER SYSTEMIC BIOLOGIC OR TARGETED SMALL MOLECULES FOR UC.
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No

USTEKINUMAB IV

Products Affected

• STELARA

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	CROHNS DISEASE (CD), ULCERATIVE COLITIS (UC): PRESCRIBED BY OR IN CONSULTATION WITH A GASTROENTEROLOGIST.
Coverage Duration	2 MONTHS
Other Criteria	CD: NO CONCURRENT USE WITH ANOTHER SYSTEMIC BIOLOGIC OR TARGETED SMALL MOLECULES (E.G., JAK INHIBITOR, PDE-4 INHIBITOR) FOR CD. UC: NO CONCURRENT USE WITH ANOTHER SYSTEMIC BIOLOGIC OR TARGETED SMALL MOLECULES FOR UC. THIS DRUG ALSO REQUIRES PAYMENT DETERMINATION AND MAY BE COVERED UNDER MEDICARE PART B OR D.
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No

USTEKINUMAB-AEKN IV

Products Affected

SELARSDI

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	INITIAL: PLAQUE PSORIASIS (PSO): PSORIASIS COVERING 3 PERCENT OR MORE OF BODY SURFACE AREA OR PSORIATIC LESIONS AFFECTING THE HANDS, FEET, GENITAL AREA, SCALP OR FACE.
Age Restrictions	
Prescriber Restrictions	INITIAL: PSORIATIC ARTHRITIS (PSA): PRESCRIBED BY OR IN CONSULTATION WITH A DERMATOLOGIST OR RHEUMATOLOGIST. PSO: PRESCRIBED BY OR IN CONSULTATION WITH A DERMATOLOGIST. CROHNS DISEASE (CD), ULCERATIVE COLITIS (UC): PRESCRIBED BY OR IN CONSULTATION WITH A GASTROENTEROLOGIST.
Coverage Duration	INITIAL: 6 MONTHS. RENEWAL: 12 MONTHS.

PA Criteria	Criteria Details
Other Criteria	INITIAL: PSA: NO CONCURRENT USE WITH ANOTHER SYSTEMIC BIOLOGIC OR TARGETED SMALL MOLECULES (E.G., JAK INHIBITOR, PDE-4 INHIBITOR) FOR PSA. PSO: 1) ONE OF THE FOLLOWING: (A) AT LEAST A 3 MONTH TRIAL OF ONE ORAL IMMUNOSUPPRESSANT (CYCLOSPORINE, METHOTREXATE, TACROLIMUS) OR PUVA (PHOTOTHERAPY) FOR THE TREATMENT OF PSO, (B) CONTRAINDICATION OR INTOLERANCE TO BOTH IMMUNOSUPPRESSANT AND PUVA FOR THE TREATMENT OF PSO, OR (C) PATIENT IS SWITCHING FROM A DIFFERENT BIOLOGIC, PDE-4 INHIBITOR, OR JAK INHIBITOR FOR THE SAME INDICATION, AND 2) NO CONCURRENT USE WITH ANOTHER SYSTEMIC BIOLOGIC OR TARGETED SMALL MOLECULES FOR PSO. CD: NO CONCURRENT USE WITH ANOTHER SYSTEMIC BIOLOGIC OR TARGETED SMALL MOLECULES FOR CD. UC: NO CONCURRENT USE WITH ANOTHER SYSTEMIC BIOLOGIC OR TARGETED SMALL MOLECULES FOR UC. RENEWAL: PSA: 1) CONTINUES TO BENEFIT FROM THE MEDICATION, AND 2) NO CONCURRENT USE WITH ANOTHER SYSTEMIC BIOLOGIC OR TARGETED SMALL MOLECULES FOR PSA. PSO: 1) CONTINUES TO BENEFIT FROM THE MEDICATION, AND 2) NO CONCURRENT USE WITH ANOTHER SYSTEMIC BIOLOGIC OR TARGETED SMALL MOLECULES FOR PSA. PSO: 1) CONTINUES TO BENEFIT FROM THE MEDICATION, AND 2) NO CONCURRENT USE WITH ANOTHER SYSTEMIC BIOLOGIC OR TARGETED SMALL MOLECULES FOR PSO. CD: NO CONCURRENT USE WITH ANOTHER SYSTEMIC BIOLOGIC OR TARGETED SMALL MOLECULES FOR CD. UC: NO CONCURRENT USE WITH ANOTHER SYSTEMIC BIOLOGIC OR TARGETED SMALL MOLECULES FOR CD. UC: NO CONCURRENT USE WITH ANOTHER SYSTEMIC BIOLOGIC OR TARGETED SMALL MOLECULES FOR CD. UC: NO CONCURRENT USE WITH ANOTHER SYSTEMIC BIOLOGIC OR TARGETED SMALL MOLECULES FOR CD. UC: NO CONCURRENT USE WITH ANOTHER SYSTEMIC BIOLOGIC OR TARGETED SMALL MOLECULES FOR CD. UC: NO CONCURRENT USE WITH ANOTHER SYSTEMIC BIOLOGIC OR TARGETED SMALL MOLECULES FOR UC.
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No

USTEKINUMAB-AEKN SQ

Products Affected

SELARSDI

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	INITIAL: PLAQUE PSORIASIS (PSO): PSORIASIS COVERING 3 PERCENT OR MORE OF BODY SURFACE AREA OR PSORIATIC LESIONS AFFECTING THE HANDS, FEET, GENITAL AREA, SCALP OR FACE.
Age Restrictions	
Prescriber Restrictions	INITIAL: PSORIATIC ARTHRITIS (PSA): PRESCRIBED BY OR IN CONSULTATION WITH A DERMATOLOGIST OR RHEUMATOLOGIST. PSO: PRESCRIBED BY OR IN CONSULTATION WITH A DERMATOLOGIST. CROHNS DISEASE (CD), ULCERATIVE COLITIS (UC): PRESCRIBED BY OR IN CONSULTATION WITH A GASTROENTEROLOGIST.
Coverage Duration	INITIAL: 6 MONTHS. RENEWAL: 12 MONTHS.

PA Criteria	Criteria Details
Other Criteria	INITIAL: PSA: NO CONCURRENT USE WITH ANOTHER SYSTEMIC BIOLOGIC OR TARGETED SMALL MOLECULES (E.G., JAK INHIBITOR, PDE-4 INHIBITOR) FOR PSA. PSO: 1) ONE OF THE FOLLOWING: (A) AT LEAST A 3 MONTH TRIAL OF ONE ORAL IMMUNOSUPPRESSANT (CYCLOSPORINE, METHOTREXATE, TACROLIMUS) OR PUVA (PHOTOTHERAPY) FOR THE TREATMENT OF PSO, (B) CONTRAINDICATION OR INTOLERANCE TO BOTH IMMUNOSUPPRESSANT AND PUVA FOR THE TREATMENT OF PSO, OR (C) PATIENT IS SWITCHING FROM A DIFFERENT BIOLOGIC, PDE-4 INHIBITOR, OR JAK INHIBITOR FOR THE SAME INDICATION, AND 2) NO CONCURRENT USE WITH ANOTHER SYSTEMIC BIOLOGIC OR TARGETED SMALL MOLECULES FOR PSO. CD: NO CONCURRENT USE WITH ANOTHER SYSTEMIC BIOLOGIC OR TARGETED SMALL MOLECULES FOR CD. UC: NO CONCURRENT USE WITH ANOTHER SYSTEMIC BIOLOGIC OR TARGETED SMALL MOLECULES FOR PSO. 2) NO CONCURRENT USE WITH ANOTHER SYSTEMIC BIOLOGIC OR TARGETED SMALL MOLECULES FOR PSO. PSO. 1) CONTINUES TO BENEFIT FROM THE MEDICATION, AND 2) NO CONCURRENT USE WITH ANOTHER SYSTEMIC BIOLOGIC OR TARGETED SMALL MOLECULES FOR PSO. PSO. 1) CONTINUES TO BENEFIT FROM THE MEDICATION, AND 2) NO CONCURRENT USE WITH ANOTHER SYSTEMIC BIOLOGIC OR TARGETED SMALL MOLECULES FOR PSO. CD: NO CONCURRENT USE WITH ANOTHER SYSTEMIC BIOLOGIC OR TARGETED SMALL MOLECULES FOR PSO. CD: NO CONCURRENT USE WITH ANOTHER SYSTEMIC BIOLOGIC OR TARGETED SMALL MOLECULES FOR CD. UC: NO CONCURRENT USE WITH ANOTHER SYSTEMIC BIOLOGIC OR TARGETED SMALL MOLECULES FOR CD. UC: NO CONCURRENT USE WITH ANOTHER SYSTEMIC BIOLOGIC OR TARGETED SMALL MOLECULES FOR CD. UC: NO CONCURRENT USE WITH ANOTHER SYSTEMIC BIOLOGIC OR TARGETED SMALL MOLECULES FOR CD. UC: NO CONCURRENT USE WITH ANOTHER SYSTEMIC BIOLOGIC OR TARGETED SMALL MOLECULES FOR CD. UC: NO CONCURRENT USE WITH ANOTHER SYSTEMIC BIOLOGIC OR TARGETED SMALL MOLECULES FOR CD. UC: NO CONCURRENT USE WITH ANOTHER SYSTEMIC BIOLOGIC OR TARGETED SMALL MOLECULES FOR UC.
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No

USTEKINUMAB-KFCE IV

Products Affected

YESINTEK

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	INITIAL: PLAQUE PSORIASIS (PSO): PSORIASIS COVERING 3 PERCENT OR MORE OF BODY SURFACE AREA OR PSORIATIC LESIONS AFFECTING THE HANDS, FEET, GENITAL AREA, SCALP OR FACE.
Age Restrictions	
Prescriber Restrictions	INITIAL: PSORIATIC ARTHRITIS (PSA): PRESCRIBED BY OR IN CONSULTATION WITH A DERMATOLOGIST OR RHEUMATOLOGIST. PSO: PRESCRIBED BY OR IN CONSULTATION WITH A DERMATOLOGIST. CROHNS DISEASE (CD), ULCERATIVE COLITIS (UC): PRESCRIBED BY OR IN CONSULTATION WITH A GASTROENTEROLOGIST.
Coverage Duration	INITIAL: 6 MONTHS. RENEWAL: 12 MONTHS.

PA Criteria	Criteria Details
Other Criteria	INITIAL: PSA: NO CONCURRENT USE WITH ANOTHER SYSTEMIC BIOLOGIC OR TARGETED SMALL MOLECULES (E.G., JAK INHIBITOR, PDE-4 INHIBITOR) FOR PSA. PSO: 1) ONE OF THE FOLLOWING: (A) AT LEAST A 3 MONTH TRIAL OF ONE ORAL IMMUNOSUPPRESSANT (CYCLOSPORINE, METHOTREXATE, TACROLIMUS) OR PUVA (PHOTOTHERAPY) FOR THE TREATMENT OF PSO, (B) CONTRAINDICATION OR INTOLERANCE TO BOTH IMMUNOSUPPRESSANT AND PUVA FOR THE TREATMENT OF PSO, OR (C) PATIENT IS SWITCHING FROM A DIFFERENT BIOLOGIC, PDE-4 INHIBITOR, OR JAK INHIBITOR FOR THE SAME INDICATION, AND 2) NO CONCURRENT USE WITH ANOTHER SYSTEMIC BIOLOGIC OR TARGETED SMALL MOLECULES FOR PSO. CD: NO CONCURRENT USE WITH ANOTHER SYSTEMIC BIOLOGIC OR TARGETED SMALL MOLECULES FOR CD. UC: NO CONCURRENT USE WITH ANOTHER SYSTEMIC BIOLOGIC OR TARGETED SMALL MOLECULES FOR UC. RENEWAL: PSA: 1) CONTINUES TO BENEFIT FROM THE MEDICATION, AND 2) NO CONCURRENT USE WITH ANOTHER SYSTEMIC BIOLOGIC OR TARGETED SMALL MOLECULES FOR PSA. PSO: 1) CONTINUES TO BENEFIT FROM THE MEDICATION, AND 2) NO CONCURRENT USE WITH ANOTHER SYSTEMIC BIOLOGIC OR TARGETED SMALL MOLECULES FOR PSA. PSO: 1) CONTINUES TO BENEFIT FROM THE MEDICATION, AND 2) NO CONCURRENT USE WITH ANOTHER SYSTEMIC BIOLOGIC OR TARGETED SMALL MOLECULES FOR PSO. CD: NO CONCURRENT USE WITH ANOTHER SYSTEMIC BIOLOGIC OR TARGETED SMALL MOLECULES FOR CD. UC: NO CONCURRENT USE WITH ANOTHER SYSTEMIC BIOLOGIC OR TARGETED SMALL MOLECULES FOR CD. UC: NO CONCURRENT USE WITH ANOTHER SYSTEMIC BIOLOGIC OR TARGETED SMALL MOLECULES FOR CD. UC: NO CONCURRENT USE WITH ANOTHER SYSTEMIC BIOLOGIC OR TARGETED SMALL MOLECULES FOR CD. UC: NO CONCURRENT USE WITH ANOTHER SYSTEMIC BIOLOGIC OR TARGETED SMALL MOLECULES FOR CD. UC: NO CONCURRENT USE WITH ANOTHER SYSTEMIC BIOLOGIC OR TARGETED SMALL MOLECULES FOR UC.
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No

USTEKINUMAB-KFCE SQ

Products Affected

YESINTEK

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	INITIAL: PLAQUE PSORIASIS (PSO): PSORIASIS COVERING 3 PERCENT OR MORE OF BODY SURFACE AREA OR PSORIATIC LESIONS AFFECTING THE HANDS, FEET, GENITAL AREA, SCALP OR FACE.
Age Restrictions	
Prescriber Restrictions	INITIAL: PSORIATIC ARTHRITIS (PSA): PRESCRIBED BY OR IN CONSULTATION WITH A DERMATOLOGIST OR RHEUMATOLOGIST. PSO: PRESCRIBED BY OR IN CONSULTATION WITH A DERMATOLOGIST. CROHNS DISEASE (CD), ULCERATIVE COLITIS (UC): PRESCRIBED BY OR IN CONSULTATION WITH A GASTROENTEROLOGIST.
Coverage Duration	INITIAL: 6 MONTHS. RENEWAL: 12 MONTHS.

PA Criteria	Criteria Details
Other Criteria	INITIAL: PSA: NO CONCURRENT USE WITH ANOTHER SYSTEMIC BIOLOGIC OR TARGETED SMALL MOLECULES (E.G., JAK INHIBITOR, PDE-4 INHIBITOR) FOR PSA. PSO: 1) ONE OF THE FOLLOWING: (A) AT LEAST A 3 MONTH TRIAL OF ONE ORAL IMMUNOSUPPRESSANT (CYCLOSPORINE, METHOTREXATE, TACROLIMUS) OR PUVA (PHOTOTHERAPY) FOR THE TREATMENT OF PSO, (B) CONTRAINDICATION OR INTOLERANCE TO BOTH IMMUNOSUPPRESSANT AND PUVA FOR THE TREATMENT OF PSO, OR (C) PATIENT IS SWITCHING FROM A DIFFERENT BIOLOGIC, PDE-4 INHIBITOR, OR JAK INHIBITOR FOR THE SAME INDICATION, AND 2) NO CONCURRENT USE WITH ANOTHER SYSTEMIC BIOLOGIC OR TARGETED SMALL MOLECULES FOR PSO. CD: NO CONCURRENT USE WITH ANOTHER SYSTEMIC BIOLOGIC OR TARGETED SMALL MOLECULES FOR CD. UC: NO CONCURRENT USE WITH ANOTHER SYSTEMIC BIOLOGIC OR TARGETED SMALL MOLECULES FOR UC. RENEWAL: PSA: 1) CONTINUES TO BENEFIT FROM THE MEDICATION, AND 2) NO CONCURRENT USE WITH ANOTHER SYSTEMIC BIOLOGIC OR TARGETED SMALL MOLECULES FOR PSA. PSO: 1) CONTINUES TO BENEFIT FROM THE MEDICATION, AND 2) NO CONCURRENT USE WITH ANOTHER SYSTEMIC BIOLOGIC OR TARGETED SMALL MOLECULES FOR PSA. PSO: 1) CONTINUES TO BENEFIT FROM THE MEDICATION, AND 2) NO CONCURRENT USE WITH ANOTHER SYSTEMIC BIOLOGIC OR TARGETED SMALL MOLECULES FOR PSO. CD: NO CONCURRENT USE WITH ANOTHER SYSTEMIC BIOLOGIC OR TARGETED SMALL MOLECULES FOR CD. UC: NO CONCURRENT USE WITH ANOTHER SYSTEMIC BIOLOGIC OR TARGETED SMALL MOLECULES FOR CD. UC: NO CONCURRENT USE WITH ANOTHER SYSTEMIC BIOLOGIC OR TARGETED SMALL MOLECULES FOR CD. UC: NO CONCURRENT USE WITH ANOTHER SYSTEMIC BIOLOGIC OR TARGETED SMALL MOLECULES FOR CD. UC: NO CONCURRENT USE WITH ANOTHER SYSTEMIC BIOLOGIC OR TARGETED SMALL MOLECULES FOR CD. UC: NO CONCURRENT USE WITH ANOTHER SYSTEMIC BIOLOGIC OR TARGETED SMALL MOLECULES FOR UC.
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No

VALBENAZINE

Products Affected

- INGREZZA
- INGREZZA INITIATION PK(TARDIV)
- INGREZZA SPRINKLE

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	TARDIVE DYSKINESIA (TD): PRESCRIBED BY OR IN CONSULTATION WITH A NEUROLOGIST, PSYCHIATRIST, OR MOVEMENT DISORDER SPECIALIST. CHOREA ASSOCIATED WITH HUNTINGTONS DISEASE: PRESCRIBED BY OR IN CONSULTATION WITH A NEUROLOGIST OR MOVEMENT DISORDER SPECIALIST.
Coverage Duration	12 MONTHS
Other Criteria	TD: HISTORY OF USING AGENTS THAT CAUSE TARDIVE DYSKINESIA.
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No

VANDETANIB

Products Affected

CAPRELSA ORAL TABLET 100 MG, 300 MG

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	12 MONTHS
Other Criteria	CURRENTLY STABLE ON CAPRELSA REQUIRES NO EXTRA CRITERIA.
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No

VANZACAFTOR-TEZACAFTOR-DEUTIVACAFTOR

Products Affected

• ALYFTREK ORAL TABLET 10-50-125 MG, 4-20-50 MG

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	CF: INITIAL: PRESCRIBED BY OR IN CONSULTATION WITH A PULMONOLOGIST OR CYSTIC FIBROSIS EXPERT.
Coverage Duration	INITIAL: 6 MONTHS. RENEWAL: LIFETIME.
Other Criteria	CF: INITIAL: NO CONCURRENT USE WITH ANOTHER CFTR MODULATOR. RENEWAL: 1) IMPROVEMENT IN CLINICAL STATUS, AND 2) NO CONCURRENT USE WITH ANOTHER CFTR MODULATOR.
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No

VEMURAFENIB

Products Affected

ZELBORAF

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	12 MONTHS
Other Criteria	MELANOMA: ZELBORAF WILL BE USED ALONE OR IN COMBINATION WITH COTELLIC
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No

VENETOCLAX

Products Affected

- VENCLEXTA ORAL TABLET 10 MG, 100 MG, 50 MG
- VENCLEXTA STARTING PACK

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	12 MONTHS
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No

VERICIGUAT

Products Affected

• VERQUVO

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	INITIAL/RENEWAL:12 MONTHS.
Other Criteria	HEART FAILURE (HF): INITIAL: 1) NO CONCURRENT USE WITH LONG-ACTING NITRATES OR NITRIC OXIDE DONORS, RIOCIGUAT, OR PDE-5 INHIBITORS, 2) TRIAL OF OR CONTRAINDICATION TO ONE PREFERRED SGLT-2 INHIBITOR, AND 3) TRIAL OF OR CONTRAINDICATION TO ONE AGENT FROM ANY OF THE FOLLOWING STANDARD OF CARE CLASSES: (A) ACE INHIBITOR, ARB, OR ARNI, (B) BETA BLOCKER (I.E., BISOPROLOL, CARVEDILOL, METOPROLOL SUCCINATE), OR (C) ALDOSTERONE ANTAGONIST (I.E., SPIRONOLACTONE, EPLERENONE). RENEWAL: NO CONCURRENT USE WITH LONG-ACTING NITRATES OR NITRIC OXIDE DONORS, RIOCIGUAT, OR PDE-5 INHIBITORS.
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No

VIGABATRIN

Products Affected

- vigabatrinvigadronevigpoder

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	REFRACTORY COMPLEX PARTIAL SEIZURES (CPS), INFANTILE SPASMS: PRESCRIBED BY OR IN CONSULTATION WITH A NEUROLOGIST.
Coverage Duration	12 MONTHS
Other Criteria	CPS: TRIAL OF OR CONTRAINDICATION TO TWO ANTIEPILEPTIC AGENTS.
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No

VIMSELTINIB

Products Affected

ROMVIMZA

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	12 MONTHS
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No

VISMODEGIB

Products Affected

• ERIVEDGE

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	12 MONTHS
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No

VORASIDENIB

Products Affected

VORANIGO

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	12 MONTHS
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No

VORICONAZOLE SUSPENSION

Products Affected

• voriconazole oral suspension for reconstitution

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	CANDIDA INFECTIONS: 3 MOS. CONTINUATION OF THERAPY, ALL OTHER INDICATIONS: 6 MOS.
Other Criteria	CANDIDA INFECTIONS: 1) TRIAL OF OR CONTRAINDICATION TO FLUCONAZOLE, AND 2) UNABLE TO SWALLOW TABLETS. ALL INDICATIONS EXCEPT ESOPHAGEAL CANDIDIASIS: UNABLE TO SWALLOW TABLETS. CONTINUATION OF THERAPY AFTER HOSPITAL DISCHARGE REQUIRES NO EXTRA CRITERIA.
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No

ZANIDATAMAB-HRII

Products Affected

ZIIHERA

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	12 MONTHS
Other Criteria	THIS DRUG ALSO REQUIRES PAYMENT DETERMINATION AND MAY BE COVERED UNDER MEDICARE PART B OR D.
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No

ZANUBRUTINIB

Products Affected

BRUKINSA

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	12 MONTHS
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No

ZENOCUTUZUMAB-ZBCO

Products Affected

BIZENGRI

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	12 MONTHS
Other Criteria	THIS DRUG ALSO REQUIRES PAYMENT DETERMINATION AND MAY BE COVERED UNDER MEDICARE PART B OR D.
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No

ZOLBETUXIMAB-CLZB

Products Affected

VYLOY

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	12 MONTHS
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No

ZURANOLONE

Products Affected

• ZURZUVAE ORAL CAPSULE 20 MG, 25 MG, 30 MG

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	14 DAYS
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No

INDEX

INDEA	
1ST TIER UNIFINE PENTP 5MM 31G 159	ALUNBRIG ORAL TABLETS,DOSE
1ST TIER UNIFINE PNTIP 4MM 32G159	PACK
1ST TIER UNIFINE PNTIP 6MM 31G159	ALVAIZ
1ST TIER UNIFINE PNTIP 8MM 31G	ALYFTREK ORAL TABLET 10-50-125
STRL,SINGLE-USE,SHRT159	MG, 4-20-50 MG378
1ST TIER UNIFINE PNTP 29GX1/2" 159	alyq316
1ST TIER UNIFINE PNTP 31GX3/16159	ANKTIVA228
1ST TIER UNIFINE PNTP 32GX5/32159	AQINJECT PEN NEEDLE 31G 5MM159
abiraterone7	AQINJECT PEN NEEDLE 32G 4MM 159
abirtega7	ARCALYST275
ABOUTTIME PEN NEEDLE159	ARIKAYCE23
ACTEMRA335, 337	armodafinil214
ACTEMRA ACTPEN337	ASSURE ID DUO PRO NDL 31G 5MM159
ACTHAR75	ASSURE ID DUO-SHIELD 30GX3/16"159
ACTHAR SELFJECT SUBCUTANEOUS	ASSURE ID DUO-SHIELD 30GX5/16"159
PEN INJECTOR 40 UNIT/0.5 ML, 80	ASSURE ID INSULIN SAFETY
UNIT/ML75	SYRINGE 1 ML 29 GAUGE X 1/2" 159
ACTIMMUNE172	ASSURE ID PEN NEEDLE 30GX3/16"159
ADEMPAS279	ASSURE ID PEN NEEDLE 30GX5/16"159
ADVOCATE INS 0.3 ML 30GX5/16" 159	ASSURE ID PEN NEEDLE 31GX3/16"159
ADVOCATE INS 0.3 ML 31GX5/16" 159	ASSURE ID PRO PEN NDL 30G 5MM 159
ADVOCATE INS 0.5 ML 30GX5/16" 159	ASSURE ID SYR 0.5 ML 29GX1/2" (RX)
ADVOCATE INS 0.5 ML 31GX5/16" 159	
ADVOCATE INS 1 ML 31GX5/16" 159	ASSURE ID SYR 0.5 ML 31GX15/64" 159
ADVOCATE INS SYR 0.3 ML 29GX1/2.159	ASSURE ID SYR 1 ML 31GX15/64" 159
ADVOCATE INS SYR 0.5 ML 29GX1/2.159	AUGTYRO ORAL CAPSULE 160 MG,
ADVOCATE INS SYR 1 ML 29GX1/2" 159	40 MG267
ADVOCATE INS SYR 1 ML 30GX5/16159	AUSTEDO ORAL TABLET 12 MG, 6
ADVOCATE PEN NDL 12.7MM 29G 159	MG, 9 MG 89
ADVOCATE PEN NEEDLE 32G 4MM 159	AUSTEDO XR ORAL TABLET
ADVOCATE PEN NEEDLE 4MM 33G 159	EXTENDED RELEASE 24 HR 12 MG, 18
ADVOCATE PEN NEEDLES 5MM 31G.159	MG, 24 MG, 30 MG, 36 MG, 42 MG, 48
ADVOCATE PEN NEEDLES 8MM 31G.159	MG, 6 MG 89
AIMOVIG AUTOINJECTOR116	AUSTEDO XR TITRATION KT(WK1-4)89
AJOVY AUTOINJECTOR133	AUTOSHIELD DUO PEN NDL 30G
AJOVY SYRINGE133	5MM159
AKEEGA222	AVONEX INTRAMUSCULAR PEN
ALCOHOL 70% SWABS159	INJECTOR KIT169
ALCOHOL PADS159	AVONEX INTRAMUSCULAR
ALCOHOL PREP SWABS159	SYRINGE KIT169
ALCOHOL WIPES159	AVONEX PEN 30 MCG/0.5 ML169
ALECENSA21	AYVAKIT39
ALTRENO345	BALVERSA ORAL TABLET 3 MG, 4
ALUNBRIG ORAL TABLET 180 MG, 30	MG, 5 MG115
MG, 90 MG60	

BD AUTOSHIELD DUO NDL	BENDAMUSTINE INTRAVENOUS
5MMX30G159	SOLUTION48
BD ECLIPSE 30GX1/2" SYRINGE159	BENDEKA48
BD ECLIPSE NEEDLE 30GX1/2" (OTC) 159	BENLYSTA SUBCUTANEOUS45
BD INS SYR 0.3 ML 8MMX31G(1/2)159	BESREMI288
BD INS SYR UF 0.3 ML 12.7MMX30G 159	<i>betaine</i> 51
BD INS SYR UF 0.5 ML 12.7MMX30G	BETASERON SUBCUTANEOUS KIT 170
NOT FOR RETAIL SALE159	<i>bexarotene</i> 55
BD INS SYRN UF 1 ML 12.7MMX30G	BIZENGRI389
NOT FOR RETAIL SALE159	BORDERED GAUZE 2"X2"159
BD INS SYRNG UF 0.3 ML 8MMX31G159	bortezomib injection57
BD INS SYRNG UF 0.5 ML 8MMX31G159	BORUZU57
BD INSULIN SYR 1 ML 25GX1" 159	bosentan58
BD INSULIN SYR 1 ML 25GX5/8" 159	BOSULIF ORAL CAPSULE 100 MG, 50
BD INSULIN SYR 1 ML 26GX1/2" 159	MG59
BD INSULIN SYR 1 ML 27GX12.7MM159	BOSULIF ORAL TABLET 100 MG, 400
BD INSULIN SYR 1 ML 27GX5/8"	MG, 500 MG59
MICRO-FINE159	BRAFTOVI108
BD INSULIN SYRINGE SLIP TIP159	BRUKINSA388
BD INSULIN SYRINGE U-500159	CABOMETYX ORAL TABLET 20 MG,
BD LUER-LOK SYRINGE 1 ML159	40 MG, 60 MG63
BD NANO 2 GEN PEN NDL 32G 4MM 159	CALQUENCE9
BD SAFETGLD INS 0.3 ML 29G 13MM.159	CALQUENCE (ACALABRUTINIB
BD SAFETGLD INS 0.5 ML 13MMX29G	MAL)9
	CAPRELSA ORAL TABLET 100 MG,
BD SAFETYGLD INS 0.3 ML 31G 8MM 159	300 MG377
BD SAFETYGLD INS 0.5 ML 30G 8MM 159	CAREFINE PEN NEEDLE 12.7MM 29G.159
BD SAFETYGLD INS 1 ML 29G 13MM.159	CAREFINE PEN NEEDLE 4MM 32G159
BD SAFETYGLID INS 1 ML 6MMX31G159	CAREFINE PEN NEEDLE 5MM 32G159
BD SAFETYGLIDE SYRINGE 27GX5/8 159	CAREFINE PEN NEEDLE 6MM 31G159
BD SAFTYGLD INS 0.3 ML 6MMX31G 159	CAREFINE PEN NEEDLE 8MM 30G159
BD SAFTYGLD INS 0.5 ML 29G 13MM 159	CAREFINE PEN NEEDLES 6MM 32G 159
BD SAFTYGLD INS 0.5 ML 6MMX31G 159	CAREFINE PEN NEEDLES 8MM 31G 159
BD SINGLE USE SWAB159	CARETOUCH ALCOHOL 70% PREP
BD UF MICRO PEN NEEDLE	PAD
6MMX32G	CARETOUCH PEN NEEDLE 29G 12MM
BD UF MINI PEN NEEDLE 5MMX31G. 159	
BD UF NANO PEN NEEDLE 4MMX32G	CARETOUCH PEN NEEDLE 31GX1/4". 159
	CARETOUCH PEN NEEDLE 31GX3/16"
BD UF ORIG PEN NDL 12.7MMX29G 159	
BD UF SHORT PEN NEEDLE	CARETOUCH PEN NEEDLE 31GX5/16"
8MMX31G	
BD VEO INS 0.3 ML 6MMX31G (1/2) 159	CARETOUCH PEN NEEDLE 32GX3/16"
BD VEO INS SYRING 1 ML 6MMX31G 159	
BD VEO INS SYRN 0.3 ML 6MMX31G. 159	CARETOUCH PEN NEEDLE 32GX5/32"
BD VEO INS SYRN 0.5 ML 6MMX31G. 159	
bendamustine intravenous recon soln 48	CARETOUCH SYR 0.3 ML 31GX5/16" 159

CARETOUCH SYR 0.5 ML 30GX5/16" 159	COMFORT EZ PEN NEEDLES 6MM
CARETOUCH SYR 0.5 ML 31GX5/16" 159	33G159
CARETOUCH SYR 1 ML 28GX5/16" 159	COMFORT EZ PEN NEEDLES 8MM
CARETOUCH SYR 1 ML 29GX5/16" 159	31G SHORT159
CARETOUCH SYR 1 ML 30GX5/16" 159	COMFORT EZ PEN NEEDLES 8MM
CARETOUCH SYR 1 ML 31GX5/16" 159	32G159
carglumic acid67	COMFORT EZ PEN NEEDLES 8MM
CAYSTON43	33G159
CIMZIA POWDER FOR RECONST69	COMFORT EZ PRO PEN NDL 30G 8MM
CIMZIA SUBCUTANEOUS SYRINGE	
KIT 400 MG/2 ML (200 MG/ML X 2)69	COMFORT EZ PRO PEN NDL 31G 4MM
CINQAIR268	
CLICKFINE 31G X 5/16" NEEDLES	COMFORT EZ PRO PEN NDL 31G 5MM
8MM, UNIVERSAL	
CLICKFINE PEN NEEDLE 32GX5/32"	COMFORT EZ SYR 0.3 ML 29GX1/2"159
32GX4MM, STERILE	COMFORT EZ SYR 0.5 ML 28GX1/2"159
CLICKFINE UNIVERSAL 31G X 1/4"	COMFORT EZ SYR 0.5 ML 29GX1/2"159
6MM, STORE BRAND	COMFORT EZ SYR 0.5 ML 30GX1/2"159
COMETRIQ ORAL CAPSULE 100	COMFORT EZ SYR 1 ML 28GX1/2"159
MG/DAY(80 MG X1-20 MG X1), 140	COMFORT EZ SYR 1 ML 29GX1/2"159
MG/DAY(80 MG X1-20 MG X3), 60	COMFORT EZ SYR 1 ML 30GX1/2"159
MG/DAY (20 MG X 3/DAY)	COMFORT EZ SYR 1 ML 30GX5/16"159
COMFORT EZ 0.3 ML 31G 15/64" 159	COMFORT POINT PEN NDL 31GX1/3".159
COMFORT EZ 0.5 ML 31G 15/64" 159	COMFORT POINT PEN NDL 31GX1/6".159
COMFORT EZ INS 0.3 ML 30GX1/2" 159	COMFORT TOUCH PEN NDL 31G 4MM
COMFORT EZ INS 0.3 ML 30GX5/16"159	
COMFORT EZ INS 1 ML 31G 15/64"159	COMFORT TOUCH PEN NDL 31G 5MM
COMFORT EZ INS 1 ML 31GX5/16"159	
COMFORT EZ INSULIN SYR 0.3 ML 159	COMFORT TOUCH PEN NDL 31G 6MM
COMFORT EZ INSULIN SYR 0.5 ML 159	
COMFORT EZ PEN NEEDLE 12MM	COMFORT TOUCH PEN NDL 31G 8MM
29G	
COMFORT EZ PEN NEEDLES 4MM	COMFORT TOUCH PEN NDL 32G 4MM
32G SINGLE USE, MICRO 159	
COMFORT EZ PEN NEEDLES 4MM	COMFORT TOUCH PEN NDL 32G 5MM
33G	
COMFORT EZ PEN NEEDLES 5MM	COMFORT TOUCH PEN NDL 32G 6MM
31G MINI	
COMFORT EZ PEN NEEDLES 5MM	COMFORT TOUCH PEN NDL 32G 8MM
32G SINGLE USE,MINI,HRI159	
COMFORT EZ PEN NEEDLES 5MM	COMFORT TOUCH PEN NDL 33G 4MM
33G	
COMFORT EZ PEN NEEDLES 6MM	COMFORT TOUCH PEN NDL 33G 6MM
31G	
COMFORT EZ PEN NEEDLES 6MM	COMFORT TOUCH PEN NDL
32G	33GX5MM
	COPIKTRA
	001111111111111111111111111111111111111

CORTROPHIN GEL INJECTION75	DROPLET 0.3 ML 30G 12.7MM(1/2) 159
COSENTYX (2 SYRINGES)294	DROPLET 0.5 ML 29GX12.5MM(1/2)159
COSENTYX INTRAVENOUS292	DROPLET 0.5 ML 30GX12.5MM(1/2)159
COSENTYX PEN (2 PENS)294	DROPLET INS 0.3 ML 29GX12.5MM159
COSENTYX SUBCUTANEOUS	DROPLET INS 0.3 ML 30G 8MM(1/2)159
COSENTYX SUBCUTANEOUS SYRINGE 75 MG/0.5 ML294	DROPLET INS 0.3 ML 30GX12.5MM159
COSENTYX UNOREADY PEN294	DROPLET INS 0.3 ML 31G 6MM(1/2)159
COTELLIC74	DROPLET INS 0.3 ML 31G 8MM(1/2)159
CURAD GAUZE PADS 2" X 2" 159	DROPLET INS 0.5 ML 29G 12.7MM159
CURITY ALCOHOL PREPS 2	DROPLET INS 0.5 ML 30G 12.7MM159
PLY,MEDIUM159	DROPLET INS 0.5 ML 30GX6MM(1/2) 159
CURITY GAUZE SPONGES (12 PLY)-	DROPLET INS 0.5 ML 30GX8MM(1/2) 159
200/BAG159	DROPLET INS 0.5 ML 31GX6MM(1/2) 159
CURITY GUAZE PADS 1'S(12 PLY) 159	DROPLET INS 0.5 ML 31GX8MM(1/2) 159
CYLTEZO(CF)17	DROPLET INS SYR 0.3 ML 30GX6MM. 159
CYLTEZO(CF) PEN17	DROPLET INS SYR 0.3 ML 30GX8MM. 159
CYLTEZO(CF) PEN CROHN'S-UC-HS17	DROPLET INS SYR 0.3 ML 31GX6MM. 159
CYLTEZO(CF) PEN PSORIASIS-UV17	DROPLET INS SYR 0.3 ML 31GX8MM. 159
dalfampridine81	DROPLET INS SYR 0.5 ML 30G 8MM159
DANYELZA215	DROPLET INS SYR 0.5 ML 31G 6MM 159
DANZITEN218	DROPLET INS SYR 0.5 ML 31G 8MM159
dasatinib oral tablet 100 mg, 140 mg, 20	DROPLET INS SYR 1 ML 29G 12.7MM.159
mg, 50 mg, 70 mg, 80 mg83	DROPLET INS SYR 1 ML 30G 8MM 159
DATROWAY84	DROPLET INS SYR 1 ML 30GX12.5MM
DAURISMO ORAL TABLET 100 MG, 25	
MG140	DROPLET INS SYR 1 ML 30GX6MM 159
deferasirox oral granules in packet86	DROPLET INS SYR 1 ML 31G 6MM 159
deferasirox oral tablet86	DROPLET INS SYR 1 ML 31GX6MM 159
DERMACEA 2"X2" GAUZE 12 PLY,	DROPLET INS SYR 1 ML 31GX8MM 159
USP TYPE VII	DROPLET MICRON 34G 3.5MM159
DERMACEA GAUZE 2"X2" SPONGE 8	DROPLET PEN NEEDLE 29G 10MM 159
PLY159	DROPLET PEN NEEDLE 29G 12MM 159
DERMACEA NON-WOVEN 2"X2"	DROPLET PEN NEEDLE 30G 8MM 159
SPNGE	DROPLET PEN NEEDLE 31G 5MM 159
dermacinrx lidocan 5% patch outer194	DROPLET PEN NEEDLE 31G 6MM 159
DIACOMIT ORAL CAPSULE 250 MG,	DROPLET PEN NEEDLE 31G 8MM 159
500 MG314	DROPLET PEN NEEDLE 32G 4MM 159
DIACOMIT ORAL POWDER IN	DROPLET PEN NEEDLE 32G 5MM 159
PACKET 250 MG, 500 MG314	DROPLET PEN NEEDLE 32G 6MM 159
diclofenac epolamine91	DROPLET PEN NEEDLE 32G 8MM 159
diclofenac sodium topical solution in	DROPSAFE ALCOHOL 70% PREP
metered-dose pump90	PADS
dimethyl fumarate oral capsule, delayed	DROPSAFE INS SYR 0.3 ML 31G 6MM 159
release(dr/ec) 120 mg, 120 mg (14)- 240	DROPSAFE INS SYR 0.3 ML 31G 8MM 159
mg (46), 240 mg92	DROPSAFE INS SYR 0.5 ML 31G 6MM 159
dronabinol95	DROPSAFE INS SYR 0.5 ML 31G 8MM 159
DROPLET 0.3 ML 29G 12.7MM(1/2) 159	

DROPSAFE INSUL SYR 1 ML 31G	EASY TOUCH 0.5 ML SYR 30GX1/2"159
6MM159	EASY TOUCH 0.5 ML SYR 30GX5/16 159
DROPSAFE INSUL SYR 1 ML 31G	EASY TOUCH 1 ML SYR 27GX1/2"159
8MM159	EASY TOUCH 1 ML SYR 29GX1/2"159
DROPSAFE INSULN 1 ML 29G 12.5MM	EASY TOUCH 1 ML SYR 30GX1/2"159
	EASY TOUCH ALCOHOL 70% PADS
DROPSAFE PEN NEEDLE 31GX1/4" 159	GAMMA-STERILIZED159
DROPSAFE PEN NEEDLE 31GX3/16" 159	EASY TOUCH FLIPLOK 1 ML 27GX0.5159
DROPSAFE PEN NEEDLE 31GX5/16" 159	EASY TOUCH INSULIN 1 ML 29GX1/2 159
droxidopa96	EASY TOUCH INSULIN 1 ML 30GX1/2 159
DRUG MART ULTRA COMFORT SYR.159	EASY TOUCH INSULIN SYR 0.3 ML 159
DUPIXENT PEN97	EASY TOUCH INSULIN SYR 0.5 ML 159
DUPIXENT SYRINGE97	EASY TOUCH INSULIN SYR 1 ML 159
EASY CMFT SFTY PEN NDL 31G 5MM159	EASY TOUCH INSULIN SYR 1 ML
EASY CMFT SFTY PEN NDL 31G 6MM159	RETRACTABLE
EASY CMFT SFTY PEN NDL 32G 4MM159	EASY TOUCH INSULN 1 ML 29GX1/2" 159
EASY COMFORT 0.3 ML 31G 1/2"159	EASY TOUCH INSULN 1 ML 30GX1/2" 159
EASY COMFORT 0.3 ML 31G 5/16"159	EASY TOUCH INSULN 1 ML 30GX5/16159
EASY COMFORT 0.3 ML SYRINGE 159	EASY TOUCH INSULN 1 ML 31GX5/16159
EASY COMFORT 0.5 ML 30GX1/2"159	EASY TOUCH LUER LOK INSUL 1 ML159
EASY COMFORT 0.5 ML 31GX5/16"159	EASY TOUCH PEN NEEDLE 29GX1/2" 159
EASY COMFORT 0.5 ML 32GX5/16"159	EASY TOUCH PEN NEEDLE 30GX5/16 159
EASY COMFORT 0.5 ML SYRINGE 159	EASY TOUCH PEN NEEDLE 31GX1/4" 159
EASY COMFORT 1 ML 31GX5/16"159	EASY TOUCH PEN NEEDLE 31GX3/16 159
EASY COMFORT 1 ML 32GX5/16"159	EASY TOUCH PEN NEEDLE 31GX5/16 159
EASY COMFORT ALCOHOL 70% PAD 159	EASY TOUCH PEN NEEDLE 32GX1/4" 159
EASY COMFORT INSULIN 1 ML SYR159	EASY TOUCH PEN NEEDLE 32GX3/16 159
EASY COMFORT PEN NDL 29G 4MM159	EASY TOUCH PEN NEEDLE 32GX5/32 159
EASY COMFORT PEN NDL 29G 5MM159	EASY TOUCH SAF PEN NDL 29G 5MM
EASY COMFORT PEN NDL 31GX1/4"159	
EASY COMFORT PEN NDL 31GX3/16" 159	EASY TOUCH SAF PEN NDL 29G 8MM
EASY COMFORT PEN NDL 31GX5/16" 159	
EASY COMFORT PEN NDL 32GX5/32" 159	EASY TOUCH SAF PEN NDL 30G 5MM
EASY COMFORT PEN NDL 33G 4MM159	
EASY COMFORT PEN NDL 33G 5MM159	EASY TOUCH SAF PEN NDL 30G 8MM
EASY COMFORT PEN NDL 33G 6MM159	
EASY COMFORT SYR 0.5 ML 29G	EASY TOUCH SYR 0.5 ML 28G
8MM	12.7MM
EASY COMFORT SYR 1 ML 29G 8MM.159	EASY TOUCH SYR 0.5 ML 29G
EASY COMFORT SYR 1 ML 30GX1/2". 159	12.7MM
EASY GLIDE INS 0.3 ML 31GX6MM 159	EASY TOUCH SYR 1 ML 27G 16MM 159
EASY GLIDE INS 0.5 ML 31GX6MM 159	EASY TOUCH SYR 1 ML 28G 12.7MM. 159
EASY GLIDE INS 1 ML 31GX6MM 159	EASY TOUCH SYR 1 ML 29G 12.7MM. 159
EASY GLIDE PEN NEEDLE 4MM 33G159	EASY TOUCH UNI-SLIP SYR 1 ML159
EASY TOUCH 0.3 ML SYR 30GX1/2"159	EASYTOUCH SAF PEN NDL 30G 6MM 159
EASY TOUCH 0.5 ML SYR 27GX1/2"159	ELAHERE 211
EASY TOUCH 0.5 ML SYR 29GX1/2"159	ELIGARD187

ELIGARD (3 MONTH)187	fentanyl citrate buccal lozenge on a handle
ELIGARD (4 MONTH) 187	
ELIGARD (6 MONTH)187	FIFTY50 INS SYR 1 ML 31GX5/16"
ELREXFIO 44 MG/1.1 ML VIAL INNER,	SHORT NEEDLE (OTC)159
SUV, P/F104	FIFTY50 PEN 31G X 3/16" NEEDLE
ELREXFIO SUBCUTANEOUS	(OTC)159
SOLUTION 40 MG/ML104	fingolimod131
EMBRACE PEN NEEDLE 29G 12MM159	FINTEPLA126
EMBRACE PEN NEEDLE 30G 5MM159	FOTIVDA334
EMBRACE PEN NEEDLE 30G 8MM159	FP INSULIN 1 ML SYRINGE 159
EMBRACE PEN NEEDLE 31G 5MM159	FREESTYLE PREC 0.5 ML 30GX5/16 159
EMBRACE PEN NEEDLE 31G 6MM159	FREESTYLE PREC 0.5 ML 31GX5/16 159
EMBRACE PEN NEEDLE 31G 8MM159	FREESTYLE PREC 1 ML 30GX5/16" 159
EMBRACE PEN NEEDLE 32G 4MM159	FREESTYLE PREC 1 ML 31GX5/16" 159
EMGALITY PEN136	FRUZAQLA ORAL CAPSULE 1 MG, 5
EMGALITY SYRINGE	MG
SUBCUTANEOUS SYRINGE 120	FYARRO303
MG/ML, 300 MG/3 ML (100 MG/ML X	GAUZE PAD TOPICAL BANDAGE 2 X
3)136	2 "
ENBREL 119	GAVRETO261
ENBREL MINI119	gefitinib
ENBREL SURECLICK	GILOTRIF
EPCLUSA ORAL PELLETS IN PACKET	glatiramer subcutaneous syringe 20 mg/ml,
150-37.5 MG, 200-50 MG305	40 mg/ml
EPCLUSA ORAL TABLET305	glatopa subcutaneous syringe 20 mg/ml, 40
EPIDIOLEX	<i>mg/ml</i>
EPKINLY112	glutamine (sickle cell)192
EQL INSULIN 0.3 ML SYRINGE	GNP ULT C 0.3 ML 29GX1/2" (1/2) 1/2
SHORT NEEDLE159	UNIT
EQL INSULIN 0.5 ML SYRINGE	GNP ULTRA COMFORT 0.5 ML SYR159
SHORT NEEDLE159	GNP ULTRA COMFORT 1 ML
EQL INSULIN 1 ML SYRINGE SHORT	SYRINGE
NEEDLE159	GNP ULTRA COMFORT 3/10 ML SYR159
ERBITUX71	GOMEKLI ORAL CAPSULE 1 MG, 2
ERIVEDGE	MG210
ERLEADA ORAL TABLET 240 MG, 60	GOMEKLI ORAL TABLET FOR
MG27	SUSPENSION210
erlotinib oral tablet 100 mg, 150 mg, 25	HAEGARDA SUBCUTANEOUS RECON
mg117	SOLN 2,000 UNIT, 3,000 UNIT61
everolimus (antineoplastic) oral tablet 10	HARVONI ORAL PELLETS IN PACKET
mg, 2.5 mg, 5 mg, 7.5 mg122	33.75-150 MG, 45-200 MG181
everolimus (antineoplastic) oral tablet for	HARVONI ORAL TABLET181
suspension123	HEALTHWISE INS 0.3 ML 30GX5/16" 159
FASENRA 49	HEALTHWISE INS 0.3 ML 30GX5/16" 159
FASENRA PEN 49	HEALTHWISE INS 0.5 ML 31GA3/10 159 HEALTHWISE INS 0.5 ML 30GX5/16" 159
1 ASENNA 1 EN 49	HEALTHWISE INS 0.5 ML 30GA3/10 159 HEALTHWISE INS 0.5 ML 31GX5/16" 159
	HEALTHWISE INS 0.5 ML 31GA3/16 159 HEALTHWISE INS 1 ML 30GX5/16" 159
	TILALITIVISE INS T ML 300A3/10 139

HEALTHWISE INS 1 ML 31GX5/16" 159	INCRELEX	203
HEALTHWISE PEN NEEDLE 31G 5MM159	infliximab	156
HEALTHWISE PEN NEEDLE 31G 8MM159	INGREZZA	376
HEALTHWISE PEN NEEDLE 32G 4MM159	INGREZZA INITIATION PK(TARDIV).	.376
HEALTHY ACCENTS PENTIP 4MM	INGREZZA SPRINKLE	
32G159	INLYTA ORAL TABLET 1 MG, 5 MG	41
HEALTHY ACCENTS PENTIP 5MM	INQOVI	85
31G159	INREBIC	
HEALTHY ACCENTS PENTIP 6MM	INSULIN SYR 0.3 ML 31GX1/4(1/2)	.159
31G159	INSULIN SYRIN 0.5 ML 28GX1/2"	
HEALTHY ACCENTS PENTIP 8MM	(OTC)	.159
31G159	INSULIN SYRIN 0.5 ML 29GX1/2"	
HEALTHY ACCENTS PENTP 12MM	(OTC)	
29G159	INSULIN SYRIN 0.5 ML 30GX1/2" (RX)	159
HEB INCONTROL ALCOHOL 70%	INSULIN SYRIN 0.5 ML 30GX5/16"	
PADS159	SHORT NEEDLE (OTC)	.159
HERCEPTIN HYLECTA352	INSULIN SYRING 0.5 ML 27G 1/2"	
HERZUMA	OUTER	
HUMIRA PEN11	INSULIN SYRINGE 0.3 ML	
HUMIRA PEN CROHNS-UC-HS START.11	INSULIN SYRINGE 0.3 ML 31GX1/4	
HUMIRA PEN PSOR-UVEITS-ADOL HS 11	INSULIN SYRINGE 0.5 ML	.159
HUMIRA SUBCUTANEOUS SYRINGE	INSULIN SYRINGE 0.5 ML 31GX1/4	.159
KIT 40 MG/0.8 ML11	INSULIN SYRINGE 1 ML	.159
HUMIRA(CF)11	INSULIN SYRINGE 1 ML 27G 1/2"	
HUMIRA(CF) PEDI CROHNS STARTER 11	INNER	.159
HUMIRA(CF) PEN11	INSULIN SYRINGE 1 ML 27G 16MM	.159
HUMIRA(CF) PEN CROHNS-UC-HS 11	INSULIN SYRINGE 1 ML 28GX1/2"	
HUMIRA(CF) PEN PEDIATRIC UC 11	(OTC)	.159
HUMIRA(CF) PEN PSOR-UV-ADOL HS. 11	INSULIN SYRINGE 1 ML 30GX1/2"	
IBRANCE242	(RX)	.159
<i>icatibant</i> 150	INSULIN SYRINGE 1 ML 30GX5/16"	
ICLUSIG	SHORT NEEDLE (OTC)	.159
IDHIFA107	INSULIN SYRINGE 1 ML 31GX1/4"	159
imatinib oral tablet 100 mg, 400 mg 152	INSULIN SYRINGE-NEEDLE U-100	
IMBRUVICA ORAL CAPSULE 140 MG,	SYRINGE 0.3 ML 29 GAUGE, 1 ML 29	
70 MG149	GAUGE X 1/2", 1/2 ML 28 GAUGE	159
IMBRUVICA ORAL SUSPENSION 149	INSUPEN 30G ULTRAFIN NEEDLE	159
IMBRUVICA ORAL TABLET149	INSUPEN 31G ULTRAFIN NEEDLE	159
IMDELLTRA320	INSUPEN 32G 6MM PEN NEEDLE	159
IMJUDO356	INSUPEN 32G 8MM PEN NEEDLE	159
IMKELDI153	INSUPEN PEN NEEDLE 29GX12MM	159
IMPAVIDO209	INSUPEN PEN NEEDLE 31GX3/16"	.159
INCONTROL PEN NEEDLE 12MM 29G 159	INSUPEN PEN NEEDLE 32GX4MM	159
INCONTROL PEN NEEDLE 4MM 32G159	INSUPEN PEN NEEDLE 33GX4MM	159
INCONTROL PEN NEEDLE 5MM 31G159	ITOVEBI ORAL TABLET 3 MG, 9 MG	155
INCONTROL PEN NEEDLE 6MM 31G159	IV ANTISEPTIC WIPES	
INCONTROL PEN NEEDLE 8MM 31G159	IWILFIN	.101

JAKAFI	LITETOUCH INS 0.3 ML 30GX5/16"159
javygtor oral tablet, soluble291	LITETOUCH INS 0.3 ML 31GX5/16"159
JAYPIRCA ORAL TABLET 100 MG, 50	LITETOUCH INS 0.5 ML 31GX5/16"159
MG257	LITETOUCH SYR 0.5 ML 28GX1/2" 159
JEMPERLI94	LITETOUCH SYR 0.5 ML 29GX1/2" 159
KALYDECO	LITETOUCH SYR 0.5 ML 30GX5/16" 159
KENDALL ALCOHOL 70% PREP PAD. 159	LITETOUCH SYRIN 1 ML 28GX1/2" 159
KERENDIA130	LITETOUCH SYRIN 1 ML 29GX1/2" 159
KESIMPTA PEN231	LITETOUCH SYRIN 1 ML 30GX5/16" 159
KEYTRUDA250	LIVTENCITY
KIMMTRAK322	LONSURF ORAL TABLET 15-6.14 MG,
KINERET25	20-8.19 MG
KISQALI FEMARA CO-PACK ORAL	LOQTORZI346
TABLET 200 MG/DAY(200 MG X 1)-2.5	LORBRENA ORAL TABLET 100 MG,
MG, 400 MG/DAY(200 MG X 2)-2.5 MG,	25 MG197
600 MG/DAY(200 MG X 3)-2.5 MG 273	LUMAKRAS ORAL TABLET 120 MG,
KISQALI ORAL TABLET 200 MG/DAY	240 MG, 320 MG
(200 MG X 1), 400 MG/DAY (200 MG X	LUNSUMIO213
2), 600 MG/DAY (200 MG X 3)272	LUPRON DEPOT
KOSELUGO ORAL CAPSULE 10 MG,	LUPRON DEPOT (3 MONTH)188
25 MG300	LUPRON DEPOT (4 MONTH)188
KRAZATI10	LUPRON DEPOT (6 MONTH)188
KYNMOBI SUBLINGUAL FILM 10 MG,	LUPRON DEPOT-PED (3 MONTH) 190
10-15-20-25-30 MG, 15 MG, 20 MG, 25	LUPRON DEPOT-PED
MG, 30 MG29	INTRAMUSCULAR SYRINGE KIT190
lanreotide subcutaneous syringe 120	LYBALVI232
<i>mg/0.5 ml</i>	LYNPARZA233
<i>lapatinib</i> 178	LYTGOBI ORAL TABLET 12 MG/DAY
LAZCLUZE ORAL TABLET 240 MG, 80	(4 MG X 3), 16 MG/DAY (4 MG X 4), 20
MG	MG/DAY (4 MG X 5)135
lenalidomide	MAGELLAN INSUL SYRINGE 0.3 ML159
LENVIMA	MAGELLAN INSUL SYRINGE 0.5 ML159
leuprolide (3 month)	MAGELLAN INSULIN SYR 0.3 ML 159
leuprolide subcutaneous kit185	MAGELLAN INSULIN SYR 0.5 ML 159
lidocaine topical adhesive patch,medicated	MAGELLAN INSULIN SYRINGE 1 ML 159
5 %	MARGENZA201
lidocaine topical ointment	MAVENCLAD (10 TABLET PACK)72
lidocaine-prilocaine topical cream	MAVENCLAD (4 TABLET PACK)72
lidocan iii	MAVENCLAD (5 TABLET PACK)72
LISCO SPONGES 100/BAG	MAVENCLAD (6 TABLET PACK)72
LITE TOUCH 31GX1/4" PEN NEEDLE 159	MAVENCLAD (7 TABLET PACK)
LITE TOUCH INSULIN 0.5 ML SYR 159	MAVENCLAD (8 TABLET PACK)
LITE TOUCH INSULIN 1 ML SYR	MAYERCHAD (9 TABLET PACK)72
LITE TOUCH INSULIN SYR 1 ML	MAXICOMFORT II PEN NDL
LITE TOUCH PEN NEEDLE 29G159	31GX6MM
LITE TOUCH PEN NEEDLE 31G	MAXICOMFORT INS 0.5 ML 27GX1/2" 159
LITETOUCH INS 0.3 ML 29GX1/2"159	MAXI-COMFORT INS 0.5 ML 28G159

MAXICOMFORT INS 1 ML 27GX1/2" 159	MONOJECT INSULIN SYR 0.3 ML	159
MAXI-COMFORT INS 1 ML 28GX1/2"159	MONOJECT INSULIN SYR 0.3 ML	
MAXICOMFORT PEN NDL 29G X 5MM	(OTC)	159
	MONOJECT INSULIN SYR 0.5 ML	159
MAXICOMFORT PEN NDL 29G X 8MM	MONOJECT INSULIN SYR 0.5 ML	
	(OTC)	159
MAYZENT ORAL TABLET 0.25 MG, 1	MONOJECT INSULIN SYR 1 ML 3'S	
MG, 2 MG	(OTC)	159
MAYZENT STARTER(FOR 1MG	MONOJECT INSULIN SYR U-100	
MAINT)302	MONOJECT SYRINGE 0.3 ML	
MAYZENT STARTER(FOR 2MG	MONOJECT SYRINGE 0.5 ML	159
MAINT)302	MONOJECT SYRINGE 1 ML	
MEKINIST ORAL RECON SOLN 348	morphine concentrate oral solution	
MEKINIST ORAL TABLET 0.5 MG, 2	MOUNJARO	
MG349	MVASI	
MEKTOVI56	NANO 2 GEN PEN NEEDLE 32G 4MM.	
MICRODOT PEN NEEDLE 31GX6MM159	NATPARA	
MICRODOT PEN NEEDLE 32GX4MM159	NERLYNX	
MICRODOT PEN NEEDLE 33GX4MM159	NEULASTA ONPRO	
MICRODOT READYGARD NDL 31G	NIKTIMVO	
5MM OUTER	NINLARO	
mifepristone oral tablet 300 mg 208	nitisinone	
MINI PEN NEEDLE 32G 4MM159	NIVESTYM	
MINI PEN NEEDLE 32G 5MM159	NORDITROPIN FLEXPRO	
MINI PEN NEEDLE 32G 6MM159	NOVOFINE 30	
MINI PEN NEEDLE 32G 8MM159	NOVOFINE 32G NEEDLES	
MINI PEN NEEDLE 33G 4MM159	NOVOFINE PLUS PEN NDL 32GX1/6"	
MINI PEN NEEDLE 33G 5MM159	NOVOTWIST NEEDLE 32G 5MM	
MINI PEN NEEDLE 33G 6MM159	NUBEQA	
MINI ULTRA-THIN II PEN NDL 31G	NUCALA SUBCUTANEOUS AUTO-	
STERILE	INJECTOR	205
MIPLYFFA	NUCALA SUBCUTANEOUS RECON	
modafinil oral tablet 100 mg, 200 mg 214		205
MONOJECT 0.5 ML SYRN 28GX1/2"159	NUCALA SUBCUTANEOUS SYRINGE	
MONOJECT 1 ML SYRN 27X1/2"159	100 MG/ML, 40 MG/0.4 ML	205
MONOJECT 1 ML SYRN 28GX1/2"	NUPLAZID	
(OTC)159	NURTEC ODT	277
MONOJECT INSUL SYR U100 (OTC)159	NYVEPRIA	246
MONOJECT INSUL SYR U100	OCREVUS	229
.5ML,29GX1/2" (OTC)	OCREVUS ZUNOVO	230
MONOJECT INSUL SYR U100 0.5 ML	ODOMZO	310
CONVERTS TO 29G (OTC)159	OFEV	
MONOJECT INSUL SYR U100 1 ML 159	OGIVRI	
MONOJECT INSUL SYR U100 1 ML 3'S,	OGSIVEO ORAL TABLET 100 MG, 150	
29GX1/2" (OTC)	MG, 50 MG	223
MONOJECT INSUL SYR U100 1 ML	OJEMDA ORAL SUSPENSION FOR	
W/O NEEDLE (OTC)	RECONSTITUTION	347

OJEMDA ORAL TABLET	347	PENTIPS PEN NEEDLE 32G 1/4"	159
OJJAARA	212	PENTIPS PEN NEEDLE 32GX5/32"	
ONAPGO	28	4MM	159
ONTRUZANT	351	PIP PEN NEEDLE 31G X 5MM	. 159
ONUREG	42	PIP PEN NEEDLE 32G X 4MM	. 159
OPDIVO	_	PIQRAY ORAL TABLET 200 MG/DAY	,
OPDIVO QVANTIG	226	(200 MG X 1), 250 MG/DAY (200 MG	
OPDUALAG	227	X1-50 MG X1), 300 MG/DAY (150 MG	X
OPSUMIT	200	2)	22
ORENCIA		pirfenidone oral capsule	256
ORENCIA (WITH MALTOSE)	2	pirfenidone oral tablet 267 mg, 534 mg,	
ORENCIA CLICKJECT	4	801 mg	. 256
ORFADIN ORAL SUSPENSION	224	PLEGRIDY SUBCUTANEOUS PEN	
ORGOVYX	266	INJECTOR 125 MCG/0.5 ML, 63	
ORILISSA ORAL TABLET 150 MG, 2	200	MCG/0.5 ML- 94 MCG/0.5 ML	. 171
MG		PLEGRIDY SUBCUTANEOUS	
ORKAMBI ORAL TABLET		SYRINGE 125 MCG/0.5 ML, 63 MCG/0	
ORSERDU ORAL TABLET 345 MG,		ML- 94 MCG/0.5 ML	
MG		POMALYST	258
OTEZLA		posaconazole oral tablet,delayed release	
OTEZLA STARTER		(dr/ec)	
oxandrolone		PREVENT PEN NEEDLE 31GX1/4"	
OZEMPIC		PREVENT PEN NEEDLE 31GX5/16"	
pazopanib		PREVYMIS ORAL TABLET	
PC UNIFINE PENTIPS 8MM NEEDLI		PRO COMFORT 0.5 ML 30GX1/2"	
SHORT		PRO COMFORT 0.5 ML 30GX5/16"	
PEGASYS		PRO COMFORT 0.5 ML 31GX5/16"	
PEMAZYRE	_	PRO COMFORT 1 ML 30GX1/2"	
PEN NEEDLE 30G 5MM OUTER		PRO COMFORT 1 ML 30GX5/16"	
PEN NEEDLE 30G 8MM INNER		PRO COMFORT 1 ML 31GX5/16"	
PEN NEEDLE 30G X 5/16"		PRO COMFORT ALCOHOL 70% PADS	
PEN NEEDLE, DIABETIC NEEDLE 2		PRO COMFORT PEN NDL 31GX5/16".	
GAUGE X 1/2"	159	PRO COMFORT PEN NDL 32G X 1/4".	
PEN NEEDLES 12MM 29G	1.50	PRO COMFORT PEN NDL 4MM 32G	
29GX12MM,STRL	159	PRO COMFORT PEN NDL 5MM 32G	
PEN NEEDLES 4MM 32G		PRODIGY INS SYR 1 ML 28GX1/2"	
PEN NEEDLES 6MM 31G 31GX6MM	*	PRODIGY SYRNG 0.5 ML 31GX5/16"	
STRL	159	PRODIGY SYRNGE 0.3 ML 31GX5/16"	.159
PEN NEEDLES 8MM 31G	1.50	PROMACTA ORAL POWDER IN	100
31GX8MM,STRL,SHORT (OTC)		PACKET 12.5 MG, 25 MG	
penicillamine oral tablet		PROMACTA ORAL TABLET 12.5 MG,	
PENTIPS PEN NEEDLE 29G 1/2"		25 MG, 50 MG, 75 MG	
PENTIPS PEN NEEDLE 31G 1/4"	139	PURE CMFT SFTY PEN NDL 31G 5MM	
PENTIPS PEN NEEDLE 31GX3/16"	150	PURE CMFT SFTY PEN NDL 31G 6MN	
MINI, 5MM		PURE COMFORT ALCOHOL 70%	1139
PENTIPS PEN NEEDLE 31GX5/16"		PURE COMFORT ALCOHOL 70%	150
SHORT, 8MM	139	PADS	139

PURE COMFORT PEN NDL 32G 4MM159	SAFESNAP INS SYR UNITS-100 0.3 ML
PURE COMFORT PEN NDL 32G 5MM159	30GX5/16",10X10159
PURE COMFORT PEN NDL 32G 6MM159	SAFESNAP INS SYR UNITS-100 0.5 ML
PURE COMFORT PEN NDL 32G 8MM159	29GX1/2",10X10159
pyrimethamine262	SAFESNAP INS SYR UNITS-100 0.5 ML
QINLOCK281	30GX5/16",10X10159
quinine sulfate263	SAFESNAP INS SYR UNITS-100 1 ML
QULIPTA37	28GX1/2",10X10159
RALDESY355	SAFESNAP INS SYR UNITS-100 1 ML
RAYA SURE PEN NEEDLE 29G 12MM.159	29GX1/2",10X10159
RAYA SURE PEN NEEDLE 31G 4MM159	SAFETY PEN NEEDLE 31G 4MM159
RAYA SURE PEN NEEDLE 31G 5MM159	SAFETY PEN NEEDLE 5MM X 31G 159
RAYA SURE PEN NEEDLE 31G 6MM159	SAFETY SYRINGE 0.5 ML 30G 1/2" 159
RELION INS SYR 0.3 ML 31GX6MM 159	sapropterin oral tablet, soluble291
RELION INS SYR 0.5 ML 31GX6MM 159	SCEMBLIX ORAL TABLET 100 MG, 20
RELION INS SYR 1 ML 31GX15/64"159	MG, 40 MG33
RELI-ON INSULIN 0.5 ML SYR 159	SECURESAFE PEN NDL 30GX5/16"
RELI-ON INSULIN 1 ML SYR 159	OUTER
RELION MINI PEN 31G X 1/4" NDL 159	SECURESAFE SYR 0.5 ML 29G 1/2"
RETACRIT INJECTION SOLUTION	OUTER
10,000 UNIT/ML, 2,000 UNIT/ML,	SECURESAFE SYRNG 1 ML 29G 1/2"
20,000 UNIT/2 ML, 20,000 UNIT/ML,	OUTER
3,000 UNIT/ML, 4,000 UNIT/ML, 40,000	SELARSDI368, 370
UNIT/ML113	SEROSTIM SUBCUTANEOUS RECON
RETEVMO ORAL CAPSULE 40 MG, 80	SOLN 4 MG, 5 MG, 6 MG309
MG299	SIGNIFOR244
RETEVMO ORAL TABLET 120 MG, 160	sildenafil (pulm.hypertension) oral tablet301
MG, 40 MG, 80 MG299	SIRTURO44
REVUFORJ ORAL TABLET 110 MG,	SKY SAFETY PEN NEEDLE 30G 5MM.159
160 MG, 25 MG271	SKY SAFETY PEN NEEDLE 30G 8MM.159
REZLIDHIA234	SKYRIZI
REZUROCK46	SM ULT CFT 0.3 ML 31GX5/16(1/2)159
RIABNI	sodium oxybate304
RINVOQ362	SOMATULINE DEPOT
RINVOQ LQ362	SUBCUTANEOUS SYRINGE 60 MG/0.2
RITUXAN HYCELA284	ML, 90 MG/0.3 ML177
ROMVIMZA383	SOMAVERT249
ROZLYTREK ORAL CAPSULE 100 MG,	<i>sorafenib</i> 311
200 MG109	SPRAVATO118
ROZLYTREK ORAL PELLETS IN	STELARA365, 367
PACKET110	STERILE PADS 2" X 2"159
RUBRACA289	STIVARGA265
RUXIENCE287	STRENSIQ34
RYBELSUS143	sunitinib malate315
RYBREVANT24	SURE CMFT SFTY PEN NDL 31G 6MM159
RYDAPT207	SURE CMFT SFTY PEN NDL 32G 4MM159
RYTELO154	SURE COMFORT 0.5 ML SYRINGE 159

SURE COMFORT 1 ML SYRINGE 159	TECHLITE INS SYR 1 ML 29GX12MM.1	59
SURE COMFORT 3/10 ML SYRINGE 159	TECHLITE INS SYR 1 ML 30GX12MM.1	59
SURE COMFORT 3/10 ML SYRINGE	TECHLITE INS SYR 1 ML 31GX6MM1	59
INSULIN SYRINGE159	TECHLITE INS SYR 1 ML 31GX8MM1	59
SURE COMFORT 30G PEN NEEDLE159	TECHLITE PEN NEEDLE 29GX1/2" 1	59
SURE COMFORT ALCOHOL PREP	TECHLITE PEN NEEDLE 29GX3/8" 1	59
PADS159	TECHLITE PEN NEEDLE 31GX1/4" 1	59
SURE COMFORT INS 0.3 ML 31GX1/4.159	TECHLITE PEN NEEDLE 31GX3/16" 1	59
SURE COMFORT INS 0.5 ML 31GX1/4.159	TECHLITE PEN NEEDLE 31GX5/16" 1	59
SURE COMFORT INS 1 ML 31GX1/4"159	TECHLITE PEN NEEDLE 32GX1/4" 1	
SURE COMFORT PEN NDL 29GX1/2"	TECHLITE PEN NEEDLE 32GX5/16" 1	
12.7MM	TECHLITE PEN NEEDLE 32GX5/32" 1	
SURE COMFORT PEN NDL 31G 5MM159	TECHLITE PLUS PEN NDL 32G 4MM1	
SURE COMFORT PEN NDL 31G 8MM159	TECVAYLI3	
SURE COMFORT PEN NDL 32G 4MM159	TEPMETKO3	
SURE COMFORT PEN NDL 32G 6MM159	teriparatide subcutaneous pen injector 20	
SURE-FINE PEN NEEDLES 12.7MM 159	mcg/dose (620mcg/2.48ml)3.	26
SURE-FINE PEN NEEDLES 5MM 159	TERUMO INS SYRINGE U100-1 ML 1	
SURE-FINE PEN NEEDLES 8MM 159	TERUMO INS SYRINGE U100-1/2 ML 1	
SURE-JECT INSU SYR U100 0.3 ML 159	TERUMO INS SYRINGE U100-1/3 ML 1	
SURE-JECT INSU SYR U100 0.5 ML 159	TERUMO INS SYRNG U100-1/2 ML1	
SURE-JECT INSU SYR U100 1 ML 159	testosterone cypionate3	
SURE-JECT INSUL SYR U100 1 ML 159	testosterone enanthate	
SURE-JECT INSULIN SYRINGE 1 ML 159	testosterone transdermal gel in metered-	
SURE-PREP ALCOHOL PREP PADS 159	dose pump 12.5 mg/ 1.25 gram (1 %),	
SYMPAZAN73	20.25 mg/1.25 gram (1.62 %)	27
SYNRIBO235	testosterone transdermal gel in packet 1 %	
TABRECTA66	(25 mg/2.5gram), 1 % (50 mg/5 gram)3.	2.7
tadalafil oral tablet 2.5 mg, 5 mg317	tetrabenazine	
TAFINLAR ORAL CAPSULE	TEVIMBRA	
TAFINLAR ORAL TABLET FOR	THALOMID3	
SUSPENSION79	THINPRO INS SYRIN U100-0.3 ML 1	
TAGRISSO239	THINPRO INS SYRIN U100-0.5 ML 1	
TALVEY319	THINPRO INS SYRIN U100-1 ML 1	
TALZENNA318	TIBSOVO1	
TASIGNA ORAL CAPSULE 150 MG,	TIVDAK3	
200 MG, 50 MG217	TOPCARE CLICKFINE 31G X 1/4"1	
TAVNEOS	TOPCARE CLICKFINE 31G X 5/16"1	
TAZVERIK321	TOPCARE ULTRA COMFORT	
TECHLITE 0.3 ML 29GX12MM (1/2) 159	SYRINGE1	59
TECHLITE 0.3 ML 30GX8MM (1/2) 159	torpenz oral tablet 10 mg, 2.5 mg, 5 mg,	<i>J</i>
TECHLITE 0.3 ML 31GX6MM (1/2) 159	7.5 mg	22
TECHLITE 0.3 ML 31GX8MM (1/2) 159	TRAZIMERA3	54
TECHLITE 0.5 ML 30GX12MM (1/2) 159	TRELSTAR INTRAMUSCULAR	<i>J</i> ⊣r
TECHLITE 0.5 ML 30GX8MM (1/2) 159	SUSPENSION FOR RECONSTITUTION 3	59
TECHLITE 0.5 ML 31GX6MM (1/2) 159	TREMFYA1	
TECHLITE 0.5 ML 31GX8MM (1/2) 159	1102111 171	TU

TREMFYA PEN SUBCUTANEOUS PEN	TRUEPLUS SYR 0.5 ML 30GX5/16"159
INJECTOR 200 MG/2 ML146	TRUEPLUS SYR 0.5 ML 31GX5/16"159
tretinoin topical cream345	TRUEPLUS SYR 1 ML 28GX1/2"159
trientine oral capsule 250 mg357	TRUEPLUS SYR 1 ML 29GX1/2"159
TRUE CMFRT PRO 0.5 ML 30G 5/16"159	TRUEPLUS SYR 1 ML 30GX5/16"159
TRUE CMFRT PRO 0.5 ML 31G 5/16"159	TRUEPLUS SYR 1 ML 31GX5/16"159
TRUE CMFRT PRO 0.5 ML 32G 5/16"159	TRULICITY142
TRUE CMFT SFTY PEN NDL 31G 5MM159	TRUQAP65
TRUE CMFT SFTY PEN NDL 31G 6MM159	TRUXIMA285
TRUE CMFT SFTY PEN NDL 32G 4MM159	TUKYSA ORAL TABLET 150 MG, 50
TRUE COMFORT 0.5 ML 30G 1/2"159	MG360
TRUE COMFORT 0.5 ML 30G 5/16"159	TURALIO254
TRUE COMFORT 0.5 ML 31G 5/16"159	TYENNE
TRUE COMFORT 0.5 ML 31GX5/16"159	TYENNE AUTOINJECTOR339
TRUE COMFORT 1 ML 31GX5/16"159	TYMLOS1
TRUE COMFORT ALCOHOL 70%	UBRELVY361
PADS159	ULTICAR INS 0.3 ML 31GX1/4(1/2)159
TRUE COMFORT PEN NDL 31G 8MM159	ULTICARE INS 1 ML 31GX1/4" 159
TRUE COMFORT PEN NDL 31GX5MM 159	ULTICARE INS SYR 0.3 ML 30G 8MM. 159
TRUE COMFORT PEN NDL 31GX6MM 159	ULTICARE INS SYR 0.3 ML 31G 6MM. 159
TRUE COMFORT PEN NDL 32G 5MM159	ULTICARE INS SYR 0.3 ML 31G 8MM. 159
TRUE COMFORT PEN NDL 32G 6MM159	ULTICARE INS SYR 0.5 ML 31G 6MM. 159
TRUE COMFORT PEN NDL 32GX4MM 159	ULTICARE INS SYR 0.5 ML 31G 8MM
TRUE COMFORT PEN NDL 33G 4MM159	(OTC)159
TRUE COMFORT PEN NDL 33G 5MM159	ULTICARE INS SYR 1 ML 30GX1/2"159
TRUE COMFORT PEN NDL 33G 6MM159	ULTICARE PEN NEEDLE 31GX3/16"159
TRUE COMFORT PRO 1 ML 30G 1/2"159	ULTICARE PEN NEEDLE 6MM 31G 159
TRUE COMFORT PRO 1 ML 30G 5/16".159	ULTICARE PEN NEEDLE 8MM 31G 159
TRUE COMFORT PRO 1 ML 31G 5/16".159	ULTICARE PEN NEEDLES 12MM 29G. 159
TRUE COMFORT PRO 1 ML 32G 5/16".159	ULTICARE PEN NEEDLES 4MM 32G
TRUE COMFORT PRO ALCOHOL	MICRO, 32GX4MM159
PADS159	ULTICARE PEN NEEDLES 6MM 32G 159
TRUE COMFORT SFTY 1 ML 30G 1/2".159	ULTICARE SAFE PEN NDL 30G 8MM159
TRUE COMFRT PRO 0.5 ML 30G 1/2"159	ULTICARE SAFE PEN NDL 5MM 30G159
TRUE COMFRT SFTY 1 ML 30G 5/16"159	ULTICARE SYR 0.3 ML 29G 12.7MM159
TRUE COMFRT SFTY 1 ML 31G 5/16"159	ULTICARE SYR 0.3 ML 30GX1/2" 159
TRUE COMFRT SFTY 1 ML 32G 5/16"159	ULTICARE SYR 0.3 ML 31GX5/16"
TRUEPLUS PEN NEEDLE 29GX1/2" 159	SHORT NDL159
TRUEPLUS PEN NEEDLE 31G X 1/4" 159	ULTICARE SYR 0.5 ML 30GX1/2" 159
TRUEPLUS PEN NEEDLE 31GX3/16" 159	ULTICARE SYR 0.5 ML 31GX5/16"
TRUEPLUS PEN NEEDLE 31GX5/16" 159	SHORT NDL159
TRUEPLUS PEN NEEDLE 32GX5/32" 159	ULTICARE SYR 1 ML 31GX5/16" 159
TRUEPLUS SYR 0.3 ML 29GX1/2"159	ULTIGUARD SAFE 1 ML 30G 12.7MM. 159
TRUEPLUS SYR 0.3 ML 30GX5/16"159	ULTIGUARD SAFE0.3 ML 30G 12.7MM
TRUEPLUS SYR 0.3 ML 31GX5/16"159	
TRUEPLUS SYR 0.5 ML 28GX1/2"159	
TRUEPLUS SYR 0.5 ML 29GX1/2"159	

IN TIGHT DD GATEGO FAM 200 12 TAGA	III TD 1 C 1 DE DIG 1 MI 20 CM 1/21 1 1 50
ULTIGUARD SAFE0.5 ML 30G 12.7MM	ULTRACARE INS 1 ML 30GX1/2" 159
	ULTRACARE INS 1 ML 31G X 5/16" 159
ULTIGUARD SAFEPACK 1 ML 31G	ULTRACARE PEN NEEDLE 31GX1/4"159
8MM159	ULTRACARE PEN NEEDLE 31GX3/16"159
ULTIGUARD SAFEPACK 29G 12.7MM 159	ULTRACARE PEN NEEDLE 31GX5/16"159
ULTIGUARD SAFEPACK 31G 5MM 159	ULTRACARE PEN NEEDLE 32GX1/4"159
ULTIGUARD SAFEPACK 31G 6MM 159	ULTRACARE PEN NEEDLE 32GX3/16"159
ULTIGUARD SAFEPACK 31G 8MM 159	ULTRACARE PEN NEEDLE 32GX5/32"159
ULTIGUARD SAFEPACK 32G 4MM 159	ULTRACARE PEN NEEDLE 33GX5/32"159
ULTIGUARD SAFEPACK 32G 6MM 159	ULTRA-FINE 0.3 ML 30G 12.7MM159
ULTIGUARD SAFEPK 0.3 ML 31G	ULTRA-FINE 0.3 ML 31G 6MM (1/2)159
8MM159	ULTRA-FINE 0.3 ML 31G 8MM (1/2)159
ULTIGUARD SAFEPK 0.5 ML 31G	ULTRA-FINE 0.5 ML 30G 12.7MM159
8MM	ULTRA-FINE INS SYR 1 ML 31G 8MM 159
ULTILET ALCOHOL STERL SWAB159	ULTRA-FINE PEN NDL 29G 12.7MM159
ULTILET INSULIN SYRINGE 0.3 ML 159	ULTRA-FINE PEN NEEDLE 32G 6MM159
ULTILET INSULIN SYRINGE 0.5 ML 159	ULTRA-FINE SYR 0.5 ML 31G 8MM159
ULTILET INSULIN SYRINGE 1 ML 159	ULTRA-FINE SYR 1 ML 30G 12.7MM159
ULTILET PEN NEEDLE159	ULTRA-THIN II 1 ML 31GX5/16"159
ULTILET PEN NEEDLE 4MM 32G159	ULTRA-THIN II INS 0.3 ML 30G159
ULTRA COMFORT 0.3 ML SYRINGE 159	ULTRA-THIN II INS 0.3 ML 31G159
ULTRA COMFORT 0.5 ML 28GX1/2"	ULTRA-THIN II INS 0.5 ML 29G
CONVERTS TO 29G159	ULTRA-THIN II INS 0.5 ML 30G159
ULTRA COMFORT 0.5 ML 29GX1/2" 159	ULTRA-THIN II INS 0.5 ML 31G
ULTRA COMFORT 0.5 ML SYRINGE 159	ULTRA-THIN II INS SYR 1 ML 29G 159
ULTRA COMFORT 1 ML 31GX5/16" 159	ULTRA-THIN II INS SYR 1 ML 30G 159
ULTRA COMFORT 1 ML SYRINGE 159	ULTRA-THIN II PEN NDL 29GX1/2" 159
ULTRA FLO 0.3 ML 30G 1/2" (1/2)159	ULTRA-THIN II PEN NDL 31GX5/16159
ULTRA FLO 0.3 ML 30G 5/16"(1/2)159	UNIFINE OTC PEN NEEDLE 31G 5MM 159
ULTRA FLO 0.3 ML 31G 5/16"(1/2)159	UNIFINE OTC PEN NEEDLE 32G 4MM 159
ULTRA FLO PEN NEEDLE 31G 5MM 159	UNIFINE PEN NEEDLE 32G 4MM 159
ULTRA FLO PEN NEEDLE 31G 8MM 159	UNIFINE PENTIPS 12MM 29G
ULTRA FLO PEN NEEDLE 32G 4MM 159	29GX12MM, STRL
ULTRA FLO PEN NEEDLE 33G 4MM 159	UNIFINE PENTIPS 31GX3/16"
ULTRA FLO PEN NEEDLES 12MM 29G	31GX5MM,STRL,MINI
	UNIFINE PENTIPS 32GX1/4"159
159	
ULTRA FLO SYR 0.3 ML 29GX1/2" 159	UNIFINE PENTIPS 32GX5/32"
ULTRA FLO SYR 0.3 ML 30G 5/16"159	32GX4MM, STRL, NANO159
ULTRA FLO SYR 0.3 ML 31G 5/16"159	UNIFINE PENTIPS 33GX5/32"159
ULTRA FLO SYR 0.5 ML 29G 1/2"159	UNIFINE PENTIPS 6MM 31G 159
ULTRA THIN PEN NDL 32G X 4MM159	UNIFINE PENTIPS MAX 30GX3/16"159
ULTRACARE INS 0.3 ML 30GX5/16" 159	UNIFINE PENTIPS NEEDLES 29G159
ULTRACARE INS 0.3 ML 31GX5/16" 159	UNIFINE PENTIPS PLUS 29GX1/2"
ULTRACARE INS 0.5 ML 30GX1/2" 159	12MM
ULTRACARE INS 0.5 ML 30GX1/2 159	UNIFINE PENTIPS PLUS 30GX3/16" 159
ULTRACARE INS 0.5 ML 31GX5/16" 159	UNIFINE PENTIPS PLUS 31GX1/4"
ULTRACARE INS 1 ML 30G X 5/16" 159	ULTRA SHORT, 6MM159

UNIFINE PENTIPS PLUS 31GX3/16"	VERIFINE PLUS PEN NDL 32G 4MM-	
MINI	SHARPS CONTAINER	159
UNIFINE PENTIPS PLUS 31GX5/16"	VERIFINE SYRING 0.5 ML 29G 1/2"	. 159
SHORT159	VERIFINE SYRING 1 ML 31G 5/16"	
UNIFINE PENTIPS PLUS 32GX5/32" 159	VERIFINE SYRNG 0.3 ML 31G 5/16"	159
UNIFINE PENTIPS PLUS 33GX5/32" 159	VERIFINE SYRNG 0.5 ML 31G 5/16"	
UNIFINE PROTECT 30G 5MM 159	VERQUVO	381
UNIFINE PROTECT 30G 8MM 159	VERSALON ALL PURPOSE SPONGE	
UNIFINE PROTECT 32G 4MM 159	25'S,N-STERILE,3PLY	. 159
UNIFINE SAFECONTROL 30G 5MM159	VERZENIO	
UNIFINE SAFECONTROL 30G 8MM159	vigabatrin	
UNIFINE SAFECONTROL 31G 5MM159	vigadrone	382
UNIFINE SAFECONTROL 31G 6MM159	vigpoder	
UNIFINE SAFECONTROL 31G 8MM159	VITRAKVI ORAL CAPSULE 100 MG,	
UNIFINE SAFECONTROL 32G 4MM159	25 MG	179
UNIFINE ULTRA PEN NDL 31G 5MM 159	VITRAKVI ORAL SOLUTION	
UNIFINE ULTRA PEN NDL 31G 6MM 159	VIVIMUSTA	
UNIFINE ULTRA PEN NDL 31G 8MM 159	VIZIMPRO	
UNIFINE ULTRA PEN NDL 32G 4MM 159	VONJO	241
UPTRAVI INTRAVENOUS297	VORANIGO	
UPTRAVI ORAL TABLET 1,000 MCG,	voriconazole oral suspension for	
1,200 MCG, 1,400 MCG, 1,600 MCG, 200	reconstitution	386
MCG, 400 MCG, 600 MCG, 800 MCG297	VOSEVI	306
UPTRAVI ORAL TABLETS, DOSE	VOWST	124
PACK	VUMERITY	93
VALCHLOR	VYALEV	132
VANFLYTA264	VYLOY	. 390
VANISHPOINT 0.5 ML 30GX1/2" SY	WEBCOL ALCOHOL PREPS	
OUTER159	20'S,LARGE	159
VANISHPOINT INS 1 ML 30GX3/16" 159	WELIREG	47
VANISHPOINT U-100 29X1/2 SYR 159	WINREVAIR	. 312
VEGZELMA52	XALKORI ORAL CAPSULE	76
VENCLEXTA ORAL TABLET 10 MG,	XALKORI ORAL PELLET 150 MG, 20	
100 MG, 50 MG380	MG, 50 MG	77
VENCLEXTA STARTING PACK380	XDEMVY	198
VEOZAH128	XELJANZ	343
VERIFINE INS SYR 1 ML 29G 1/2" 159	XELJANZ XR	343
VERIFINE PEN NEEDLE 29G 12MM159	XERMELO	324
VERIFINE PEN NEEDLE 31G 5MM159	XGEVA	88
VERIFINE PEN NEEDLE 31G X 6MM159	XIFAXAN ORAL TABLET 200 MG, 55	0
VERIFINE PEN NEEDLE 31G X 8MM159	MG	274
VERIFINE PEN NEEDLE 32G 6MM159	XOLAIR	236
VERIFINE PEN NEEDLE 32G X 4MM 159	XOSPATA	139
VERIFINE PEN NEEDLE 32G X 5MM 159		
VERIFINE PLUS PEN NDL 31G 5MM 159		
VERIFINE PLUS PEN NDL 31G 8MM 159		
VERIFINE PLUS PEN NDL 32G 4MM 159		

XPOVIO ORAL TABLET 100	
MG/WEEK (50 MG X 2), 40 MG/WEEK	
(10 MG X 4), 40 MG/WEEK (20 MG X	
2), 40 MG/WEEK (40 MG X 1), 40MG	
TWICE WEEK (40 MG X 2), 60	
MG/WEEK (60 MG X 1), 60MG TWICE	
WEEK (120 MG/WEEK), 80 MG/WEEK	
(40 MG X 2), 80MG TWICE WEEK (160	
MG/WEEK)XTANDI ORAL CAPSULE	.298
XTANDI ORAL TABLET 40 MG, 80 MC	Ĵ
XYOSTED	
YERVOY	
YESINTEK372,	
YONSA	
YUFLYMA(CF)	14
YUFLYMA(CF) AI CROHN'S-UC-HS	14
YUFLYMA(CF) AUTOINJECTOR	
ZEJULA ORAL CAPSULE	
ZEJULA ORAL TABLET	
ZELBORAF	379
ZIIHERA	387
ZIRABEV	
ZOLADEX	
ZTALMY	.137
ZTLIDO	.194
ZURZUVAE ORAL CAPSULE 20 MG,	
25 MG, 30 MG	391
ZYDELIG	.151
ZYKADIA	
ZYNLONTA	
ZYNYZ	.270

Step Therapy

ANTIGOUT AGENTS

Products Affected

Step 2:

• febuxostat 40 mg tablet

• febuxostat 80 mg tablet

Criteria	PRIOR CLAIM FOR FORMULARY VERSION OF ALLOPURINOL
	TABLETS WITHIN THE PAST 120 DAYS.

ANTIULCER AGENTS

Products Affected

Step 2:

- esomeprazole magnesium dr 10 mg granules delayed release for susp
- esomeprazole magnesium dr 20 mg granules
- delayed release for susp
- esomeprazole magnesium dr 40 mg granules delayed release for susp

Criteria	PRIOR CLAIM FOR GENERIC FEDERAL LEGEND FORMULARY VERSION OF ORAL LANSOPRAZOLE CAPSULES, ESOMEPRAZOLE MAG CAPSULES, RABEPRAZOLE, OMEPRAZOLE, OR PANTOPRAZOLE WITHIN THE PAST 120 DAYS.
----------	---

ARIPIPRAZOLE FILM

Products Affected

Step 2:

- OPIPZA 10 MG ORAL FILM
- OPIPZA 2 MG ORAL FILM

• OPIPZA 5 MG ORAL FILM

Criteria	TRIAL OF GENERIC ARIPIPRAZOLE TABLETS IN THE PAST 120 DAYS
----------	--

ARIPIPRAZOLE ODT

Products Affected

Step 2:

- aripiprazole 10 mg disintegrating tablet
- aripiprazole 15 mg disintegrating tablet

Criteria	ST Criteria: Pending CMS Approval
----------	-----------------------------------

ASENAPINE PATCH

Products Affected

Step 2:

- SECUADO 3.8 MG/24 HOUR TRANSDERMAL 24 HOUR PATCH
- SECUADO 5.7 MG/24 HOUR
- TRANSDERMAL 24 HOUR PATCH
 SECUADO 7.6 MG/24 HOUR
 TRANSDERMAL 24 HOUR PATCH

Criteria	CLAIM FOR 2 FORMULARY ORAL GENERIC ANTIPSYCHOTICS: LURASIDONE, RISPERIDONE, CLOZAPINE TAB, OLANZAPINE,
	IR QUETIAPINE FUMARATE, ZIPRASIDONE, ARIPIPRAZOLE, ASENAPINE, PALIPERIDONE WITHIN PAST 365 DAYS

B VERSUS D ADMINISTRATIVE STEP

Products Affected Step 2:

- cyclophosphamide 25 mg capsule
- cyclophosphamide 25 mg tablet
- cyclophosphamide 50 mg capsule
- cyclophosphamide 50 mg tablet
- JYLAMVO 2 MG/ML ORAL SOLUTION
- methotrexate sodium 2.5 mg tablet
- XATMEP 2.5 MG/ML ORAL SOLUTION

Criteria	IN ORDER TO ASSIST IN A PART B VS. D PAYMENT DETERMINATION, A PRIOR CLAIM SEEN FOR A RHEUMATOID
	ARTHRITIS, PSORIASIS OR ACTIVE POLYARTICULAR JUVENILE
	IDIOPATHIC ARTHRITIS DRUG WITHIN THE PAST 120 DAYS
	WILL QUALIFY FOR PART D PAYMENT. ALL OTHER
	INDICATIONS WILL HAVE A PART B VS. D PAYMENT
	DETERMINATION MADE THROUGH THE FORMULARY
	EXCEPTION PROCESS PRIOR TO THE APPROVAL OF THE DRUG.

CARIPRAZINE

Products Affected

Step 2:

- VRAYLAR 1.5 MG (1)-3 MG (6) CAPSULES IN A DOSE PACK
- VRAYLAR 1.5 MG CAPSULE
- VRAYLAR 3 MG CAPSULE
- VRAYLAR 4.5 MG CAPSULE
- VRAYLAR 6 MG CAPSULE

Criteria	CLAIM FOR 2 FORMULARY ORAL GENERIC ANTIPSYCHOTICS:
	LURASIDONE, RISPERIDONE, OLANZAPINE, IMMEDIATE
	RELEASE QUETIAPINE FUMARATE, ZIPRASIDONE,
	ARIPIPRAZOLE, ASENAPINE WITHIN THE PAST 365 DAYS

CLOZAPINE

Products Affected Step 2:

- clozapine 100 mg disintegrating tablet
- clozapine 12.5 mg disintegrating tablet
 clozapine 150 mg disintegrating tablet
- clozapine 200 mg disintegrating tablet
- clozapine 25 mg disintegrating tablet VERSACLOZ 50 MG/ML ORAL **SUSPENSION**

Criteria	PRIOR CLAIM FOR ONE FORMULARY ORAL ANTIPSYCHOTIC: RISPERIDONE, CLOZAPINE TABLET, OLANZAPINE, IMMEDIATE RELEASE QUETIAPINE FUMARATE, ZIPRASIDONE, ARIPIPRAZOLE, ASENAPINE, PALIPERIDONE, LURASIDONE WITHIN THE PAST 120 DAYS.
	WITHIN THE LAST 120 DATS.

DEXTROMETHORPHAN HBR/BUPROPION

Products Affected

Step 2:

• AUVELITY 45 MG-105 MG TABLET, EXTENDED RELEASE

PRIOR CLAIM FOR TRINTELLIX AND ONE GENERIC ANTIDEPRESSANT (CITALOPRAM, ESCITALOPRAM, FLUOXETINE, PAROXETINE, SERTRALINE, DESVENLAFAXINE, DULOXETINE, VENLAFAXINE, MIRTAZAPINE, BUPROPION IR/SR/XL, OR VILAZODONE) WITHIN THE PAST 365 DAYS
INSINAL, OR VILALODONE) WITHIN THE PAST 303 DATS

DIHYDROERGOTAMINE MESYLATE

Products Affected

Step 2:

• dihydroergotamine 0.5 mg/pump act. (4 mg/ml) nasal spray

PRIOR CLAIM FOR 2 FORMULARY GENERIC TRIPTANS (e.g. SUMATRIPTAN and RIZATRIPTAN) WITHIN THE PAST 365 DAYS
,

DRIZALMA SPRINKLE

Products Affected

Step 2:

- DRIZALMA SPRINKLE 20 MG CAPSULE,DELAYED RELEASE
- DRIZALMA SPRINKLE 30 MG CAPSULE, DELAYED RELEASE
- DRIZALMA SPRINKLE 40 MG CAPSULE,DELAYED RELEASE
- DRIZALMA SPRINKLE 60 MG CAPSULE, DELAYED RELEASE

Criteria	PRIOR CLAIM FOR FORMULARY GENERIC DULOXETINE CAPSULE WITHIN THE PAST 120 DAYS.

EPRONTIA

Products Affected

Step 2:
• EPRONTIA 25 MG/ML ORAL SOLUTION

Criteria PRIOR CLAIM FOR GENERIC TOPIRAMATE WITHIN THE PAST 120 DAYS.

ESLICARBAZEPINE ACETATE

Products Affected

Step 2:

- APTIOM 200 MG TABLET
- APTIOM 400 MG TABLET
- APTIOM 600 MG TABLET
- APTIOM 800 MG TABLET

Criteria	PRIOR CLAIM FOR 2 GENERIC ANTICONVULSANT AGENTS (CARBAMAZEPINE, DIVALPROEX SODIUM, GABAPENTIN,
	LAMOTRIGINE, LEVETIRACETAM, OXCARBAZEPINE,
	TIAGABINE, TOPIRAMATE, VALPROIC ACID, ZONISAMIDE OR
	LACOSAMIDE), WITHIN THE PAST 365 DAYS.

FIBRATES

Products Affected

Step 2:omega-3 acid ethyl esters 1 gram capsule

Criteria	PRIOR CLAIM FOR GENERIC FENOFIBRATE IN THE LAST 120 DAY
----------	---

HIGH INTENSITY STATIN

Products Affected

Step 2:

- NEXLETOL 180 MG TABLET
- NEXLIZET 180 MG-10 MG TABLET
- REPATHA PUSHTRONEX 420 MG/3.5 ML SUBCUTANEOUS WEARABLE INJECTOR
- REPATHA SURECLICK 140 MG/ML SUBCUTANEOUS PEN INJECTOR
- REPATHA SYRINGE 140 MG/ML SUBCUTANEOUS SYRINGE

PRIOR 25 DAY TRIAL OF GENERIC HIGH INTENSITY STATIN: FORMULARY VERSION OF ATORVASTATIN (40 MG or 80 MG) OR ROSUVASTATIN (20 MG or 40 MG) WITHIN THE PAST 120 DAYS
DATE .

ILOPERIDONE

Products Affected

Step 2:

- FANAPT 1 MG TABLET
- FANAPT 10 MG TABLET
- FANAPT 12 MG TABLET
- FANAPT 1MG(2)-2 MG(2)-4MG(2)-6 MG(2) TABLETS IN A DOSE PACK
- FANAPT 2 MG TABLET
- FANAPT 4 MG TABLET
- FANAPT 6 MG TABLET
- FANAPT 8 MG TABLET

Criteria	CLAIM FOR 2 FORMULARY ORAL GENERIC ANTIPSYCHOTICS:
	LURASIDONE, RISPERIDONE, CLOZAPINE TAB, OLANZAPINE,
	IR QUETIAPINE FUMARATE, ZIPRASIDONE, ARIPIPRAZOLE,
	ASENAPINE, PALIPERIDONE WITHIN THE PAST 365 DAYS.

INSULIN SUPPLY PAYMENT DETERMINATION ST

Products Affected

Step 2:

- 1ST TIER UNIFINE PENTIPS 31 GAUGE X 1/4" NEEDLE
- 1ST TIER UNIFINE PENTIPS 31 GAUGE X 3/16" NEEDLE
- 1ST TIER UNIFINE PENTIPS 31 GAUGE X 5/16" NEEDLE
- 1ST TIER UNIFINE PENTIPS 32 GAUGE X 5/32" NEEDLE
- 1ST TIER UNIFINE PENTIPS PLUS 29 GAUGE X 1/2" NEEDLE
- 1ST TIER UNIFINE PENTIPS PLUS 31 GAUGE X 3/16" NEEDLE
- 1ST TIER UNIFINE PENTIPS PLUS 32 GAUGE X 5/32" NEEDLE
- ABOUTTIME PEN NEEDLE 30 GAUGE X
 5/16"
- ABOUTTIME PEN NEEDLE 31 GAUGE X 3/16"
- ABOUTTIME PEN NEEDLE 31 GAUGE X 5/16"
- ABOUTTIME PEN NEEDLE 32 GAUGE X 5/32"
- ADVOCATE PEN NEEDLE 29 GAUGE X 1/2"
- ADVOCATE PEN NEEDLE 31 GAUGE X 3/16"
- ADVOCATE PEN NEEDLE 31 GAUGE X 5/16"
- ADVOCATE PEN NEEDLE 32 GAUGE X 5/32"
- ADVOCATE PEN NEEDLE 33 GAUGE X 5/32"
- ADVOCATE SYRINGES 0.3 ML 29 GAUGE X 1/2"
- ADVOCATE SYRINGES 0.3 ML 30 GAUGE X 5/16"
- ADVOCATE SYRINGES 0.3 ML 31 GAUGE X 5/16"
- ADVOCATE SYRINGES 0.5 ML 29 GAUGE X 1/2"

- ADVOCATE SYRINGES 0.5 ML 30 GAUGE X 5/16"
- ADVOCATE SYRINGES 0.5 ML 31 GAUGE X 5/16"
- ADVOCATE SYRINGES 1 ML 29 GAUGE X 1/2"
- ADVOCATE SYRINGES 1 ML 30 GAUGE X 5/16"
- ADVOCATE SYRINGES 1 ML 31 GAUGE X 5/16"
- ALCOHOL PADS
- ALCOHOL PREP PADS
- ALCOHOL PREP SWABS
- · ALCOHOL SWABS
- ALCOHOL WIPES
- AQINJECT PEN NEEDLE 31 GAUGE X 3/16"
- AQINJECT PEN NEEDLE 32 GAUGE X 5/32"
- ASSURE ID DUO PRO SAFETY PEN NEEDLE 31 GAUGE X 3/16"
- ASSURE ID DUO-SHIELD 30 GAUGE X 3/16" NEEDLE
- ASSURE ID DUO-SHIELD 30 GAUGE X 5/16" NEEDLE
- ASSURE ID INSULIN SAFETY 0.5 ML 29 GAUGE X 1/2" SYRINGE
- ASSURE ID INSULIN SAFETY 0.5 ML 31 GAUGE X 15/64" SYRINGE
- ASSURE ID INSULIN SAFETY 1 ML 29 GAUGE X 1/2" SYRINGE
- ASSURE ID INSULIN SAFETY 1 ML 31 GAUGE X 15/64" SYRINGE
- ASSURE ID PEN NEEDLE 30 GAUGE X 3/16"
- ASSURE ID PEN NEEDLE 30 GAUGE X 5/16"
- ASSURE ID PEN NEEDLE 31 GAUGE X 3/16"
- ASSURE ID PRO PEN NEEDLE 30

- **GAUGE X 3/16"**
- AUTOSHIELD DUO PEN NEEDLE 30 GAUGE X 3/16"
- BD ALCOHOL SWABS
- BD AUTOSHIELD DUO PEN NEEDLE 30 GAUGE X 3/16"
- BD ECLIPSE LUER-LOK 1 ML 30 GAUGE X 1/2" SYRINGE
- BD ECLIPSE LUER-LOK 30 X 1/2" NEEDLE
- BD INSULIN SYRINGE 1 ML 25 GAUGE X 5/8"
- BD INSULIN SYRINGE 1 ML 25 X 1"
- BD INSULIN SYRINGE 1 ML 26 X 1/2"
- BD INSULIN SYRINGE 1 ML 27 GAUGE X 1/2"
- BD INSULIN SYRINGE SLIP TIP 1 ML
- BD INSULIN SYRINGE U-500 1/2 ML 31 GAUGE X 15/64"
- BD INSULIN SYRINGE ULTRA-FINE (HALF UNIT) 0.3 ML 31 GAUGE X 5/16"
- BD INSULIN SYRINGE ULTRA-FINE 0.3 ML 30 GAUGE X 1/2"
- BD INSULIN SYRINGE ULTRA-FINE 0.3 ML 31 GAUGE X 5/16"
- BD INSULIN SYRINGE ULTRA-FINE 0.5 ML 30 GAUGE X 1/2"
- BD INSULIN SYRINGE ULTRA-FINE 0.5 ML 31 GAUGE X 5/16"
- BD INSULIN SYRINGE ULTRA-FINE 1 ML 30 GAUGE X 1/2"
- BD NANO 2ND GEN PEN NEEDLE 32 GAUGE X 5/32"
- BD SAFETYGLIDE INSULIN SYRINGE 0.3 ML 29 GAUGE X 1/2"
- BD SAFETYGLIDE INSULIN SYRINGE 0.3 ML 31 GAUGE X 15/64"
- BD SAFETYGLIDE INSULIN SYRINGE 0.3 ML 31 GAUGE X 5/16"
- BD SAFETYGLIDE INSULIN SYRINGE 0.5 ML 29 GAUGE X 1/2"
- BD SAFETYGLIDE INSULIN SYRINGE 0.5 ML 30 GAUGE X 5/16"
- BD SAFETYGLIDE INSULIN SYRINGE 0.5 ML 31 GAUGE X 15/64"
- BD SAFETYGLIDE INSULIN SYRINGE 1 ML 29 GAUGE X 1/2"

- BD SAFETYGLIDE INSULIN SYRINGE 1 ML 31 GAUGE X 15/64"
- BD SAFETYGLIDE SYRINGE 1 ML 27 GAUGE X 5/8"
- BD ULTRA-FINE MICRO PEN NEEDLE 32 GAUGE X 1/4"
- BD ULTRA-FINE MINI PEN NEEDLE 31 GAUGE X 3/16"
- BD ULTRA-FINE NANO PEN NEEDLE 32 GAUGE X 5/32"
- BD ULTRA-FINE ORIGINAL PEN NEEDLE 29 GAUGE X 1/2"
- BD ULTRA-FINE SHORT PEN NEEDLE 31 GAUGE X 5/16"
- BD VEO INSULIN SYRINGE ULTRA-FINE (HALF UNIT) 0.3 ML 31 GAUGE X 15/64"
- BD VEO INSULIN SYRINGE ULTRA-FINE 0.3 ML 31 GAUGE X 15/64"
- BD VEO INSULIN SYRINGE ULTRA-FINE 1 ML 31 GAUGE X 15/64"
- BD VEO INSULIN SYRINGE ULTRA-FINE 1/2 ML 31 GAUGE X 15/64"
- BORDERED GAUZE 2" X 2" BANDAGE
- CAREFINE PEN NEEDLE 29 GAUGE X 1/2"
- CAREFINE PEN NEEDLE 30 GAUGE X 5/16"
- CAREFINE PEN NEEDLE 31 GAUGE X 1/4"
- CAREFINE PEN NEEDLE 31 GAUGE X 5/16"
- CAREFINE PEN NEEDLE 32 GAUGE X 1/4"
- CAREFINE PEN NEEDLE 32 GAUGE X 3/16"
- CAREFINE PEN NEEDLE 32 GAUGE X 5/32"
- CARETOUCH ALCOHOL PREP PAD TOPICAL PADS
- CARETOUCH INSULIN SYRINGE 0.3 ML 31 GAUGE X 5/16"
- CARETOUCH INSULIN SYRINGE 0.5 ML 30 GAUGE X 5/16"
- CARETOUCH INSULIN SYRINGE 0.5 ML 31 GAUGE X 5/16"
- CARETOUCH INSULIN SYRINGE 1 ML

- 28 GAUGE X 5/16"
- CARETOUCH INSULIN SYRINGE 1 ML 29 GAUGE X 5/16"
- CARETOUCH INSULIN SYRINGE 1 ML 30 GAUGE X 5/16"
- CARETOUCH INSULIN SYRINGE 1 ML 31 GAUGE X 5/16"
- CARETOUCH PEN NEEDLE 29 GAUGE X 1/2"
- CARETOUCH PEN NEEDLE 31 GAUGE X 1/4"
- CARETOUCH PEN NEEDLE 31 GAUGE X 3/16"
- CARETOUCH PEN NEEDLE 31 GAUGE X 5/16"
- CARETOUCH PEN NEEDLE 32 GAUGE X 3/16"
- CARETOUCH PEN NEEDLE 32 GAUGE X 5/32"
- CLICKFINE PEN NEEDLE 31 GAUGE X 1/4"
- CLICKFINE PEN NEEDLE 31 GAUGE X 5/16"
- CLICKFINE PEN NEEDLE 32 GAUGE X 5/32"
- COMFORT EZ INSULIN SYRINGE 0.3 ML 29 GAUGE X 1/2"
- COMFORT EZ INSULIN SYRINGE 0.3 ML 30 GAUGE X 1/2"
- COMFORT EZ INSULIN SYRINGE 0.3 ML 30 GAUGE X 5/16"
- COMFORT EZ INSULIN SYRINGE 0.3 ML 31 GAUGE X 15/64"
- COMFORT EZ INSULIN SYRINGE 0.3 ML 31 GAUGE X 5/16"
- COMFORT EZ INSULIN SYRINGE 0.5 ML 29 GAUGE X 1/2"
- COMFORT EZ INSULIN SYRINGE 0.5 ML 30 GAUGE X 1/2"
- COMFORT EZ INSULIN SYRINGE 0.5 ML 30 GAUGE X 5/16"
- COMFORT EZ INSULIN SYRINGE 0.5 ML 31 GAUGE X 5/16"
- COMFORT EZ INSULIN SYRINGE 1 ML 28 GAUGE X 1/2"
- COMFORT EZ INSULIN SYRINGE 1 ML 29 GAUGE X 1/2"

- COMFORT EZ INSULIN SYRINGE 1 ML 30 GAUGE X 1/2"
- COMFORT EZ INSULIN SYRINGE 1 ML 30 GAUGE X 5/16"
- COMFORT EZ INSULIN SYRINGE 1 ML 31 GAUGE X 15/64"
- COMFORT EZ INSULIN SYRINGE 1 ML 31 GAUGE X 5/16"
- COMFORT EZ INSULIN SYRINGE 1/2 ML 28 GAUGE X 1/2"
- COMFORT EZ INSULIN SYRINGE 1/2 ML 31 GAUGE X 15/64"
- COMFORT EZ PEN NEEDLES 29 GAUGE X 1/2"
- COMFORT EZ PEN NEEDLES 31 GAUGE X 1/4"
- COMFORT EZ PEN NEEDLES 31 GAUGE X 3/16"
- COMFORT EZ PEN NEEDLES 31 GAUGE X 5/16"
- COMFORT EZ PEN NEEDLES 32 GAUGE X 1/4"
- COMFORT EZ PEN NEEDLES 32 GAUGE X 3/16"
- COMFORT EZ PEN NEEDLES 32 GAUGE X 5/16"
- COMFORT EZ PEN NEEDLES 32 GAUGE X 5/32"
- COMFORT EZ PEN NEEDLES 33 GAUGE X 1/4"
- COMFORT EZ PEN NEEDLES 33 GAUGE X 3/16"
- COMFORT EZ PEN NEEDLES 33 GAUGE X 5/16"
- COMFORT EZ PEN NEEDLES 33 GAUGE X 5/32"
- COMFORT EZ PRO SAFETY PEN NEEDLE 30 GAUGE X 5/16"
- COMFORT EZ PRO SAFETY PEN NEEDLE 31 GAUGE X 3/16"
- COMFORT EZ PRO SAFETY PEN NEEDLE 31 GAUGE X 5/32"
- COMFORT TOUCH PEN NEEDLE 31 GAUGE X 1/4"
- COMFORT TOUCH PEN NEEDLE 31 GAUGE X 3/16"
- COMFORT TOUCH PEN NEEDLE 31

- GAUGE X 5/16"
- COMFORT TOUCH PEN NEEDLE 31 GAUGE X 5/32"
- COMFORT TOUCH PEN NEEDLE 32 GAUGE X 1/4"
- COMFORT TOUCH PEN NEEDLE 32 GAUGE X 3/16"
- COMFORT TOUCH PEN NEEDLE 32 GAUGE X 5/16"
- COMFORT TOUCH PEN NEEDLE 32 GAUGE X 5/32"
- COMFORT TOUCH PEN NEEDLE 33 GAUGE X 1/4"
- COMFORT TOUCH PEN NEEDLE 33 GAUGE X 3/16"
- COMFORT TOUCH PEN NEEDLE 33 GAUGE X 5/32"
- CURAD GAUZE PAD 2" X 2" BANDAGE
- · CURITY ALCOHOL SWABS
- CURITY GAUZE 2" X 2" BANDAGE
- CURITY GAUZE 2" X 2" SPONGE
- DERMACEA 2" X 2" BANDAGE
- DERMACEA 2" X 2" SPONGE
- DERMACEA NON-WOVEN 2" X 2" SPONGE
- DROPLET INSULIN SYRINGE (HALF UNIT) 0.3 ML 29 GAUGE X 1/2"
- DROPLET INSULIN SYRINGE (HALF UNIT) 0.3 ML 30 GAUGE X 1/2"
- DROPLET INSULIN SYRINGE (HALF UNIT) 0.3 ML 30 GAUGE X 5/16"
- DROPLET INSULIN SYRINGE (HALF UNIT) 0.3 ML 31 GAUGE X 1/4"
- DROPLET INSULIN SYRINGE (HALF UNIT) 0.3 ML 31 GAUGE X 5/16"
- DROPLET INSULIN SYRINGE (HALF UNIT) 0.5 ML 29 GAUGE X 1/2"
- DROPLET INSULIN SYRINGE (HALF UNIT) 0.5 ML 30 GAUGE X 1/2"
- DROPLET INSULIN SYRINGE (HALF UNIT) 0.5 ML 30 GAUGE X 15/64"
- DROPLET INSULIN SYRINGE (HALF UNIT) 0.5 ML 30 GAUGE X 5/16"
- DROPLET INSULIN SYRINGE (HALF UNIT) 0.5 ML 31 GAUGE X 15/64"
- DROPLET INSULIN SYRINGE (HALF UNIT) 0.5 ML 31 GAUGE X 5/16"

- DROPLET INSULIN SYRINGE 0.3 ML 29 GAUGE X 1/2"
- DROPLET INSULIN SYRINGE 0.3 ML 30 GAUGE X 1/2"
- DROPLET INSULIN SYRINGE 0.3 ML 30 GAUGE X 15/64"
- DROPLET INSULIN SYRINGE 0.3 ML 30 GAUGE X 5/16"
- DROPLET INSULIN SYRINGE 0.3 ML 31 GAUGE X 15/64"
- DROPLET INSULIN SYRINGE 0.3 ML 31 GAUGE X 5/16"
- DROPLET INSULIN SYRINGE 0.5 ML 29 GAUGE X 1/2"
- DROPLET INSULIN SYRINGE 0.5 ML 30 GAUGE X 1/2"
- DROPLET INSULIN SYRINGE 0.5 ML 30 GAUGE X 5/16"
- DROPLET INSULIN SYRINGE 0.5 ML 31 GAUGE X 5/16"
- DROPLET INSULIN SYRINGE 1 ML 29 GAUGE X 1/2"
- DROPLET INSULIN SYRINGE 1 ML 30 GAUGE X 1/2"
- DROPLET INSULIN SYRINGE 1 ML 30 GAUGE X 15/64"
- DROPLET INSULIN SYRINGE 1 ML 30 GAUGE X 5/16"
- DROPLET INSULIN SYRINGE 1 ML 31 GAUGE X 1/4"
- DROPLET INSULIN SYRINGE 1 ML 31 GAUGE X 15/64"
- DROPLET INSULIN SYRINGE 1 ML 31 GAUGE X 5/16"
- DROPLET INSULIN SYRINGE 1/2 ML 31 GAUGE X 1/4"
- DROPLET MICRON PEN NEEDLE 34 GAUGE X 9/64"
- DROPLET PEN NEEDLE 29 GAUGE X 1/2"
- DROPLET PEN NEEDLE 29 GAUGE X 3/8"
- DROPLET PEN NEEDLE 30 GAUGE X 5/16"
- DROPLET PEN NEEDLE 31 GAUGE X 1/4"
- DROPLET PEN NEEDLE 31 GAUGE X

- 3/16"
- DROPLET PEN NEEDLE 31 GAUGE X 5/16"
- DROPLET PEN NEEDLE 32 GAUGE X 1/4"
- DROPLET PEN NEEDLE 32 GAUGE X 3/16"
- DROPLET PEN NEEDLE 32 GAUGE X 5/16"
- DROPLET PEN NEEDLE 32 GAUGE X 5/32"
- DROPSAFE ALCOHOL PREP PADS
- DROPSAFE INSULIN SYRINGE 0.3 ML 31 GAUGE X 15/64"
- DROPSAFE INSULIN SYRINGE 0.3 ML 31 GAUGE X 5/16"
- DROPSAFE INSULIN SYRINGE 0.5 ML 31 GAUGE X 15/64"
- DROPSAFE INSULIN SYRINGE 0.5 ML 31 GAUGE X 5/16"
- DROPSAFE INSULIN SYRINGE 1 ML 29 GAUGE X 1/2"
- DROPSAFE INSULIN SYRINGE 1 ML 31 GAUGE X 15/64"
- DROPSAFE INSULIN SYRINGE 1 ML 31 GAUGE X 5/16"
- DROPSAFE PEN NEEDLE 31 GAUGE X 1/4"
- DROPSAFE PEN NEEDLE 31 GAUGE X 3/16"
- DROPSAFE PEN NEEDLE 31 GAUGE X 5/16"
- EASY COMFORT ALCOHOL PAD TOPICAL PADS
- EASY COMFORT INSULIN SYRINGE 0.3 ML 30 GAUGE X 5/16"
- EASY COMFORT INSULIN SYRINGE 0.3 ML 31 GAUGE X 5/16"
- EASY COMFORT INSULIN SYRINGE 0.3 ML 31 X 1/2"
- EASY COMFORT INSULIN SYRINGE 0.5 ML 30 GAUGE X 1/2"
- EASY COMFORT INSULIN SYRINGE 0.5 ML 30 GAUGE X 5/16"
- EASY COMFORT INSULIN SYRINGE 0.5 ML 31 GAUGE X 5/16"
- EASY COMFORT INSULIN SYRINGE 1

- ML 29 GAUGE X 5/16"
- EASY COMFORT INSULIN SYRINGE 1 ML 30 GAUGE X 1/2"
- EASY COMFORT INSULIN SYRINGE 1 ML 30 GAUGE X 5/16"
- EASY COMFORT INSULIN SYRINGE 1 ML 31 GAUGE X 5/16"
- EASY COMFORT INSULIN SYRINGE 1 ML 32 GAUGE X 5/16"
- EASY COMFORT INSULIN SYRINGE 1/2 ML 29 X 5/16"
- EASY COMFORT INSULIN SYRINGE 1/2 ML 32 GAUGE X 5/16"
- EASY COMFORT PEN NEEDLES 29 GAUGE X 3/16"
- EASY COMFORT PEN NEEDLES 29 GAUGE X 5/32"
- EASY COMFORT PEN NEEDLES 31 GAUGE X 1/4"
- EASY COMFORT PEN NEEDLES 31 GAUGE X 3/16"
- EASY COMFORT PEN NEEDLES 31 GAUGE X 5/16"
- EASY COMFORT PEN NEEDLES 32 GAUGE X 5/32"
- EASY COMFORT PEN NEEDLES 33 GAUGE X 1/4"
- EASY COMFORT PEN NEEDLES 33 GAUGE X 3/16"
- EASY COMFORT PEN NEEDLES 33 GAUGE X 5/32"
- EASY COMFORT SAFETY PEN NEEDLE 31 GAUGE X 1/4"
- EASY COMFORT SAFETY PEN NEEDLE 31 GAUGE X 3/16"
- EASY COMFORT SAFETY PEN NEEDLE 32 GAUGE X 5/32"
- EASY GLIDE INSULIN SYRINGE 0.3 ML 31 GAUGE X 15/64"
- EASY GLIDE INSULIN SYRINGE 1 ML 31 GAUGE X 15/64"
- EASY GLIDE INSULIN SYRINGE 1/2 ML 31 GAUGE X 15/64"
- EASY GLIDE PEN NEEDLE 33 GAUGE X 5/32"
- EASY TOUCH 29 GAUGE X 1/2" NEEDLE

- EASY TOUCH 31 GAUGE X 1/4" NEEDLE
- EASY TOUCH 31 GAUGE X 3/16" NEEDLE
- EASY TOUCH 31 GAUGE X 5/16" NEEDLE
- EASY TOUCH 32 GAUGE X 1/4" NEEDLE
- EASY TOUCH 32 GAUGE X 3/16" NEEDLE
- EASY TOUCH 32 GAUGE X 5/32" NEEDLE
- EASY TOUCH ALCOHOL PREP PADS
- EASY TOUCH FLIPLOCK INSULIN 1 ML 29 GAUGE X 1/2" SYRINGE
- EASY TOUCH FLIPLOCK INSULIN 1 ML 31 GAUGE X 5/16" SYRINGE
- EASY TOUCH FLIPLOCK INSULIN SYRINGE 1 ML 30 GAUGE X 1/2"
- EASY TOUCH FLIPLOCK INSULIN SYRINGE 1 ML 30 GAUGE X 5/16"
- EASY TOUCH FLIPLOCK SYRINGE 1 ML 27 GAUGE X 1/2"
- EASY TOUCH INSULIN SAFETY SYRINGE 0.5 ML 29 GAUGE X 1/2"
- EASY TOUCH INSULIN SAFETY SYRINGE 0.5 ML 30 GAUGE X 5/16"
- EASY TOUCH INSULIN SAFETY SYRINGE 1 ML 29 GAUGE X 1/2"
- EASY TOUCH INSULIN SAFETY SYRINGE 1 ML 30 GAUGE X 1/2"
- EASY TOUCH INSULIN SYRINGE 0.3 ML 30 GAUGE X 1/2"
- EASY TOUCH INSULIN SYRINGE 0.3 ML 30 GAUGE X 5/16"
- EASY TOUCH INSULIN SYRINGE 0.3 ML 31 GAUGE X 5/16"
- EASY TOUCH INSULIN SYRINGE 0.5 ML 29 GAUGE X 1/2"
- EASY TOUCH INSULIN SYRINGE 0.5 ML 30 GAUGE X 1/2"
- EASY TOUCH INSULIN SYRINGE 0.5 ML 30 GAUGE X 5/16"
- EASY TOUCH INSULIN SYRINGE 0.5 ML 31 GAUGE X 5/16"
- EASY TOUCH INSULIN SYRINGE 1 ML 27 GAUGE X 1/2"

- EASY TOUCH INSULIN SYRINGE 1 ML 27 GAUGE X 5/8"
- EASY TOUCH INSULIN SYRINGE 1 ML 28 GAUGE X 1/2"
- EASY TOUCH INSULIN SYRINGE 1 ML 29 GAUGE X 1/2"
- EASY TOUCH INSULIN SYRINGE 1 ML 30 GAUGE X 1/2"
- EASY TOUCH INSULIN SYRINGE 1 ML 30 GAUGE X 5/16"
- EASY TOUCH INSULIN SYRINGE 1 ML 31 GAUGE X 5/16"
- EASY TOUCH INSULIN SYRINGE 1/2 ML 27 GAUGE X 1/2"
- EASY TOUCH INSULIN SYRINGE 1/2 ML 28 GAUGE X 1/2"
- EASY TOUCH LUER LOCK INSULIN 1 ML SYRINGE
- EASY TOUCH PEN NEEDLE 30 GAUGE X 5/16"
- EASY TOUCH SAFETY PEN NEEDLE 29 GAUGE X 3/16"
- EASY TOUCH SAFETY PEN NEEDLE 29 GAUGE X 5/16"
- EASY TOUCH SAFETY PEN NEEDLE 30 GAUGE X 1/4"
- EASY TOUCH SAFETY PEN NEEDLE 30 GAUGE X 3/16"
- EASY TOUCH SAFETY PEN NEEDLE 30 GAUGE X 5/16"
- EASY TOUCH SHEATHLOCK INSULIN 1 ML 29 GAUGE X 1/2" SYRINGE
- EASY TOUCH SHEATHLOCK INSULIN 1 ML 30 GAUGE X 5/16" SYRINGE
- EASY TOUCH SHEATHLOCK INSULIN 1 ML 31 GAUGE X 5/16" SYRINGE
- EASY TOUCH SHEATHLOCK INSULIN SYRINGE 1 ML 30 GAUGE X 1/2"
- EASY TOUCH UNI-SLIP 1 ML SYRINGE
- EMBRACE PEN NEEDLE 29 GAUGE X 1/2"
- EMBRACE PEN NEEDLE 30 GAUGE X 3/16"
- EMBRACE PEN NEEDLE 30 GAUGE X 5/16"
- EMBRACE PEN NEEDLE 31 GAUGE X 1/4"

- EMBRACE PEN NEEDLE 31 GAUGE X 3/16"
- EMBRACE PEN NEEDLE 31 GAUGE X 5/16"
- EMBRACE PEN NEEDLE 32 GAUGE X 5/32"
- FREESTYLE PRECISION 0.5 ML 30 GAUGE X 5/16" SYRINGE
- FREESTYLE PRECISION 0.5 ML 31 GAUGE X 5/16" SYRINGE
- FREESTYLE PRECISION 1 ML 30 GAUGE X 5/16" SYRINGE
- FREESTYLE PRECISION 1 ML 31 GAUGE X 5/16" SYRINGE
- GAUZE PAD 2" X 2" BANDAGE
- HEALTHWISE INSULIN SYRINGE 0.3 ML 30 GAUGE X 5/16"
- HEALTHWISE INSULIN SYRINGE 0.3 ML 31 GAUGE X 5/16"
- HEALTHWISE INSULIN SYRINGE 0.5 ML 30 GAUGE X 5/16"
- HEALTHWISE INSULIN SYRINGE 0.5 ML 31 GAUGE X 5/16"
- HEALTHWISE INSULIN SYRINGE 1 ML 30 GAUGE X 5/16"
- HEALTHWISE INSULIN SYRINGE 1 ML 31 GAUGE X 5/16"
- HEALTHWISE PEN NEEDLE 31 GAUGE X 3/16"
- HEALTHWISE PEN NEEDLE 31 GAUGE X 5/16"
- HEALTHWISE PEN NEEDLE 32 GAUGE X 5/32"
- HEALTHY ACCENTS UNIFINE PENTIP 29 GAUGE X 1/2" NEEDLE
- HEALTHY ACCENTS UNIFINE PENTIP 31 GAUGE X 1/4" NEEDLE
- HEALTHY ACCENTS UNIFINE PENTIP 31 GAUGE X 3/16" NEEDLE
- HEALTHY ACCENTS UNIFINE PENTIP 31 GAUGE X 5/16" NEEDLE
- HEALTHY ACCENTS UNIFINE PENTIP 32 GAUGE X 5/32" NEEDLE
- INCONTROL ALCOHOL PADS
- INCONTROL PEN NEEDLE 29 GAUGE X 1/2"
- INCONTROL PEN NEEDLE 31 GAUGE X INSULIN SYRINGE U-100 WITH

- 1/4"
- INCONTROL PEN NEEDLE 31 GAUGE X 3/16"
- INCONTROL PEN NEEDLE 31 GAUGE X 5/16"
- INCONTROL PEN NEEDLE 32 GAUGE X 5/32"
- INSULIN SYRINGE 0.5 ML 29 GAUGE X 1/2"
- INSULIN SYRINGE MICROFINE 1 ML 27 GAUGE X 5/8"
- INSULIN SYRINGE NEEDLELESS 1 ML
- **INSULIN SYRINGE U-100 WITH** NEEDLE 0.3 ML 29 GAUGE
- **INSULIN SYRINGE U-100 WITH** NEEDLE 0.3 ML 29 GAUGE X 1/2"
- INSULIN SYRINGE U-100 WITH NEEDLE 0.3 ML 30
- **INSULIN SYRINGE U-100 WITH** NEEDLE 0.3 ML 30 GAUGE X 5/16"
- INSULIN SYRINGE U-100 WITH NEEDLE 0.3 ML 31 GAUGE X 1/4"
- **INSULIN SYRINGE U-100 WITH** NEEDLE 0.3 ML 31 GAUGE X 15/64"
- **INSULIN SYRINGE U-100 WITH** NEEDLE 0.3 ML 31 GAUGE X 5/16"
- **INSULIN SYRINGE U-100 WITH** NEEDLE 0.5 ML 29 GAUGE X 1/2"
- **INSULIN SYRINGE U-100 WITH** NEEDLE 0.5 ML 30 GAUGE X 1/2"
- **INSULIN SYRINGE U-100 WITH** NEEDLE 0.5 ML 30 GAUGE X 5/16"
- **INSULIN SYRINGE U-100 WITH** NEEDLE 0.5 ML 31 GAUGE X 5/16"
- **INSULIN SYRINGE U-100 WITH** NEEDLE 1 ML 27 GAUGE X 1/2"
- **INSULIN SYRINGE U-100 WITH** NEEDLE 1 ML 27 GAUGE X 5/8"
- **INSULIN SYRINGE U-100 WITH** NEEDLE 1 ML 28 GAUGE
- INSULIN SYRINGE U-100 WITH NEEDLE 1 ML 28 GAUGE X 1/2"
- INSULIN SYRINGE U-100 WITH NEEDLE 1 ML 29 GAUGE X 1/2"
- **INSULIN SYRINGE U-100 WITH** NEEDLE 1 ML 29 GAUGE X 7/16"

- NEEDLE 1 ML 30 GAUGE X 1/2"
- INSULIN SYRINGE U-100 WITH NEEDLE 1 ML 30 GAUGE X 3/8"
- INSULIN SYRINGE U-100 WITH NEEDLE 1 ML 30 GAUGE X 5/16"
- INSULIN SYRINGE U-100 WITH NEEDLE 1 ML 30 GAUGE X 7/16"
- INSULIN SYRINGE U-100 WITH NEEDLE 1 ML 31 GAUGE X 1/4"
- INSULIN SYRINGE U-100 WITH NEEDLE 1 ML 31 GAUGE X 15/64"
- INSULIN SYRINGE U-100 WITH NEEDLE 1 ML 31 GAUGE X 5/16"
- INSULIN SYRINGE U-100 WITH NEEDLE 1/2 ML 27 GAUGE X 1/2"
- INSULIN SYRINGE U-100 WITH NEEDLE 1/2 ML 28 GAUGE
- INSULIN SYRINGE U-100 WITH NEEDLE 1/2 ML 28 GAUGE X 1/2"
- INSULIN SYRINGE U-100 WITH NEEDLE 1/2 ML 29
- INSULIN SYRINGE U-100 WITH NEEDLE 1/2 ML 30 GAUGE
- INSULIN SYRINGE U-100 WITH NEEDLE 1/2 ML 31 GAUGE X 1/4"
- INSULIN SYRINGE U-100 WITH NEEDLE 1/2 ML 31 GAUGE X 15/64"
- INSULIN SYRINGE-NEEDLE U-100 HALF UNIT MARKING 0.3 ML 31 GAUGE X 1/4"
- INSUPEN PEN NEEDLE 29 GAUGE X 1/2"
- INSUPEN PEN NEEDLE 30 GAUGE X 5/16"
- INSUPEN PEN NEEDLE 31 GAUGE X 1/4"
- INSUPEN PEN NEEDLE 31 GAUGE X 3/16"
- INSUPEN PEN NEEDLE 31 GAUGE X 5/16"
- INSUPEN PEN NEEDLE 32 GAUGE X 1/4"
- INSUPEN PEN NEEDLE 32 GAUGE X 5/16"
- INSUPEN PEN NEEDLE 32 GAUGE X 5/32"
- INSUPEN PEN NEEDLE 33 GAUGE X

- 5/32"
- IV PREP WIPES MEDICATED
- LISCO 2" X 2" SPONGE
- LITE TOUCH INSULIN PEN NEEDLES 29 GAUGE X 1/2"
- LITE TOUCH INSULIN PEN NEEDLES 31 GAUGE X 1/4"
- LITE TOUCH INSULIN PEN NEEDLES 31 GAUGE X 3/16"
- LITE TOUCH INSULIN PEN NEEDLES 31 GAUGE X 5/16"
- LITE TOUCH INSULIN SYRINGE 0.3 ML 29 GAUGE X 1/2"
- LITE TOUCH INSULIN SYRINGE 0.3 ML 30 GAUGE X 5/16"
- LITE TOUCH INSULIN SYRINGE 0.3 ML 31 GAUGE X 5/16"
- LITE TOUCH INSULIN SYRINGE 0.5 ML 29 GAUGE X 1/2"
- LITE TOUCH INSULIN SYRINGE 0.5 ML 30 GAUGE X 5/16"
- LITE TOUCH INSULIN SYRINGE 0.5 ML 31 GAUGE X 5/16"
- LITE TOUCH INSULIN SYRINGE 1 ML 28 GAUGE
- LITE TOUCH INSULIN SYRINGE 1 ML 28 GAUGE X 1/2"
- LITE TOUCH INSULIN SYRINGE 1 ML 29 GAUGE
- LITE TOUCH INSULIN SYRINGE 1 ML 29 GAUGE X 1/2"
- LITE TOUCH INSULIN SYRINGE 1 ML 30 GAUGE X 5/16"
- LITE TOUCH INSULIN SYRINGE 1 ML 30 GAUGE X 7/16"
- LITE TOUCH INSULIN SYRINGE 1 ML 31 GAUGE X 5/16"
- LITE TOUCH INSULIN SYRINGE 1/2 ML 28 GAUGE
- LITE TOUCH INSULIN SYRINGE 1/2 ML 28 GAUGE X 1/2"
- LITE TOUCH INSULIN SYRINGE 1/2 ML 29
- LITE TOUCH INSULIN SYRINGE 1/2 ML 30 GAUGE
- MAGELLAN INSULIN SAFETY SYRINGE 0.3 ML 29 GAUGE X 1/2"

- MAGELLAN INSULIN SAFETY SYRINGE 0.5 ML 29 GAUGE X 1/2"
- MAGELLAN INSULIN SAFETY SYRINGE 1 ML 29 GAUGE X 1/2"
- MAGELLAN INSULIN SAFETY SYRINGE 1 ML 30 GAUGE X 5/16"
- MAGELLAN SYRINGE 0.3 ML 30 X 5/16"
- MAGELLAN SYRINGE 0.5 ML 30 GAUGE X 5/16"
- MAXICOMFORT II PEN NEEDLE 31 GAUGE X 1/4"
- MAXICOMFORT INSULIN SYRINGE 1 ML 27 GAUGE X 1/2"
- MAXI-COMFORT INSULIN SYRINGE 1 ML 28 GAUGE X 1/2"
- MAXICOMFORT INSULIN SYRINGE 1/2 ML 27 GAUGE X 1/2"
- MAXI-COMFORT INSULIN SYRINGE 1/2
 ML 28 GAUGE X 1/2"
- MAXICOMFORT SAFETY PEN NEEDLE 29 GAUGE X 3/16"
- MAXICOMFORT SAFETY PEN NEEDLE 29 GAUGE X 5/16"
- MICRODOT INSULIN PEN NEEDLE 31 GAUGE X 1/4"
- MICRODOT INSULIN PEN NEEDLE 32 GAUGE X 5/32"
- MICRODOT INSULIN PEN NEEDLE 33 GAUGE X 5/32"
- MICRODOT READYGARD PEN NEEDLE
 31 GAUGE X 3/16"
- MINI ULTRA-THIN II 31 GAUGE X 3/16" NEEDLE
- MONOJECT INSULIN SAFETY SYRINGE
 0.3 ML 30 GAUGE X 5/16"
- MONOJECT INSULIN SAFETY SYRINGE
 0.5 ML 29 GAUGE X 1/2"
- MONOJECT INSULIN SAFETY SYRINGE
 0.5 ML 30 GAUGE X 5/16"
- MONOJECT INSULIN SAFETY SYRINGE 29 GAUGE X 1/2"
- MONOJECT INSULIN SYRINGE 0.3 ML 29 GAUGE X 1/2"
- MONOJECT INSULIN SYRINGE 0.3 ML 30 GAUGE X 5/16"
- MONOJECT INSULIN SYRINGE 0.3 ML 31 GAUGE X 5/16"

- MONOJECT INSULIN SYRINGE 0.5 ML 29 GAUGE X 1/2"
- MONOJECT INSULIN SYRINGE 0.5 ML 30 GAUGE X 5/16"
- MONOJECT INSULIN SYRINGE 0.5 ML 31 GAUGE X 5/16"
- MONOJECT INSULIN SYRINGE 1 ML
- MONOJECT INSULIN SYRINGE 1 ML 25 GAUGE X 5/8"
- MONOJECT INSULIN SYRINGE 1 ML 27 GAUGE X 1/2"
- MONOJECT INSULIN SYRINGE 1 ML 28 GAUGE X 1/2"
- MONOJECT INSULIN SYRINGE 1 ML 29 GAUGE X 1/2"
- MONOJECT INSULIN SYRINGE 1 ML 30 GAUGE X 5/16"
- MONOJECT INSULIN SYRINGE 1 ML 31 GAUGE X 5/16"
- MONOJECT INSULIN SYRINGE 1/2 ML 28 GAUGE X 1/2"
- MONOJECT SYRINGE 1/2 ML 28 GAUGE
- MONOJECT ULTRA COMFORT INSULIN 1/2 ML 28 GAUGE SYRINGE
- NANO 2ND GEN PEN NEEDLE 32 GAUGE X 5/32"
- NOVOFINE 30 NEEDLE
- NOVOFINE 32 32 GAUGE X 1/4" NEEDLE
- NOVOFINE PLUS 32 GAUGE X 1/6" NEEDLE
- NOVOTWIST 32 GAUGE X 1/5" NEEDLE
- PEN NEEDLE 29 GAUGE X 1/2"
- PEN NEEDLE 30 GAUGE X 5/16"
- PEN NEEDLE 31 GAUGE X 1/4"
- PEN NEEDLE 31 GAUGE X 3/16"
- PEN NEEDLE 31 GAUGE X 5/16"
- PEN NEEDLE 32 GAUGE X 5/32"
- PEN NEEDLE, DIABETIC 29 GAUGE X 1/2"
- PEN NEEDLE, DIABETIC 29 GAUGE X 15/32"
- PEN NEEDLE, DIABETIC 30 GAUGE X 3/16"
- PEN NEEDLE, DIABETIC 30 GAUGE X 5/16"
- PEN NEEDLE, DIABETIC 31 GAUGE X

- 1/3"
- PEN NEEDLE, DIABETIC 31 GAUGE X 1/4"
- PEN NEEDLE, DIABETIC 31 GAUGE X 1/6"
- PEN NEEDLE, DIABETIC 31 GAUGE X 13/64"
- PEN NEEDLE, DIABETIC 31 GAUGE X 15/64"
- PEN NEEDLE, DIABETIC 31 GAUGE X 5/32"
- PEN NEEDLE, DIABETIC 32 GAUGE X 1/4"
- PEN NEEDLE, DIABETIC 32 GAUGE X 3/16"
- PEN NEEDLE, DIABETIC 32 GAUGE X 5/16"
- PEN NEEDLE, DIABETIC 32 GAUGE X 5/32"
- PEN NEEDLE, DIABETIC 33 GAUGE X 1/4"
- PEN NEEDLE, DIABETIC 33 GAUGE X 3/16"
- PEN NEEDLE, DIABETIC 33 GAUGE X 5/32"
- PEN NEEDLE, DIABETIC, SAFETY 31 GAUGE X 5/32"
- PENTIPS PEN NEEDLE 29 GAUGE X 1/2" •
- PENTIPS PEN NEEDLE 31 GAUGE X 1/4"
- PENTIPS PEN NEEDLE 31 GAUGE X 3/16"
- PENTIPS PEN NEEDLE 31 GAUGE X 5/16"
- PENTIPS PEN NEEDLE 32 GAUGE X 1/4" •
- PENTIPS PEN NEEDLE 32 GAUGE X 5/32"
- PIP PEN NEEDLE 31 GAUGE X 3/16"
- PIP PEN NEEDLE 32 GAUGE X 5/32"
- PREVENT DROPSAFE PEN NEEDLE 31 GAUGE X 1/4"
- PREVENT DROPSAFE PEN NEEDLE 31 GAUGE X 5/16"
- PRO COMFORT ALCOHOL PADS
- PRO COMFORT INSULIN SYRINGE 0.5 ML 30 GAUGE X 1/2"
- PRO COMFORT INSULIN SYRINGE 0.5 ML 30 GAUGE X 5/16"

- PRO COMFORT INSULIN SYRINGE 0.5 ML 31 GAUGE X 5/16"
- PRO COMFORT INSULIN SYRINGE 1 ML 30 GAUGE X 1/2"
- PRO COMFORT INSULIN SYRINGE 1 ML 30 GAUGE X 5/16"
- PRO COMFORT INSULIN SYRINGE 1 ML 31 GAUGE X 5/16"
- PRO COMFORT PEN NEEDLE 31 GAUGE X 5/16"
- PRO COMFORT PEN NEEDLE 32 GAUGE X 1/4"
- PRO COMFORT PEN NEEDLE 32 GAUGE X 3/16"
- PRO COMFORT PEN NEEDLE 32 GAUGE X 5/32"
- PRODIGY INSULIN SYRINGE 0.3 ML 31 GAUGE X 5/16"
- PRODIGY INSULIN SYRINGE 0.5 ML 31 GAUGE X 5/16"
- PRODIGY INSULIN SYRINGE 1 ML 28 GAUGE X 1/2"
- PURE COMFORT ALCOHOL PADS
- PURE COMFORT PEN NEEDLE 32 GAUGE X 1/4"
- PURE COMFORT PEN NEEDLE 32 GAUGE X 3/16"
- PURE COMFORT PEN NEEDLE 32 GAUGE X 5/16"
- PURE COMFORT PEN NEEDLE 32 GAUGE X 5/32"
- PURE COMFORT SAFETY PEN NEEDLE 31 GAUGE X 1/4"
- PURE COMFORT SAFETY PEN NEEDLE 31 GAUGE X 3/16"
- PURE COMFORT SAFETY PEN NEEDLE 32 GAUGE X 5/32"
- SAFESNAP INSULIN SYRINGE 0.3 ML 30 GAUGE X 5/16"
- SAFESNAP INSULIN SYRINGE 0.5 ML 29 GAUGE X 1/2"
- SAFESNAP INSULIN SYRINGE 0.5 ML 30 GAUGE X 5/16"
- SAFESNAP INSULIN SYRINGE 1 ML 28 GAUGE X 1/2"
- SAFESNAP INSULIN SYRINGE 1 ML 29 GAUGE X 1/2"

- SAFETY PEN NEEDLE 31 GAUGE X 3/16"
- SECURESAFE INSULIN SYRINGE 0.5 ML 29 GAUGE X 1/2"
- SECURESAFE INSULIN SYRINGE 1 ML 29 GAUGE X 1/2"
- SECURESAFE PEN NEEDLE 30 GAUGE X 5/16"
- SKY SAFETY PEN NEEDLE 30 GAUGE X 3/16"
- SKY SAFETY PEN NEEDLE 30 GAUGE X 5/16"
- STERILE PADS 2" X 2" BANDAGE
- SURE COMFORT ALCOHOL PREP PADS
- SURE COMFORT INSULIN SYRINGE 0.3 ML 29 GAUGE X 1/2"
- SURE COMFORT INSULIN SYRINGE 0.3 ML 30 GAUGE X 1/2"
- SURE COMFORT INSULIN SYRINGE 0.3 ML 30 GAUGE X 5/16"
- SURE COMFORT INSULIN SYRINGE 0.3 ML 31 GAUGE X 1/4"
- SURE COMFORT INSULIN SYRINGE 0.3 ML 31 GAUGE X 5/16"
- SURE COMFORT INSULIN SYRINGE 0.5 ML 30 GAUGE X 1/2"
- SURE COMFORT INSULIN SYRINGE 0.5 ML 30 GAUGE X 5/16"
- SURE COMFORT INSULIN SYRINGE 0.5 ML 31 GAUGE X 5/16"
- SURE COMFORT INSULIN SYRINGE 1 ML 28 GAUGE X 1/2"
- SURE COMFORT INSULIN SYRINGE 1 ML 29 GAUGE X 1/2"
- SURE COMFORT INSULIN SYRINGE 1 ML 30 GAUGE X 1/2"
- SURE COMFORT INSULIN SYRINGE 1 ML 30 GAUGE X 5/16"
- SURE COMFORT INSULIN SYRINGE 1 ML 31 GAUGE X 1/4"
- SURE COMFORT INSULIN SYRINGE 1 ML 31 GAUGE X 5/16"
- SURE COMFORT INSULIN SYRINGE 1/2 ML 28 GAUGE X 1/2"
- SURE COMFORT INSULIN SYRINGE 1/2 ML 31 GAUGE X 1/4"
- SURE COMFORT INSULIN SYRINGE U-

- 100 0.5 ML 29 GAUGE X 1/2"
- SURE COMFORT PEN NEEDLE 29 GAUGE X 1/2"
- SURE COMFORT PEN NEEDLE 30 GAUGE X 5/16"
- SURE COMFORT PEN NEEDLE 31 GAUGE X 3/16"
- SURE COMFORT PEN NEEDLE 31 GAUGE X 5/16"
- SURE COMFORT PEN NEEDLE 32 GAUGE X 1/4"
- SURE COMFORT PEN NEEDLE 32 GAUGE X 5/32"
- SURE COMFORT SAFETY PEN NEEDLE 31 GAUGE X 1/4"
- SURE COMFORT SAFETY PEN NEEDLE 32 GAUGE X 5/32"
- SURE-FINE PEN NEEDLES 29 GAUGE X 1/2"
- SURE-FINE PEN NEEDLES 31 GAUGE X 3/16"
- SURE-FINE PEN NEEDLES 31 GAUGE X 5/16"
- SURE-JECT INSULIN SYRINGE 0.3 ML 29 GAUGE X 1/2"
- SURE-JECT INSULIN SYRINGE 0.3 ML 30 GAUGE X 5/16"
- SURE-JECT INSULIN SYRINGE 0.5 ML 29 GAUGE X 1/2"
- SURE-JECT INSULIN SYRINGE 0.5 ML 30 GAUGE X 5/16"
- SURE-JECT INSULIN SYRINGE 1 ML 28 GAUGE X 1/2"
- SURE-JECT INSULIN SYRINGE 1 ML 29 GAUGE X 1/2"
- SURE-JECT INSULIN SYRINGE 1 ML 30 GAUGE X 5/16"
- SURE-JECT INSULIN SYRINGE 1 ML 31 GAUGE X 5/16"
- SURE-JECT INSULIN SYRINGE 1/2 ML 28 GAUGE X 1/2"
- SURE-PREP ALCOHOL PREP PADS
- SYRINGE WITH NEEDLE, SAFETY 0.5 ML 30 GAUGE X 1/2"
- TECHLITE INSULIN SYRINGE (HALF UNIT) 0.3 ML 29 GAUGE X 1/2"
- TECHLITE INSULIN SYRINGE (HALF

- UNIT) 0.3 ML 30 GAUGE X 5/16"
- TECHLITE INSULIN SYRINGE (HALF UNIT) 0.3 ML 31 GAUGE X 15/64"
- TECHLITE INSULIN SYRINGE (HALF UNIT) 0.3 ML 31 GAUGE X 5/16"
- TECHLITE INSULIN SYRINGE (HALF UNIT) 0.5 ML 30 GAUGE X 1/2"
- TECHLITE INSULIN SYRINGE (HALF UNIT) 0.5 ML 30 GAUGE X 5/16"
- TECHLITE INSULIN SYRINGE (HALF UNIT) 0.5 ML 31 GAUGE X 15/64"
- TECHLITE INSULIN SYRINGE (HALF UNIT) 0.5 ML 31 GAUGE X 5/16"
- TECHLITE INSULIN SYRINGE 1 ML 29 GAUGE X 1/2"
- TECHLITE INSULIN SYRINGE 1 ML 30 GAUGE X 1/2"
- TECHLITE INSULIN SYRINGE 1 ML 31 GAUGE X 15/64"
- TECHLITE INSULIN SYRINGE 1 ML 31 GAUGE X 5/16"
- TECHLITE PEN NEEDLE 29 GAUGE X 1/2"
- TECHLITE PEN NEEDLE 29 GAUGE X 3/8"
- TECHLITE PEN NEEDLE 31 GAUGE X 1/4"
- TECHLITE PEN NEEDLE 31 GAUGE X 3/16"
- TECHLITE PEN NEEDLE 31 GAUGE X 5/16"
- TECHLITE PEN NEEDLE 32 GAUGE X 1/4"
- TECHLITE PEN NEEDLE 32 GAUGE X 5/16"
- TECHLITE PEN NEEDLE 32 GAUGE X 5/32"
- TECHLITE PLUS PEN NEEDLE 32 GAUGE X 5/32"
- TERUMO INSULIN SYRINGE 0.3 ML 30 X 3/8"
- TERUMO INSULIN SYRINGE 0.5 ML 29 GAUGE X 1/2"
- TERUMO INSULIN SYRINGE 1 ML 27 GAUGE X 1/2"
- TERUMO INSULIN SYRINGE 1 ML 28 GAUGE X 1/2"

- TERUMO INSULIN SYRINGE 1 ML 29 GAUGE X 1/2"
- TERUMO INSULIN SYRINGE 1/2 ML 27 GAUGE X 1/2"
- TERUMO INSULIN SYRINGE 1/2 ML 28 GAUGE X 1/2"
- TERUMO INSULIN SYRINGE 1/2 ML 30 X 3/8"
- THINPRO INSULIN SYRINGE 0.3 ML 29 GAUGE X 1/2"
- THINPRO INSULIN SYRINGE 0.3 ML 30 X 3/8"
- THINPRO INSULIN SYRINGE 0.3 ML 31 X 3/8"
- THINPRO INSULIN SYRINGE 0.5 ML 29 GAUGE X 1/2"
- THINPRO INSULIN SYRINGE 0.5 ML 31 X 3/8"
- THINPRO INSULIN SYRINGE 1 ML 28 GAUGE X 1/2"
- THINPRO INSULIN SYRINGE 1 ML 29 GAUGE X 1/2"
- THINPRO INSULIN SYRINGE 1 ML 30 GAUGE X 3/8"
- THINPRO INSULIN SYRINGE 1 ML 31 X 3/8"
- THINPRO INSULIN SYRINGE 1/2 ML 28 GAUGE X 1/2"
- THINPRO INSULIN SYRINGE 1/2 ML 30 X 3/8"
- TOPCARE CLICKFINE 31 GAUGE X 1/4" NEEDLE
- TOPCARE CLICKFINE 31 GAUGE X 5/16" NEEDLE
- TOPCARE ULTRA COMFORT 0.3 ML 29 GAUGE X 1/2" SYRINGE
- TOPCARE ULTRA COMFORT 0.3 ML 30 GAUGE X 5/16" SYRINGE
- TOPCARE ULTRA COMFORT 0.3 ML 31 GAUGE X 5/16" SYRINGE
- TOPCARE ULTRA COMFORT 0.5 ML 29 GAUGE X 1/2" SYRINGE
- TOPCARE ULTRA COMFORT 0.5 ML 30 GAUGE X 5/16" SYRINGE
- TOPCARE ULTRA COMFORT 0.5 ML 31 GAUGE X 5/16" SYRINGE
- TOPCARE ULTRA COMFORT 1 ML 29

- GAUGE X 1/2" SYRINGE
- TOPCARE ULTRA COMFORT 1 ML 30 GAUGE X 5/16" SYRINGE
- TOPCARE ULTRA COMFORT 1 ML 31 GAUGE X 5/16" SYRINGE
- TRUE COMFORT ALCOHOL PADS
- TRUE COMFORT INSULIN SYRINGE 0.5 ML 31 GAUGE X 5/16"
- TRUE COMFORT INSULIN SYRINGE 1 ML 31 GAUGE X 5/16"
- TRUE COMFORT PEN NEEDLE 31 GAUGE X 1/4"
- TRUE COMFORT PEN NEEDLE 31 GAUGE X 3/16"
- TRUE COMFORT PEN NEEDLE 31 GAUGE X 5/16"
- TRUE COMFORT PEN NEEDLE 32 GAUGE X 1/4"
- TRUE COMFORT PEN NEEDLE 32 GAUGE X 3/16"
- TRUE COMFORT PEN NEEDLE 32 GAUGE X 5/32"
- TRUE COMFORT PEN NEEDLE 33 GAUGE X 1/4"
- TRUE COMFORT PEN NEEDLE 33 GAUGE X 3/16"
- TRUE COMFORT PEN NEEDLE 33 GAUGE X 5/32"
- TRUE COMFORT PRO ALCOHOL PADS
- TRUE COMFORT PRO INS SYRINGE 0.5 ML 30 GAUGE X 1/2"
- TRUE COMFORT PRO INS SYRINGE 0.5 ML 30 GAUGE X 5/16"
- TRUE COMFORT PRO INS SYRINGE 0.5 ML 31 GAUGE X 5/16"
- TRUE COMFORT PRO INS SYRINGE 1 ML 30 GAUGE X 1/2"
- TRUE COMFORT PRO INS SYRINGE 1 ML 30 GAUGE X 5/16"
- TRUE COMFORT PRO INS SYRINGE 1 ML 31 GAUGE X 5/16"
- TRUE COMFORT PRO INS SYRINGE 1 ML 32 GAUGE X 5/16"
- TRUE COMFORT PRO INS SYRINGE 1/2 ML 32 GAUGE X 5/16"
- TRUE COMFORT SAFETY INSULIN SYRINGE 0.5 ML 30 GAUGE X 1/2"

- TRUE COMFORT SAFETY INSULIN SYRINGE 0.5 ML 30 GAUGE X 5/16"
- TRUE COMFORT SAFETY INSULIN SYRINGE 0.5 ML 31 GAUGE X 5/16"
- TRUE COMFORT SAFETY INSULIN SYRINGE 1 ML 30 GAUGE X 1/2"
- TRUE COMFORT SAFETY INSULIN SYRINGE 1 ML 30 GAUGE X 5/16"
- TRUE COMFORT SAFETY INSULIN SYRINGE 1 ML 31 GAUGE X 5/16"
- TRUE COMFORT SAFETY INSULIN SYRINGE 1 ML 32 GAUGE X 5/16"
- TRUE COMFORT SAFETY PEN NEEDLE 31 GAUGE X 1/4"
- TRUE COMFORT SAFETY PEN NEEDLE 31 GAUGE X 3/16"
- TRUE COMFORT SAFETY PEN NEEDLE 32 GAUGE X 5/32"
- TRUEPLUS INSULIN 0.3 ML 29 GAUGE X 1/2" SYRINGE
- TRUEPLUS INSULIN 0.3 ML 30 GAUGE X 5/16" SYRINGE
- TRUEPLUS INSULIN 0.3 ML 31 GAUGE X 5/16" SYRINGE
- TRUEPLUS INSULIN 0.5 ML 29 GAUGE X 1/2" SYRINGE
- TRUEPLUS INSULIN 0.5 ML 30 GAUGE X 5/16" SYRINGE
- TRUEPLUS INSULIN 0.5 ML 31 GAUGE X 5/16" SYRINGE
- TRUEPLUS INSULIN 1 ML 28 GAUGE X 1/2" SYRINGE
- TRUEPLUS INSULIN 1 ML 29 GAUGE X 1/2" SYRINGE
- TRUEPLUS INSULIN 1 ML 30 GAUGE X 5/16" SYRINGE
- TRUEPLUS INSULIN 1 ML 31 GAUGE X 5/16" SYRINGE
- TRUEPLUS INSULIN 1/2 ML 28 GAUGE X 1/2" SYRINGE
- TRUEPLUS PEN NEEDLE 29 GAUGE X 1/2"
- TRUEPLUS PEN NEEDLE 31 GAUGE X 1/4"
- TRUEPLUS PEN NEEDLE 31 GAUGE X 3/16"
- TRUEPLUS PEN NEEDLE 31 GAUGE X

- 5/16"
- TRUEPLUS PEN NEEDLE 32 GAUGE X 5/32"
- ULTICARE 0.3 ML 30 GAUGE X 1/2" SYRINGE
- ULTICARE 0.3 ML 31 GAUGE X 5/16" SYRINGE
- ULTICARE 0.5 ML 30 GAUGE X 1/2" SYRINGE
- ULTICARE 0.5 ML 31 GAUGE X 5/16" SYRINGE
- ULTICARE 1 ML 30 GAUGE X 1/2" SYRINGE
- ULTICARE 1 ML 31 GAUGE X 5/16" SYRINGE
- ULTICARE INSULIN SYRINGE (HALF UNIT) 0.3 ML 31 GAUGE X 1/4"
- ULTICARE INSULIN SYRINGE 0.3 ML 31 GAUGE X 1/4"
- ULTICARE INSULIN SYRINGE 1 ML 31 GAUGE X 1/4"
- ULTICARE INSULIN SYRINGE 1/2 ML 31 GAUGE X 1/4"
- ULTICARE PEN NEEDLE 29 GAUGE X 1/2"
- ULTICARE PEN NEEDLE 31 GAUGE X 1/4"
- ULTICARE PEN NEEDLE 31 GAUGE X 3/16"
- ULTICARE PEN NEEDLE 31 GAUGE X 5/16"
- ULTICARE PEN NEEDLE 32 GAUGE X 1/4"
- ULTICARE PEN NEEDLE 32 GAUGE X 5/32"
- ULTICARE SAFETY PEN NEEDLE 30 GAUGE X 3/16"
- ULTICARE SAFETY PEN NEEDLE 30 GAUGE X 5/16"
- ULTIGUARD SAFEPACK-INSULIN SYRINGE 0.3 ML 30 X 1/2"
- ULTIGUARD SAFEPACK-INSULIN SYRINGE 0.3 ML 31 X 5/16"
- ULTIGUARD SAFEPACK-INSULIN SYRINGE 1 ML 30 X 1/2"
- ULTIGUARD SAFEPACK-INSULIN SYRINGE 1 ML 31 X 5/16"

- ULTIGUARD SAFEPACK-INSULIN SYRINGE 1/2 ML 30 X 1/2"
- ULTIGUARD SAFEPACK-INSULIN SYRINGE 1/2 ML 31 X 5/16"
- ULTIGUARD SAFEPACK-PEN NEEDLE 29 GAUGE X 1/2"
- ULTIGUARD SAFEPACK-PEN NEEDLE 31 GAUGE X 1/4"
- ULTIGUARD SAFEPACK-PEN NEEDLE 31 GAUGE X 3/16"
- ULTIGUARD SAFEPACK-PEN NEEDLE 31 GAUGE X 5/16"
- ULTIGUARD SAFEPACK-PEN NEEDLE 32 GAUGE X 1/4"
- ULTIGUARD SAFEPACK-PEN NEEDLE 32 GAUGE X 5/32"
- ULTILET ALCOHOL SWAB
- ULTILET INSULIN SYRINGE 0.3 ML 29 GAUGE
- ULTILET INSULIN SYRINGE 0.3 ML 29 GAUGE X 1/2"
- ULTILET INSULIN SYRINGE 0.3 ML 30 GAUGE X 5/16"
- ULTILET INSULIN SYRINGE 0.3 ML 31 GAUGE X 5/16"
- ULTILET INSULIN SYRINGE 0.5 ML 29 GAUGE X 1/2"
- ULTILET INSULIN SYRINGE 0.5 ML 30 GAUGE X 5/16"
- ULTILET INSULIN SYRINGE 0.5 ML 31 GAUGE X 5/16"
- ULTILET INSULIN SYRINGE 1 ML 29 GAUGE
- ULTILET INSULIN SYRINGE 1 ML 29 GAUGE X 1/2"
- ULTILET INSULIN SYRINGE 1 ML 30 GAUGE X 5/16"
- ULTILET INSULIN SYRINGE 1 ML 31 GAUGE X 5/16"
- ULTILET INSULIN SYRINGE 1/2 ML 29
- ULTILET PEN NEEDLE 29 GAUGE
- ULTILET PEN NEEDLE 32 GAUGE X 5/32"
- ULTRA COMFORT INSULIN SYRINGE (HALF UNIT) 0.3 ML 29 GAUGE X 1/2"
- ULTRA COMFORT INSULIN SYRINGE (HALF UNIT) 0.3 ML 31 GAUGE X 5/16"

- ULTRA COMFORT INSULIN SYRINGE 0.3 ML 29 GAUGE X 1/2"
- ULTRA COMFORT INSULIN SYRINGE 0.3 ML 30
- ULTRA COMFORT INSULIN SYRINGE 0.3 ML 30 GAUGE X 5/16"
- ULTRA COMFORT INSULIN SYRINGE 0.3 ML 31 GAUGE X 5/16"
- ULTRA COMFORT INSULIN SYRINGE 0.5 ML 29 GAUGE X 1/2"
- ULTRA COMFORT INSULIN SYRINGE 0.5 ML 30 GAUGE X 5/16"
- ULTRA COMFORT INSULIN SYRINGE 0.5 ML 31 GAUGE X 5/16"
- ULTRA COMFORT INSULIN SYRINGE 1 ML 28 GAUGE
- ULTRA COMFORT INSULIN SYRINGE 1 ML 28 GAUGE X 1/2"
- ULTRA COMFORT INSULIN SYRINGE 1 ML 29 GAUGE
- ULTRA COMFORT INSULIN SYRINGE 1 ML 29 GAUGE X 1/2"
- ULTRA COMFORT INSULIN SYRINGE 1 ML 30 GAUGE X 5/16"
- ULTRA COMFORT INSULIN SYRINGE 1 ML 30 GAUGE X 7/16"
- ULTRA COMFORT INSULIN SYRINGE 1 ML 31 GAUGE X 5/16"
- ULTRA COMFORT INSULIN SYRINGE 1/2 ML 28 GAUGE X 1/2"
- ULTRA COMFORT INSULIN SYRINGE 1/2 ML 29
- ULTRA COMFORT INSULIN SYRINGE 1/2 ML 30 GAUGE
- ULTRA FLO INSULIN SYRINGE (HALF UNIT) 0.3 ML 30 GAUGE X 1/2"
- ULTRA FLO INSULIN SYRINGE (HALF UNIT) 0.3 ML 30 GAUGE X 5/16"
- ULTRA FLO INSULIN SYRINGE (HALF UNIT) 0.3 ML 31 GAUGE X 5/16"
- ULTRA FLO INSULIN SYRINGE 0.3 ML 29 GAUGE X 1/2"
- ULTRA FLO INSULIN SYRINGE 0.3 ML 30 GAUGE X 5/16"
- ULTRA FLO INSULIN SYRINGE 0.3 ML 31 GAUGE X 5/16"
- ULTRA FLO INSULIN SYRINGE 0.5 ML

- 29 GAUGE X 1/2"
- ULTRA FLO PEN NEEDLE 29 GAUGE X 1/2"
- ULTRA FLO PEN NEEDLE 31 GAUGE X 3/16"
- ULTRA FLO PEN NEEDLE 31 GAUGE X 5/16"
- ULTRA FLO PEN NEEDLE 32 GAUGE X 5/32"
- ULTRA FLO PEN NEEDLE 33 GAUGE X 5/32"
- ULTRA THIN PEN NEEDLE 32 GAUGE X 5/32"
- ULTRACARE INSULIN SYRINGE 0.3 ML 30 GAUGE X 5/16"
- ULTRACARE INSULIN SYRINGE 0.3 ML 31 GAUGE X 5/16"
- ULTRACARE INSULIN SYRINGE 0.5 ML 30 GAUGE X 1/2"
- ULTRACARE INSULIN SYRINGE 0.5 ML 30 GAUGE X 5/16"
- ULTRACARE INSULIN SYRINGE 0.5 ML 31 GAUGE X 5/16"
- ULTRACARE INSULIN SYRINGE 1 ML 30 GAUGE X 1/2"
- ULTRACARE INSULIN SYRINGE 1 ML 30 GAUGE X 5/16"
- ULTRACARE INSULIN SYRINGE 1 ML 31 GAUGE X 5/16"
- ULTRACARE PEN NEEDLE 31 GAUGE X 1/4"
- ULTRACARE PEN NEEDLE 31 GAUGE X 3/16"
- ULTRACARE PEN NEEDLE 31 GAUGE X 5/16"
- ULTRACARE PEN NEEDLE 32 GAUGE X 1/4"
- ULTRACARE PEN NEEDLE 32 GAUGE X 3/16"
- ULTRACARE PEN NEEDLE 32 GAUGE X 5/32"
- ULTRACARE PEN NEEDLE 33 GAUGE X 5/32"
- ULTRA-FINE INSULIN SYRINGE (HALF UNIT) 0.3 ML 31 GAUGE X 15/64"
- ULTRA-FINE INSULIN SYRINGE (HALF UNIT) 0.3 ML 31 GAUGE X 5/16"

- ULTRA-FINE INSULIN SYRINGE 0.3 ML
 UNIFINE PENTIPS 31 GAUGE X 5/16" 30 GAUGE X 1/2"
- ULTRA-FINE INSULIN SYRINGE 0.5 ML
 UNIFINE PENTIPS 32 GAUGE X 1/4" 30 GAUGE X 1/2"
- ULTRA-FINE INSULIN SYRINGE 0.5 ML 31 GAUGE X 5/16"
- ULTRA-FINE INSULIN SYRINGE 1 ML 30 GAUGE X 1/2"
- ULTRA-FINE INSULIN SYRINGE 1 ML 31 GAUGE X 5/16"
- ULTRA-FINE PEN NEEDLE 29 GAUGE X 1/2"
- ULTRA-FINE PEN NEEDLE 32 GAUGE X 1/4"
- ULTRA-THIN II (SHORT) INSULIN SYRINGE 0.3 ML 30 GAUGE X 5/16"
- ULTRA-THIN II (SHORT) INSULIN SYRINGE 0.3 ML 31 GAUGE X 5/16"
- ULTRA-THIN II (SHORT) INSULIN SYRINGE 0.5 ML 30 GAUGE X 5/16"
- ULTRA-THIN II (SHORT) INSULIN SYRINGE 0.5 ML 31 GAUGE X 5/16"
- ULTRA-THIN II (SHORT) INSULIN SYRINGE 1 ML 30 GAUGE X 5/16"
- ULTRA-THIN II (SHORT) INSULIN SYRINGE 1 ML 31 GAUGE X 5/16"
- ULTRA-THIN II (SHORT) PEN NDL 31 GAUGE X 5/16" NEEDLE
- ULTRA-THIN II INSULIN PEN NEEDLES 29 GAUGE X 1/2"
- ULTRA-THIN II INSULIN SYRINGE 0.5 ML 29 GAUGE X 1/2"
- ULTRA-THIN II INSULIN SYRINGE 1 ML 29 GAUGE X 1/2"
- UNIFINE OTC PEN NEEDLE 31 GAUGE X 3/16"
- UNIFINE OTC PEN NEEDLE 32 GAUGE X 5/32"
- UNIFINE PEN NEEDLE 32 GAUGE X 5/32"
- UNIFINE PENTIPS 29 GAUGE NEEDLE
- UNIFINE PENTIPS 29 GAUGE X 1/2" NEEDLE
- UNIFINE PENTIPS 31 GAUGE X 1/4" **NEEDLE**
- UNIFINE PENTIPS 31 GAUGE X 3/16" **NEEDLE**

- NEEDLE
- **NEEDLE**
- UNIFINE PENTIPS 32 GAUGE X 5/32" **NEEDLE**
- UNIFINE PENTIPS 33 GAUGE X 5/32" **NEEDLE**
- **UNIFINE PENTIPS MAXFLOW 30** GAUGE X 3/16" NEEDLE
- UNIFINE PENTIPS PLUS 29 GAUGE X 1/2" NEEDLE
- UNIFINE PENTIPS PLUS 31 GAUGE X 1/4" NEEDLE
- UNIFINE PENTIPS PLUS 31 GAUGE X 3/16" NEEDLE
- UNIFINE PENTIPS PLUS 31 GAUGE X **5/16" NEEDLE**
- UNIFINE PENTIPS PLUS 32 GAUGE X **5/32" NEEDLE**
- UNIFINE PENTIPS PLUS 33 GAUGE X 5/32" NEEDLE
- UNIFINE PENTIPS PLUS MAXFLOW 30 GAUGE X 3/16" NEEDLE
- UNIFINE PROTECT 30 GAUGE X 3/16" NEEDLE
- UNIFINE PROTECT 30 GAUGE X 5/16" **NEEDLE**
- UNIFINE PROTECT 32 GAUGE X 5/32" **NEEDLE**
- UNIFINE SAFECONTROL PEN NEEDLE 30 GAUGE X 3/16"
- UNIFINE SAFECONTROL PEN NEEDLE 30 GAUGE X 5/16"
- UNIFINE SAFECONTROL PEN NEEDLE 31 GAUGE X 1/4"
- UNIFINE SAFECONTROL PEN NEEDLE 31 GAUGE X 3/16"
- UNIFINE SAFECONTROL PEN NEEDLE 31 GAUGE X 5/16"
- UNIFINE SAFECONTROL PEN NEEDLE 32 GAUGE X 5/32"
- UNIFINE ULTRA PEN NEEDLE 31 GAUGE X 1/4"
- UNIFINE ULTRA PEN NEEDLE 31 **GAUGE X 3/16"**
- UNIFINE ULTRA PEN NEEDLE 31

- GAUGE X 5/16"
- UNIFINE ULTRA PEN NEEDLE 32 GAUGE X 5/32"
- VANISHPOINT INSULIN SYRINGE 1 ML
 30 GAUGE X 3/16"
- VANISHPOINT SYRINGE 0.5 ML 30 GAUGE X 1/2"
- VANISHPOINT SYRINGE 1 ML 29 GAUGE X 1/2"
- VERIFINE INSULIN SYRINGE 0.3 ML 31 GAUGE X 5/16"
- VERIFINE INSULIN SYRINGE 0.5 ML 29 GAUGE X 1/2"
- VERIFINE INSULIN SYRINGE 0.5 ML 31 GAUGE X 5/16"
- VERIFINE INSULIN SYRINGE 1 ML 29 GAUGE X 1/2"
- VERIFINE INSULIN SYRINGE 1 ML 31 GAUGE X 5/16"
- VERIFINE PEN NEEDLE 29 GAUGE X 1/2"
- VERIFINE PEN NEEDLE 31 GAUGE X

1/4"

- VERIFINE PEN NEEDLE 31 GAUGE X 3/16"
- VERIFINE PEN NEEDLE 31 GAUGE X 5/16"
- VERIFINE PEN NEEDLE 32 GAUGE X 1/4"
- VERIFINE PEN NEEDLE 32 GAUGE X 3/16"
- VERIFINE PEN NEEDLE 32 GAUGE X 5/32"
- VERIFINE PLUS PEN NEEDLE 31 GAUGE X 3/16"
- VERIFINE PLUS PEN NEEDLE 31 GAUGE X 5/16"
- VERIFINE PLUS PEN NEEDLE 32 GAUGE X 5/32"
- VERIFINE PLUS PEN NEEDLE-SHARPS CONTAINER 32 GAUGE X 5/32"
- VERSALON 2" X 2" SPONGE
- WEBCOL TOPICAL PADS

IN ORDER TO ASSIST IN PAYMENT DETERMINATION, A PRIOR CLAIM SEEN FOR AN INJECTABLE INSULIN WITHIN THE PAST
120 DAYS WILL QUALIFY FOR PART D PAYMENT.

LEVOMILNACIPRAN

Products Affected

Step 2:

- FETZIMA 120 MG CAPSULE,EXTENDED RELEASE
- FETZIMA 20 MG (2)-40 MG (26) CAPSULE,EXTENDED RELEASE,24 HR,DOSE PACK
- FETZIMA 20 MG CAPSULE, EXTENDED

RELEASE

- FETZIMA 40 MG CAPSULE,EXTENDED RELEASE
- FETZIMA 80 MG CAPSULE,EXTENDED RELEASE

Criteria	PRIOR CLAIM FOR TRINTELLIX AND 1 GENERIC ANTIDEPRESSANT: BUPROPION, CITALOPRAM, ESCITALOPRAM, FLUOXETINE, MIRTAZAPINE, PAROXETINE, SERTRALINE, VENLAFAXINE, or VILAZODONE IN THE PAST 365
	DAYS

LUMATEPERONE TOSYLATE

Products Affected

Step 2:

- CAPLYTA 10.5 MG CAPSULE
- CAPLYTA 21 MG CAPSULE

CAPLYTA 42 MG CAPSULE

Criteria	CLAIM FOR 2 FORMULARY ORAL GENERIC ANTIPSYCHOTICS: LURASIDONE, RISPERIDONE, OLANZAPINE, IMMEDIATE
	RELEASE QUETIAPINE FUMARATE, ZIPRASIDONE, ARIPIPRAZOLE, ASENAPINE WITHIN THE PAST 365 DAYS

MEMANTINE ER

Products Affected

Step 2:

- memantine 14 mg capsule sprinkle, extended release 24hr
- memantine 21 mg capsule sprinkle, extended release 24hr
- memantine 28 mg capsule sprinkle, extended release 24hr
- memantine 7 mg capsule sprinkle, extended release 24hr

Criteria	PRIOR CLAIM FOR FORMULARY VERSION OF MEMANTINE IR WITHIN THE PAST 120 DAYS
----------	--

METHOTREXATE INJECTOR

Products Affected

Step 2:

- RASUVO (PF) 10 MG/0.2 ML SUBCUTANEOUS AUTO-INJECTOR
- RASUVO (PF) 12.5 MG/0.25 ML SUBCUTANEOUS AUTO-INJECTOR
- RASUVO (PF) 15 MG/0.3 ML SUBCUTANEOUS AUTO-INJECTOR
- RASUVO (PF) 17.5 MG/0.35 ML SUBCUTANEOUS AUTO-INJECTOR
- RASUVO (PF) 20 MG/0.4 ML

- SUBCUTANEOUS AUTO-INJECTOR
- RASUVO (PF) 22.5 MG/0.45 ML SUBCUTANEOUS AUTO-INJECTOR
- RASUVO (PF) 25 MG/0.5 ML SUBCUTANEOUS AUTO-INJECTOR
- RASUVO (PF) 30 MG/0.6 ML SUBCUTANEOUS AUTO-INJECTOR
- RASUVO (PF) 7.5 MG/0.15 ML SUBCUTANEOUS AUTO-INJECTOR

Criteria	TRIAL OF OR CONTRAINDICATION TO GENERIC ORAL
	METHOTREXATE TABLET

NICOTINE OTC

Products Affected

Step 2:

 NICOTROL NS 10 MG/ML NASAL SPRAY

Criteria	PRIOR CLAIMS FOR OTC NICOTINE GUM OR LOZENGE AND OTC NICOTINE PATCHES IN THE PAST 365 DAYS
	OTC NICOTINE PATCHES IN THE PAST 303 DATS

OPHTHALMIC ALLERGY - OTC

Products Affected

Step 2:

• ALREX 0.2 % EYE DROPS, SUSPENSION

drops, suspension

• loteprednol etabonate 0.2 % eye

PRIOR CLAIM FOR ONE OF THE FOLLOWING: OTC
LORATADINE, OTC LORATADINE D, OTC CETIRIZINE, OTC
CETIRIZINE D, OTC FEXOFENADINE, OTC FEXOFENADINE D,
OTC LEVOCETIRIZINE, OTC OLOPATADINE, OTC GENERIC
KETOTIFEN EYE DROPS 0.025%, LEVOCETIRIZINE, CROMOLYN
SODIUM, OR EPINASTINE WITHIN THE PAST 120 DAYS.

PERAMPANEL

Products Affected

Step 2:

- FYCOMPA 0.5 MG/ML ORAL SUSPENSION
- FYCOMPA 10 MG TABLET
- FYCOMPA 12 MG TABLET

- FYCOMPA 2 MG TABLET
- FYCOMPA 4 MG TABLET
- FYCOMPA 6 MG TABLET
- FYCOMPA 8 MG TABLET

Criteria	PRIOR CLAIM FOR 2 GENERIC ANTICONVULSANT AGENTS
	(CARBAMAZEPINE, DIVALPROEX SODIUM, GABAPENTIN,
	LAMOTRIGINE, LEVETIRACETAM, OXCARBAZEPINE,
	TIAGABINE, TOPIRAMATE, VALPROIC ACID, ZONISAMIDE OR
	LACOSAMIDE), WITHIN THE PAST 365 DAYS.

RUFINAMIDE

Products Affected

Step 2:

- rufinamide 200 mg tablet
 rufinamide 40 mg/ml oral suspension

• rufinamide 400 mg tablet

Criteria	PRIOR CLAIM FOR GENERIC ANTICONVULSANT AGENT (CARBAMAZEPINE, DIVALPROEX SODIUM, GABAPENTIN,
	LAMOTRIGINE, LEVETIRACETAM, OXCARBAZEPINE,
	TIAGABINE, TOPIRAMATE, VALPROIC ACID, OR ZONISAMIDE),
	WITHIN THE PAST 120 DAYS.

SELEGILINE PATCH

Products Affected

Step 2:

• EMSAM 12 MG/24 HR TRANSDERMAL 24 HOUR PATCH

HOUR PATCH
• EMSAM 9 MG/24 HR TRANSDERMAL 24

HOUR PATCH

• EMSAM 6 MG/24 HR TRANSDERMAL 24

Criteria	PRIOR CLAIM OF FORMULARY ORAL VERSION OF SSRI (CITALOPRAM, ESCITALOPRAM, FLUOXETINE, PAROXETINE OR SERTRALINE), SNRI (DESVENLAFAXINE, DULOXETINE OR VENLAFAXINE), MIRTAZAPINE, OR BUPROPION IR/SR/XL IN
	THE PAST 120 DAYS

SPRITAM

Products Affected

Step 2:

- levetiracetam 250 mg tablet for oral suspension
- SPRITAM 1,000 MG TABLET FOR ORAL SUSPENSION
- SPRITAM 250 MG TABLET FOR ORAL

SUSPENSION

- SPRITAM 500 MG TABLET FOR ORAL SUSPENSION
- SPRITAM 750 MG TABLET FOR ORAL SUSPENSION

211111111111111111111111111111111111111	OR CLAIM FOR GENERIC LEVETIRACETAM SOLUTION IN PAST 120 DAYS
---	--

TENOFOVIR ALAFENAMIDE

Products Affected

Step 2:VEMLIDY 25 MG TABLET

Criteria	TRIAL OF GENERIC TENOFOVIR DISOPROXIL FUMARATE WITHIN THE PAST 120 DAYS
	WITHIN THE TAST 120 BIXTS

XANOMELINE/TROSPIUM

Products Affected

Step 2:

- COBENFY 100 MG-20 MG CAPSULE
- COBENFY 125 MG-30 MG CAPSULE
- COBENFY 50 MG-20 MG CAPSULE
- COBENFY STARTER PACK 50 MG-20 MG/100 MG-20 MG CAPSULES IN A DOSE PACK

ASENAPINE, PALIPERIDONE WITHIN THE PAST 120 DAYS		CLAIM FOR ONE FORMULARY ORAL ANTIPSYCHOTIC: LURASIDONE, RISPERIDONE, CLOZAPINE TAB, OLANZAPINE, IR QUETIAPINE FUMARATE, ZIPRASIDONE, ARIPIPRAZOLE, ASENAPINE, PALIPERIDONE WITHIN THE PAST 120 DAYS
--	--	--

INDEX **1ST TIER UNIFINE PENTIPS 31** ADVOCATE SYRINGES 1 ML 30 GAUGE X 5/16"......17 **1ST TIER UNIFINE PENTIPS 31** ADVOCATE SYRINGES 1 ML 31 GAUGE X 3/16" NEEDLE......17 GAUGE X 5/16"......17 **1ST TIER UNIFINE PENTIPS 31** ALCOHOL PADS......17 GAUGE X 5/16" NEEDLE......17 ALCOHOL PREP PADS......17 **1ST TIER UNIFINE PENTIPS 32** ALCOHOL PREP SWABS......17 GAUGE X 5/32" NEEDLE.......17 ALCOHOL SWABS......17 1ST TIER UNIFINE PENTIPS PLUS 29 ALCOHOL WIPES......17 ALREX 0.2 % EYE 1ST TIER UNIFINE PENTIPS PLUS 31 DROPS, SUSPENSION......39 GAUGE X 3/16" NEEDLE......17 APTIOM 200 MG TABLET...... 13 1ST TIER UNIFINE PENTIPS PLUS 32 APTIOM 400 MG TABLET...... 13 APTIOM 600 MG TABLET...... 13 ABOUTTIME PEN NEEDLE 30 GAUGE APTIOM 800 MG TABLET...... 13 X 5/16"......17 AQINJECT PEN NEEDLE 31 GAUGE X ABOUTTIME PEN NEEDLE 31 GAUGE X 3/16"......17 AQINJECT PEN NEEDLE 32 GAUGE X ABOUTTIME PEN NEEDLE 31 GAUGE X 5/16"......17 aripiprazole 10 mg disintegrating tablet......4 ABOUTTIME PEN NEEDLE 32 GAUGE aripiprazole 15 mg disintegrating tablet......4 X 5/32"......17 ASSURE ID DUO PRO SAFETY PEN ADVOCATE PEN NEEDLE 29 GAUGE NEEDLE 31 GAUGE X 3/16"......17 ASSURE ID DUO-SHIELD 30 GAUGE X X 1/2"......17 ADVOCATE PEN NEEDLE 31 GAUGE 3/16" NEEDLE......17 ASSURE ID DUO-SHIELD 30 GAUGE X X 3/16"......17 ADVOCATE PEN NEEDLE 31 GAUGE 5/16" NEEDLE......17 X 5/16"......17 ASSURE ID INSULIN SAFETY 0.5 ML ADVOCATE PEN NEEDLE 32 GAUGE 29 GAUGE X 1/2" SYRINGE...... 17 X 5/32"......17 ASSURE ID INSULIN SAFETY 0.5 ML ADVOCATE PEN NEEDLE 33 GAUGE 31 GAUGE X 15/64" SYRINGE...... 17 X 5/32"......17 ASSURE ID INSULIN SAFETY 1 ML 29 ADVOCATE SYRINGES 0.3 ML 29 GAUGE X 1/2" SYRINGE...... 17 GAUGE X 1/2".....17 ASSURE ID INSULIN SAFETY 1 ML 31 ADVOCATE SYRINGES 0.3 ML 30 GAUGE X 15/64" SYRINGE...... 17 GAUGE X 5/16"......17 ASSURE ID PEN NEEDLE 30 GAUGE X ADVOCATE SYRINGES 0.3 ML 31 ASSURE ID PEN NEEDLE 30 GAUGE X GAUGE X 5/16"......17 ADVOCATE SYRINGES 0.5 ML 29 GAUGE X 1/2".....17 ASSURE ID PEN NEEDLE 31 GAUGE X ADVOCATE SYRINGES 0.5 ML 30 GAUGE X 5/16"......17 ASSURE ID PRO PEN NEEDLE 30 ADVOCATE SYRINGES 0.5 ML 31 GAUGE X 3/16"......17 GAUGE X 5/16"......17 **AUTOSHIELD DUO PEN NEEDLE 30** GAUGE X 3/16"......17 ADVOCATE SYRINGES 1 ML 29 GAUGE X 1/2"......17

AUVELITY 45 MG-105 MG TABLET,	BD SAFETYGLIDE INSULIN SYRINGE
	1 ML 31 GAUGE X 15/64"17
BD ALCOHOL SWABS17	BD SAFETYGLIDE SYRINGE 1 ML 27
BD AUTOSHIELD DUO PEN NEEDLE	GAUGE X 5/8"17
30 GAUGE X 3/16"17	BD ULTRA-FINE MICRO PEN NEEDLE
BD ECLIPSE LUER-LOK 1 ML 30	32 GAUGE X 1/4"17
GAUGE X 1/2" SYRINGE	BD ULTRA-FINE MINI PEN NEEDLE
BD ECLIPSE LUER-LOK 30 X 1/2"	31 GAUGE X 3/16"17
NEEDLE17	BD ULTRA-FINE NANO PEN NEEDLE
BD INSULIN SYRINGE 1 ML 25	32 GAUGE X 5/32"17
GAUGE X 5/8"17	BD ULTRA-FINE ORIGINAL PEN
BD INSULIN SYRINGE 1 ML 25 X 1"17	NEEDLE 29 GAUGE X 1/2"17
BD INSULIN SYRINGE 1 ML 26 X 1/2"17	BD ULTRA-FINE SHORT PEN NEEDLE
BD INSULIN SYRINGE 1 ML 27	31 GAUGE X 5/16"17
GAUGE X 1/2"17	BD VEO INSULIN SYRINGE ULTRA-
BD INSULIN SYRINGE SLIP TIP 1 ML 17	FINE (HALF UNIT) 0.3 ML 31 GAUGE
BD INSULIN SYRINGE U-500 1/2 ML	X 15/64"17
31 GAUGE X 15/64"17	
BD INSULIN SYRINGE ULTRA-FINE	FINE 0.3 ML 31 GAUGE X 15/64"17
(HALF UNIT) 0.3 ML 31 GAUGE X	
5/16"	FINE 1 ML 31 GAUGE X 15/64"17
BD INSULIN SYRINGE ULTRA-FINE	BD VEO INSULIN SYRINGE ULTRA-
0.3 ML 30 GAUGE X 1/2"17	FINE 1/2 ML 31 GAUGE X 15/64"17
BD INSULIN SYRINGE ULTRA-FINE	BORDERED GAUZE 2" X 2" BANDAGE 17
0.3 ML 31 GAUGE X 5/16"17	
	CAPLYTA 21 MG CAPSULE
0.5 ML 30 GAUGE X 1/2"17	CAPLYTA 42 MG CAPSULE35
BD INSULIN SYRINGE ULTRA-FINE	CAREFINE PEN NEEDLE 29 GAUGE X
	1/2"
	CAREFINE PEN NEEDLE 30 GAUGE X
ML 30 GAUGE X 1/2"17	
	CAREFINE PEN NEEDLE 31 GAUGE X
GAUGE X 5/32"17	1/4"
BD SAFETYGLIDE INSULIN SYRINGE	CAREFINE PEN NEEDLE 31 GAUGE X
0.3 ML 29 GAUGE X 1/2"17	5/16"
BD SAFETYGLIDE INSULIN SYRINGE	CAREFINE PEN NEEDLE 32 GAUGE X
0.3 ML 31 GAUGE X 15/64"17	1/4"
BD SAFETYGLIDE INSULIN SYRINGE	CAREFINE PEN NEEDLE 32 GAUGE X
0.3 ML 31 GAUGE X 5/16"17	3/16"17
BD SAFETYGLIDE INSULIN SYRINGE	CAREFINE PEN NEEDLE 32 GAUGE X
0.5 ML 29 GAUGE X 1/2"17	5/32"
BD SAFETYGLIDE INSULIN SYRINGE	CARETOUCH ALCOHOL PREP PAD
0.5 ML 30 GAUGE X 5/16"17	TOPICAL PADS17
BD SAFETYGLIDE INSULIN SYRINGE	CARETOUCH INSULIN SYRINGE 0.3
0.5 ML 31 GAUGE X 15/64"17	ML 31 GAUGE X 5/16"17
BD SAFETYGLIDE INSULIN SYRINGE	CARETOUCH INSULIN SYRINGE 0.5
	ML 30 GAUGE X 5/16"17

CARETOUCH INSULIN SYRINGE 0.5	COMFORT EZ INSULIN SYRINGE 0.3	
ML 31 GAUGE X 5/16"17	ML 31 GAUGE X 5/16"	17
CARETOUCH INSULIN SYRINGE 1 ML	COMFORT EZ INSULIN SYRINGE 0.5	
28 GAUGE X 5/16"17	ML 29 GAUGE X 1/2"	.17
CARETOUCH INSULIN SYRINGE 1 ML	COMFORT EZ INSULIN SYRINGE 0.5	
29 GAUGE X 5/16"17	ML 30 GAUGE X 1/2"	17
CARETOUCH INSULIN SYRINGE 1 ML	COMFORT EZ INSULIN SYRINGE 0.5	
30 GAUGE X 5/16"17	ML 30 GAUGE X 5/16"	17
CARETOUCH INSULIN SYRINGE 1 ML	COMFORT EZ INSULIN SYRINGE 0.5	
31 GAUGE X 5/16"17	ML 31 GAUGE X 5/16"	17
CARETOUCH PEN NEEDLE 29 GAUGE	COMFORT EZ INSULIN SYRINGE 1	
X 1/2"17	ML 28 GAUGE X 1/2"	.17
CARETOUCH PEN NEEDLE 31 GAUGE	COMFORT EZ INSULIN SYRINGE 1	
X 1/4"17	ML 29 GAUGE X 1/2"	17
CARETOUCH PEN NEEDLE 31 GAUGE	COMFORT EZ INSULIN SYRINGE 1	
X 3/16"17	ML 30 GAUGE X 1/2"	17
CARETOUCH PEN NEEDLE 31 GAUGE	COMFORT EZ INSULIN SYRINGE 1	
X 5/16"17	ML 30 GAUGE X 5/16"	17
CARETOUCH PEN NEEDLE 32 GAUGE	COMFORT EZ INSULIN SYRINGE 1	
X 3/16"17	ML 31 GAUGE X 15/64"	17
CARETOUCH PEN NEEDLE 32 GAUGE	COMFORT EZ INSULIN SYRINGE 1	
X 5/32"17	ML 31 GAUGE X 5/16"	17
CLICKFINE PEN NEEDLE 31 GAUGE X	COMFORT EZ INSULIN SYRINGE 1/2	
1/4"	ML 28 GAUGE X 1/2"	17
CLICKFINE PEN NEEDLE 31 GAUGE X	COMFORT EZ INSULIN SYRINGE 1/2	
5/16"	ML 31 GAUGE X 15/64"	17
CLICKFINE PEN NEEDLE 32 GAUGE X	COMFORT EZ PEN NEEDLES 29	
5/32"	GAUGE X 1/2"	17
clozapine 100 mg disintegrating tablet 8	COMFORT EZ PEN NEEDLES 31	
clozapine 12.5 mg disintegrating tablet 8	GAUGE X 1/4"	17
clozapine 150 mg disintegrating tablet 8	COMFORT EZ PEN NEEDLES 31	
clozapine 200 mg disintegrating tablet 8	GAUGE X 3/16"	17
clozapine 25 mg disintegrating tablet 8	COMFORT EZ PEN NEEDLES 31	
COBENFY 100 MG-20 MG CAPSULE 45	GAUGE X 5/16"	17
COBENFY 125 MG-30 MG CAPSULE 45	COMFORT EZ PEN NEEDLES 32	
COBENFY 50 MG-20 MG CAPSULE 45	GAUGE X 1/4"	17
COBENFY STARTER PACK 50 MG-20	COMFORT EZ PEN NEEDLES 32	
MG/100 MG-20 MG CAPSULES IN A	GAUGE X 3/16"	17
DOSE PACK45	COMFORT EZ PEN NEEDLES 32	
COMFORT EZ INSULIN SYRINGE 0.3	GAUGE X 5/16"	17
	COMFORT EZ PEN NEEDLES 32	
COMFORT EZ INSULIN SYRINGE 0.3	GAUGE X 5/32"	17
ML 30 GAUGE X 1/2"17	COMFORT EZ PEN NEEDLES 33	
COMFORT EZ INSULIN SYRINGE 0.3	GAUGE X 1/4"	17
ML 30 GAUGE X 5/16"17		
COMFORT EZ INSULIN SYRINGE 0.3	GAUGE X 3/16"	17
ML 31 GAUGE X 15/64"17		

COMFORT EZ PEN NEEDLES 33	DRIZALMA SPRINKLE 20 MG
GAUGE X 5/16"17	CAPSULE, DELAYED RELEASE11
COMFORT EZ PEN NEEDLES 33	DRIZALMA SPRINKLE 30 MG
GAUGE X 5/32"17	CAPSULE, DELAYED RELEASE11
COMFORT EZ PRO SAFETY PEN	DRIZALMA SPRINKLE 40 MG
NEEDLE 30 GAUGE X 5/16"17	CAPSULE, DELAYED RELEASE11
COMFORT EZ PRO SAFETY PEN	DRIZALMA SPRINKLE 60 MG
NEEDLE 31 GAUGE X 3/16"17	CAPSULE, DELAYED RELEASE11
COMFORT EZ PRO SAFETY PEN	DROPLET INSULIN SYRINGE (HALF
NEEDLE 31 GAUGE X 5/32"17	UNIT) 0.3 ML 29 GAUGE X 1/2"17
COMFORT TOUCH PEN NEEDLE 31	DROPLET INSULIN SYRINGE (HALF
GAUGE X 1/4"17	UNIT) 0.3 ML 30 GAUGE X 1/2"17
COMFORT TOUCH PEN NEEDLE 31	DROPLET INSULIN SYRINGE (HALF
GAUGE X 3/16"17	UNIT) 0.3 ML 30 GAUGE X 5/16"17
COMFORT TOUCH PEN NEEDLE 31	DROPLET INSULIN SYRINGE (HALF
GAUGE X 5/16"17	UNIT) 0.3 ML 31 GAUGE X 1/4"17
COMFORT TOUCH PEN NEEDLE 31	DROPLET INSULIN SYRINGE (HALF
GAUGE X 5/32"17	UNIT) 0.3 ML 31 GAUGE X 5/16"17
COMFORT TOUCH PEN NEEDLE 32	DROPLET INSULIN SYRINGE (HALF
GAUGE X 1/4"17	UNIT) 0.5 ML 29 GAUGE X 1/2"17
COMFORT TOUCH PEN NEEDLE 32	DROPLET INSULIN SYRINGE (HALF
GAUGE X 3/16"17	UNIT) 0.5 ML 30 GAUGE X 1/2"17
COMFORT TOUCH PEN NEEDLE 32	DROPLET INSULIN SYRINGE (HALF
GAUGE X 5/16"17	UNIT) 0.5 ML 30 GAUGE X 15/64"17
COMFORT TOUCH PEN NEEDLE 32	DROPLET INSULIN SYRINGE (HALF
GAUGE X 5/32"17	UNIT) 0.5 ML 30 GAUGE X 5/16"17
COMFORT TOUCH PEN NEEDLE 33	DROPLET INSULIN SYRINGE (HALF
GAUGE X 1/4"17	UNIT) 0.5 ML 31 GAUGE X 15/64"17
COMFORT TOUCH PEN NEEDLE 33	DROPLET INSULIN SYRINGE (HALF
GAUGE X 3/16"17	UNIT) 0.5 ML 31 GAUGE X 5/16"17
COMFORT TOUCH PEN NEEDLE 33	DROPLET INSULIN SYRINGE 0.3 ML
GAUGE X 5/32"17	29 GAUGE X 1/2"17
CURAD GAUZE PAD 2" X 2"	DROPLET INSULIN SYRINGE 0.3 ML
BANDAGE17	30 GAUGE X 1/2"17
CURITY ALCOHOL SWABS17	DROPLET INSULIN SYRINGE 0.3 ML
CURITY GAUZE 2" X 2" BANDAGE 17	30 GAUGE X 15/64"17
CURITY GAUZE 2" X 2" SPONGE17	DROPLET INSULIN SYRINGE 0.3 ML
cyclophosphamide 25 mg capsule6	30 GAUGE X 5/16"17
cyclophosphamide 25 mg tablet 6	DROPLET INSULIN SYRINGE 0.3 ML
cyclophosphamide 50 mg capsule6	31 GAUGE X 15/64"17
cyclophosphamide 50 mg tablet 6	DROPLET INSULIN SYRINGE 0.3 ML
DERMACEA 2" X 2" BANDAGE17	31 GAUGE X 5/16"17
DERMACEA 2" X 2" SPONGE 17	DROPLET INSULIN SYRINGE 0.5 ML
DERMACEA NON-WOVEN 2" X 2"	29 GAUGE X 1/2"17
SPONGE17	DROPLET INSULIN SYRINGE 0.5 ML
dihydroergotamine 0.5 mg/pump act. (4	30 GAUGE X 1/2"17
<i>mg/ml) nasal spray</i>	

DROPLET INSULIN SYRINGE 0.5 ML	DROPSAFE INSULIN SYRINGE 0.5 ML
30 GAUGE X 5/16"17	31 GAUGE X 15/64"17
DROPLET INSULIN SYRINGE 0.5 ML	DROPSAFE INSULIN SYRINGE 0.5 ML
31 GAUGE X 5/16"17	31 GAUGE X 5/16"17
DROPLET INSULIN SYRINGE 1 ML 29	DROPSAFE INSULIN SYRINGE 1 ML
GAUGE X 1/2"17	29 GAUGE X 1/2"17
DROPLET INSULIN SYRINGE 1 ML 30	DROPSAFE INSULIN SYRINGE 1 ML
GAUGE X 1/2"17	31 GAUGE X 15/64"17
DROPLET INSULIN SYRINGE 1 ML 30	DROPSAFE INSULIN SYRINGE 1 ML
GAUGE X 15/64"17	31 GAUGE X 5/16"17
DROPLET INSULIN SYRINGE 1 ML 30	DROPSAFE PEN NEEDLE 31 GAUGE X
GAUGE X 5/16"17	1/4"
DROPLET INSULIN SYRINGE 1 ML 31	DROPSAFE PEN NEEDLE 31 GAUGE X
GAUGE X 1/4"17	3/16"17
DROPLET INSULIN SYRINGE 1 ML 31	DROPSAFE PEN NEEDLE 31 GAUGE X
GAUGE X 15/64"17	5/16"
DROPLET INSULIN SYRINGE 1 ML 31	EASY COMFORT ALCOHOL PAD
GAUGE X 5/16"17	TOPICAL PADS17
DROPLET INSULIN SYRINGE 1/2 ML	EASY COMFORT INSULIN SYRINGE
31 GAUGE X 1/4"17	0.3 ML 30 GAUGE X 5/16"17
DROPLET MICRON PEN NEEDLE 34	EASY COMFORT INSULIN SYRINGE
GAUGE X 9/64"17	0.3 ML 31 GAUGE X 5/16"17
DROPLET PEN NEEDLE 29 GAUGE X	EASY COMFORT INSULIN SYRINGE
1/2"	0.3 ML 31 X 1/2"17
DROPLET PEN NEEDLE 29 GAUGE X	EASY COMFORT INSULIN SYRINGE
3/8"	0.5 ML 30 GAUGE X 1/2"17
DROPLET PEN NEEDLE 30 GAUGE X	EASY COMFORT INSULIN SYRINGE
5/16"	0.5 ML 30 GAUGE X 5/16"17
DROPLET PEN NEEDLE 31 GAUGE X	EASY COMFORT INSULIN SYRINGE
	0.5 ML 31 GAUGE X 5/16"17
	EASY COMFORT INSULIN SYRINGE 1
	ML 29 GAUGE X 5/16"17
DROPLET PEN NEEDLE 31 GAUGE X	
5/16"	
DROPLET PEN NEEDLE 32 GAUGE X	EASY COMFORT INSULIN SYRINGE 1
1/4"	ML 30 GAUGE X 5/16"17
DROPLET PEN NEEDLE 32 GAUGE X	EASY COMFORT INSULIN SYRINGE 1
3/16"	ML 31 GAUGE X 5/16"17
DROPLET PEN NEEDLE 32 GAUGE X	EASY COMFORT INSULIN SYRINGE 1
5/16"	ML 32 GAUGE X 5/16"17
DROPLET PEN NEEDLE 32 GAUGE X	EASY COMFORT INSULIN SYRINGE
5/32"	1/2 ML 29 X 5/16"17
DROPSAFE ALCOHOL PREP PADS17	EASY COMFORT INSULIN SYRINGE
DROPSAFE INSULIN SYRINGE 0.3 ML	1/2 ML 32 GAUGE X 5/16" 17
31 GAUGE X 15/64"17	EASY COMFORT PEN NEEDLES 29
DROPSAFE INSULIN SYRINGE 0.3 ML	GAUGE X 3/16"17
31 GAUGE X 5/16"17	

EASY COMFORT PEN NEEDLES 29	EASY TOUCH FLIPLOCK INSULIN 1
GAUGE X 5/32"17	ML 31 GAUGE X 5/16" SYRINGE17
EASY COMFORT PEN NEEDLES 31	EASY TOUCH FLIPLOCK INSULIN
GAUGE X 1/4"17	SYRINGE 1 ML 30 GAUGE X 1/2"17
EASY COMFORT PEN NEEDLES 31	EASY TOUCH FLIPLOCK INSULIN
GAUGE X 3/16"17	SYRINGE 1 ML 30 GAUGE X 5/16" 17
EASY COMFORT PEN NEEDLES 31	EASY TOUCH FLIPLOCK SYRINGE 1
GAUGE X 5/16"17	ML 27 GAUGE X 1/2"17
EASY COMFORT PEN NEEDLES 32	EASY TOUCH INSULIN SAFETY
GAUGE X 5/32"17	SYRINGE 0.5 ML 29 GAUGE X 1/2" 17
EASY COMFORT PEN NEEDLES 33	EASY TOUCH INSULIN SAFETY
GAUGE X 1/4"17	SYRINGE 0.5 ML 30 GAUGE X 5/16" 17
EASY COMFORT PEN NEEDLES 33	EASY TOUCH INSULIN SAFETY
GAUGE X 3/16"17	SYRINGE 1 ML 29 GAUGE X 1/2"17
EASY COMFORT PEN NEEDLES 33	EASY TOUCH INSULIN SAFETY
GAUGE X 5/32"17	SYRINGE 1 ML 30 GAUGE X 1/2"17
EASY COMFORT SAFETY PEN	EASY TOUCH INSULIN SYRINGE 0.3
	ML 30 GAUGE X 1/2"17
EASY COMFORT SAFETY PEN	EASY TOUCH INSULIN SYRINGE 0.3
NEEDLE 31 GAUGE X 3/16"17	ML 30 GAUGE X 5/16"17
EASY COMFORT SAFETY PEN	EASY TOUCH INSULIN SYRINGE 0.3
NEEDLE 32 GAUGE X 5/32"17	ML 31 GAUGE X 5/16"17
EASY GLIDE INSULIN SYRINGE 0.3	EASY TOUCH INSULIN SYRINGE 0.5
ML 31 GAUGE X 15/64"17	ML 29 GAUGE X 1/2"17
EASY GLIDE INSULIN SYRINGE 1 ML	EASY TOUCH INSULIN SYRINGE 0.5
31 GAUGE X 15/64"17	ML 30 GAUGE X 1/2"17
EASY GLIDE INSULIN SYRINGE 1/2	EASY TOUCH INSULIN SYRINGE 0.5
ML 31 GAUGE X 15/64"17	ML 30 GAUGE X 5/16"17
EASY GLIDE PEN NEEDLE 33 GAUGE	EASY TOUCH INSULIN SYRINGE 0.5
X 5/32"	ML 31 GAUGE X 5/16"17
EASY TOUCH 29 GAUGE X 1/2"	EASY TOUCH INSULIN SYRINGE 1
NEEDLE	
EASY TOUCH 31 GAUGE X 1/4"	
NEEDLE	
NEEDLE17	EASY TOUCH INSULIN SYRINGE 1 ML 28 GAUGE X 1/2"17
EASY TOUCH 31 GAUGE X 5/16"	EASY TOUCH INSULIN SYRINGE 1
	ML 29 GAUGE X 1/2"17
NEEDLE17 EASY TOUCH 32 GAUGE X 1/4"	EASY TOUCH INSULIN SYRINGE 1
NEEDLE17	ML 30 GAUGE X 1/2"17
EASY TOUCH 32 GAUGE X 3/16"	EASY TOUCH INSULIN SYRINGE 1
NEEDLE17	ML 30 GAUGE X 5/16"17
EASY TOUCH 32 GAUGE X 5/32"	EASY TOUCH INSULIN SYRINGE 1
NEEDLE	ML 31 GAUGE X 5/16"17
EASY TOUCH ALCOHOL PREP PADS 17	EASY TOUCH INSULIN SYRINGE 1/2
EASY TOUCH ALCOHOL PREP PADS 1 / EASY TOUCH FLIPLOCK INSULIN 1	ML 27 GAUGE X 1/2"17
ML 29 GAUGE X 1/2" SYRINGE	WIL 2/ UAUGE A I/21/
IVIL 47 UMUUL A I/4 BIKINUE I/	

EASY TOUCH INSULIN SYRINGE 1/2	EPRONTIA 25 MG/ML ORAL	
ML 28 GAUGE X 1/2"17	SOLUTION	12
EASY TOUCH LUER LOCK INSULIN 1	esomeprazole magnesium dr 10 mg	
ML SYRINGE17	granules delayed release for susp	2
EASY TOUCH PEN NEEDLE 30	esomeprazole magnesium dr 20 mg	
GAUGE X 5/16"17	granules delayed release for susp	2
EASY TOUCH SAFETY PEN NEEDLE	esomeprazole magnesium dr 40 mg	
29 GAUGE X 3/16"17	granules delayed release for susp	2
EASY TOUCH SAFETY PEN NEEDLE	FANAPT 1 MG TABLET	16
29 GAUGE X 5/16"17	FANAPT 10 MG TABLET	16
EASY TOUCH SAFETY PEN NEEDLE	FANAPT 12 MG TABLET	16
30 GAUGE X 1/4"17	FANAPT 1MG(2)-2 MG(2)-4MG(2)-6	
EASY TOUCH SAFETY PEN NEEDLE	MG(2) TABLETS IN A DOSE PACK	
30 GAUGE X 3/16"17	FANAPT 2 MG TABLET	
EASY TOUCH SAFETY PEN NEEDLE	FANAPT 4 MG TABLET	
30 GAUGE X 5/16"17	FANAPT 6 MG TABLET	
EASY TOUCH SHEATHLOCK INSULIN	FANAPT 8 MG TABLET	
1 ML 29 GAUGE X 1/2" SYRINGE 17	febuxostat 40 mg tablet	
EASY TOUCH SHEATHLOCK INSULIN	febuxostat 80 mg tablet	1
1 ML 30 GAUGE X 5/16" SYRINGE 17	FETZIMA 120 MG	
EASY TOUCH SHEATHLOCK INSULIN	CAPSULE,EXTENDED RELEASE	34
1 ML 31 GAUGE X 5/16" SYRINGE 17	FETZIMA 20 MG (2)-40 MG (26)	
EASY TOUCH SHEATHLOCK INSULIN	CAPSULE,EXTENDED RELEASE,24	
SYRINGE 1 ML 30 GAUGE X 1/2" 17	HR,DOSE PACK	34
EASY TOUCH UNI-SLIP 1 ML	FETZIMA 20 MG	
SYRINGE	CAPSULE, EXTENDED RELEASE	34
EMBRACE PEN NEEDLE 29 GAUGE X	FETZIMA 40 MG	
1/2"	CAPSULE, EXTENDED RELEASE	34
EMBRACE PEN NEEDLE 30 GAUGE X	FETZIMA 80 MG	2.4
3/16"	CAPSULE, EXTENDED RELEASE	34
EMBRACE PEN NEEDLE 30 GAUGE X	FREESTYLE PRECISION 0.5 ML 30	1.7
5/16"	GAUGE X 5/16" SYRINGE	1 /
EMBRACE PEN NEEDLE 31 GAUGE X	FREESTYLE PRECISION 0.5 ML 31	17
1/4"		1 /
EMBRACE PEN NEEDLE 31 GAUGE X		17
	GAUGE X 5/16" SYRINGE	1 /
EMBRACE PEN NEEDLE 31 GAUGE X 5/16"	FREESTYLE PRECISION 1 ML 31 GAUGE X 5/16" SYRINGE	17
EMBRACE PEN NEEDLE 32 GAUGE X	FYCOMPA 0.5 MG/ML ORAL	1 /
5/32"	SUSPENSION	40
	FYCOMPA 10 MG TABLET	
	FYCOMPA 10 MG TABLET FYCOMPA 12 MG TABLET	
EMSAM 6 MG/24 HR TRANSDERMAL	FYCOMPA 2 MG TABLET	
	FYCOMPA 2 MG TABLETFYCOMPA 4 MG TABLET	
EMSAM 9 MG/24 HR TRANSDERMAL	FYCOMPA 4 MG TABLETFYCOMPA 6 MG TABLET	
	FYCOMPA 8 MG TABLET	
27 1100K 1 A 101142	GAUZE PAD 2" X 2" BANDAGE	
	GAULLIAD 2 A 2 DANDAUL	1 /

HEALTHWISE INSULIN SYRINGE 0.3	INSULIN SYRINGE U-100 WITH
ML 30 GAUGE X 5/16"17	NEEDLE 0.3 ML 29 GAUGE X 1/2"17
HEALTHWISE INSULIN SYRINGE 0.3	INSULIN SYRINGE U-100 WITH
ML 31 GAUGE X 5/16"17	NEEDLE 0.3 ML 3017
HEALTHWISE INSULIN SYRINGE 0.5	INSULIN SYRINGE U-100 WITH
ML 30 GAUGE X 5/16"17	NEEDLE 0.3 ML 30 GAUGE X 5/16" 17
HEALTHWISE INSULIN SYRINGE 0.5	INSULIN SYRINGE U-100 WITH
ML 31 GAUGE X 5/16"17	NEEDLE 0.3 ML 31 GAUGE X 1/4"17
HEALTHWISE INSULIN SYRINGE 1	INSULIN SYRINGE U-100 WITH
ML 30 GAUGE X 5/16"17	NEEDLE 0.3 ML 31 GAUGE X 15/64" 17
HEALTHWISE INSULIN SYRINGE 1	INSULIN SYRINGE U-100 WITH
ML 31 GAUGE X 5/16"17	NEEDLE 0.3 ML 31 GAUGE X 5/16" 17
HEALTHWISE PEN NEEDLE 31	INSULIN SYRINGE U-100 WITH
GAUGE X 3/16"17	NEEDLE 0.5 ML 29 GAUGE X 1/2"17
HEALTHWISE PEN NEEDLE 31	INSULIN SYRINGE U-100 WITH
GAUGE X 5/16"17	NEEDLE 0.5 ML 30 GAUGE X 1/2"17
HEALTHWISE PEN NEEDLE 32	INSULIN SYRINGE U-100 WITH
GAUGE X 5/32"17	NEEDLE 0.5 ML 30 GAUGE X 5/16" 17
HEALTHY ACCENTS UNIFINE PENTIP	INSULIN SYRINGE U-100 WITH
29 GAUGE X 1/2" NEEDLE17	NEEDLE 0.5 ML 31 GAUGE X 5/16" 17
HEALTHY ACCENTS UNIFINE PENTIP	INSULIN SYRINGE U-100 WITH
31 GAUGE X 1/4" NEEDLE17	NEEDLE 1 ML 27 GAUGE X 1/2"17
HEALTHY ACCENTS UNIFINE PENTIP	INSULIN SYRINGE U-100 WITH
31 GAUGE X 3/16" NEEDLE17	NEEDLE 1 ML 27 GAUGE X 5/8"17
HEALTHY ACCENTS UNIFINE PENTIP	INSULIN SYRINGE U-100 WITH
31 GAUGE X 5/16" NEEDLE17	NEEDLE 1 ML 28 GAUGE17
HEALTHY ACCENTS UNIFINE PENTIP	INSULIN SYRINGE U-100 WITH
32 GAUGE X 5/32" NEEDLE17	NEEDLE 1 ML 28 GAUGE X 1/2"17
INCONTROL ALCOHOL PADS17	INSULIN SYRINGE U-100 WITH
INCONTROL PEN NEEDLE 29 GAUGE	NEEDLE 1 ML 29 GAUGE X 1/2"17
X 1/2"17	INSULIN SYRINGE U-100 WITH
INCONTROL PEN NEEDLE 31 GAUGE	NEEDLE 1 ML 29 GAUGE X 7/16"17
X 1/4"17	
INCONTROL PEN NEEDLE 31 GAUGE	NEEDLE 1 ML 30 GAUGE X 1/2"17
X 3/16"17	INSULIN SYRINGE U-100 WITH
INCONTROL PEN NEEDLE 31 GAUGE	NEEDLE 1 ML 30 GAUGE X 3/8"17
X 5/16"17	INSULIN SYRINGE U-100 WITH
INCONTROL PEN NEEDLE 32 GAUGE	NEEDLE 1 ML 30 GAUGE X 5/16"17
X 5/32"17	INSULIN SYRINGE U-100 WITH
INSULIN SYRINGE 0.5 ML 29 GAUGE	NEEDLE 1 ML 30 GAUGE X 7/16"17
X 1/2"17	INSULIN SYRINGE U-100 WITH
INSULIN SYRINGE MICROFINE 1 ML	NEEDLE 1 ML 31 GAUGE X 1/4"17
27 GAUGE X 5/8"17	INSULIN SYRINGE U-100 WITH
INSULIN SYRINGE NEEDLELESS 1	NEEDLE 1 ML 31 GAUGE X 15/64" 17
ML	INSULIN SYRINGE U-100 WITH
INSULIN SYRINGE U-100 WITH	NEEDLE 1 ML 31 GAUGE X 5/16"17
NEEDLE 0.3 ML 29 GAUGE17	

INSULIN SYRINGE U-100 WITH	LITE TOUCH INSULIN PEN NEEDLES
NEEDLE 1/2 ML 27 GAUGE X 1/2"17	31 GAUGE X 5/16"17
INSULIN SYRINGE U-100 WITH	LITE TOUCH INSULIN SYRINGE 0.3
NEEDLE 1/2 ML 28 GAUGE17	ML 29 GAUGE X 1/2"17
INSULIN SYRINGE U-100 WITH	LITE TOUCH INSULIN SYRINGE 0.3
INSULIN SYRINGE U-100 WITH NEEDLE 1/2 ML 28 GAUGE X 1/2"	ML 30 GAUGE X 5/16"17
INSULIN SYRINGE U-100 WITH	LITE TOUCH INSULIN SYRINGE 0.3
NEEDLE 1/2 ML 2917	ML 31 GAUGE X 5/16"17
INSULIN SYRINGE U-100 WITH	LITE TOUCH INSULIN SYRINGE 0.5
NEEDLE 1/2 ML 30 GAUGE17	ML 29 GAUGE X 1/2"17
INSULIN SYRINGE U-100 WITH	LITE TOUCH INSULIN SYRINGE 0.5
NEEDLE 1/2 ML 31 GAUGE X 1/4"17	ML 30 GAUGE X 5/16"17
INSULIN SYRINGE U-100 WITH	LITE TOUCH INSULIN SYRINGE 0.5
NEEDLE 1/2 ML 31 GAUGE X 15/64"17	ML 31 GAUGE X 5/16"17
INSULIN SYRINGE-NEEDLE U-100	LITE TOUCH INSULIN SYRINGE 1 ML
HALF UNIT MARKING 0.3 ML 31	28 GAUGE17
GAUGE X 1/4"17	
INSUPEN PEN NEEDLE 29 GAUGE X	28 GAUGE X 1/2"17
1/2"	LITE TOUCH INSULIN SYRINGE 1 ML
INSUPEN PEN NEEDLE 30 GAUGE X	29 GAUGE
5/16"	LITE TOUCH INSULIN SYRINGE 1 ML
INSUPEN PEN NEEDLE 31 GAUGE X	29 GAUGE X 1/2"17
1/4"	LITE TOUCH INSULIN SYRINGE 1 ML
INSUPEN PEN NEEDLE 31 GAUGE X	30 GAUGE X 5/16"17
3/16"	LITE TOUCH INSULIN SYRINGE 1 ML
INSUPEN PEN NEEDLE 31 GAUGE X	30 GAUGE X 7/16"17
5/16"	LITE TOUCH INSULIN SYRINGE 1 ML
INSUPEN PEN NEEDLE 32 GAUGE X	31 GAUGE X 5/16"17
1/4"	LITE TOUCH INSULIN SYRINGE 1/2
INSUPEN PEN NEEDLE 32 GAUGE X	ML 28 GAUGE17
5/16"	LITE TOUCH INSULIN SYRINGE 1/2
INSUPEN PEN NEEDLE 32 GAUGE X	ML 28 GAUGE X 1/2"17
5/32"	LITE TOUCH INSULIN SYRINGE 1/2
INSUPEN PEN NEEDLE 33 GAUGE X	ML 2917
5/32"	LITE TOUCH INSULIN SYRINGE 1/2
IV PREP WIPES MEDICATED17	ML 30 GAUGE
JYLAMVO 2 MG/ML ORAL SOLUTION6	loteprednol etabonate 0.2 % eye
levetiracetam 250 mg tablet for oral	drops, suspension39
suspension43	MAGELLAN INSULIN SAFETY
LISCO 2" X 2" SPONGE17	SYRINGE 0.3 ML 29 GAUGE X 1/2" 17
LITE TOUCH INSULIN PEN NEEDLES	MAGELLAN INSULIN SAFETY
29 GAUGE X 1/2"17	SYRINGE 0.5 ML 29 GAUGE X 1/2" 17
LITE TOUCH INSULIN PEN NEEDLES	MAGELLAN INSULIN SAFETY
31 GAUGE X 1/4"17	SYRINGE 1 ML 29 GAUGE X 1/2"17
LITE TOUCH INSULIN PEN NEEDLES	MAGELLAN INSULIN SAFETY
31 GAUGE X 3/16"17	SYRINGE 1 ML 30 GAUGE X 5/16" 17

MAGELLAN SYRINGE 0.3 ML 30 X	MONOJECT INSULIN SYRINGE 0.3 ML	
5/16"	30 GAUGE X 5/16"17	7
MAGELLAN SYRINGE 0.5 ML 30	MONOJECT INSULIN SYRINGE 0.3 ML	
GAUGE X 5/16"17	31 GAUGE X 5/16"17	7
MAXICOMFORT II PEN NEEDLE 31	MONOJECT INSULIN SYRINGE 0.5 ML	
GAUGE X 1/4"17	29 GAUGE X 1/2"17	7
MAXICOMFORT INSULIN SYRINGE 1	MONOJECT INSULIN SYRINGE 0.5 ML	
ML 27 GAUGE X 1/2"17	30 GAUGE X 5/16"17	7
MAXI-COMFORT INSULIN SYRINGE 1	MONOJECT INSULIN SYRINGE 0.5 ML	
ML 28 GAUGE X 1/2"17	31 GAUGE X 5/16"17	7
MAXICOMFORT INSULIN SYRINGE	MONOJECT INSULIN SYRINGE 1 ML17	7
1/2 ML 27 GAUGE X 1/2"	MONOJECT INSULIN SYRINGE 1 ML	
MAXI-COMFORT INSULIN SYRINGE	25 GAUGE X 5/8"17	7
1/2 ML 28 GAUGE X 1/2"	MONOJECT INSULIN SYRINGE 1 ML	
MAXICOMFORT SAFETY PEN	27 GAUGE X 1/2"17	7
NEEDLE 29 GAUGE X 3/16"17	MONOJECT INSULIN SYRINGE 1 ML	
MAXICOMFORT SAFETY PEN	28 GAUGE X 1/2"17	7
NEEDLE 29 GAUGE X 5/16"17	MONOJECT INSULIN SYRINGE 1 ML	
memantine 14 mg capsule	29 GAUGE X 1/2"17	7
sprinkle, extended release 24hr36	MONOJECT INSULIN SYRINGE 1 ML	
memantine 21 mg capsule	30 GAUGE X 5/16"17	7
sprinkle, extended release 24hr36	MONOJECT INSULIN SYRINGE 1 ML	
memantine 28 mg capsule	31 GAUGE X 5/16"17	7
sprinkle, extended release 24hr36	MONOJECT INSULIN SYRINGE 1/2 ML	
memantine 7 mg capsule sprinkle, extended	28 GAUGE X 1/2"17	7
release 24hr36	MONOJECT SYRINGE 1/2 ML 28	
methotrexate sodium 2.5 mg tablet6	GAUGE17	7
MICRODOT INSULIN PEN NEEDLE 31	MONOJECT ULTRA COMFORT	
GAUGE X 1/4"17	INSULIN 1/2 ML 28 GAUGE SYRINGE17	7
MICRODOT INSULIN PEN NEEDLE 32	NANO 2ND GEN PEN NEEDLE 32	
GAUGE X 5/32"17	GAUGE X 5/32"17	7
MICRODOT INSULIN PEN NEEDLE 33	NEXLETOL 180 MG TABLET15	5
GAUGE X 5/32"17	NEXLIZET 180 MG-10 MG TABLET 15	5
MICRODOT READYGARD PEN	NICOTROL NS 10 MG/ML NASAL	
NEEDLE 31 GAUGE X 3/16"17	SPRAY	8
MINI ULTRA-THIN II 31 GAUGE X	NOVOFINE 30 NEEDLE17	7
3/16" NEEDLE17	NOVOFINE 32 32 GAUGE X 1/4"	
MONOJECT INSULIN SAFETY	NEEDLE17	7
SYRINGE 0.3 ML 30 GAUGE X 5/16" 17	NOVOFINE PLUS 32 GAUGE X 1/6"	
MONOJECT INSULIN SAFETY	NEEDLE17	7
SYRINGE 0.5 ML 29 GAUGE X 1/2" 17	NOVOTWIST 32 GAUGE X 1/5"	
MONOJECT INSULIN SAFETY	NEEDLE17	7
SYRINGE 0.5 ML 30 GAUGE X 5/16" 17	omega-3 acid ethyl esters 1 gram capsule14	
MONOJECT INSULIN SAFETY	OPIPZA 10 MG ORAL FILM	
SYRINGE 29 GAUGE X 1/2"17	OPIPZA 2 MG ORAL FILM	
MONOJECT INSULIN SYRINGE 0.3 ML	OPIPZA 5 MG ORAL FILM	
29 GAUGE X 1/2"17		
***= *		

PEN NEEDLE 30 GAUGE X 5/16" 17	PENTIPS PEN NEEDLE 31 GAUGE X
PEN NEEDLE 31 GAUGE X 1/4" 17	5/16"
PEN NEEDLE 31 GAUGE X 3/16" 17	PENTIPS PEN NEEDLE 32 GAUGE X
PEN NEEDLE 31 GAUGE X 5/16" 17	1/4"
PEN NEEDLE 32 GAUGE X 5/32" 17	PENTIPS PEN NEEDLE 32 GAUGE X
PEN NEEDLE, DIABETIC 29 GAUGE X	5/32"
1/2"	PIP PEN NEEDLE 31 GAUGE X 3/16"17
PEN NEEDLE, DIABETIC 29 GAUGE X	PIP PEN NEEDLE 32 GAUGE X 5/32"17
15/32"	PREVENT DROPSAFE PEN NEEDLE 31
PEN NEEDLE, DIABETIC 30 GAUGE X	GAUGE X 1/4"17
3/16"	PREVENT DROPSAFE PEN NEEDLE 31
PEN NEEDLE, DIABETIC 30 GAUGE X	GAUGE X 5/16"17
5/16"	PRO COMFORT ALCOHOL PADS17
PEN NEEDLE, DIABETIC 31 GAUGE X	PRO COMFORT INSULIN SYRINGE 0.5
1/3"	ML 30 GAUGE X 1/2"17
PEN NEEDLE, DIABETIC 31 GAUGE X	PRO COMFORT INSULIN SYRINGE 0.5
1/4"	ML 30 GAUGE X 5/16"17
PEN NEEDLE, DIABETIC 31 GAUGE X	PRO COMFORT INSULIN SYRINGE 0.5
1/6"	ML 31 GAUGE X 5/16"17
	PRO COMFORT INSULIN SYRINGE 1
PEN NEEDLE, DIABETIC 31 GAUGE X	ML 30 GAUGE X 1/2"17
13/64"	PRO COMFORT INSULIN SYRINGE 1
PEN NEEDLE, DIABETIC 31 GAUGE X	ML 30 GAUGE X 5/16"17
15/64"	
PEN NEEDLE, DIABETIC 31 GAUGE X	PRO COMFORT INSULIN SYRINGE 1
5/32"	ML 31 GAUGE X 5/16"17
PEN NEEDLE, DIABETIC 32 GAUGE X	PRO COMFORT PEN NEEDLE 31
1/4"	GAUGE X 5/16"17
PEN NEEDLE, DIABETIC 32 GAUGE X	PRO COMFORT PEN NEEDLE 32
3/16"	GAUGE X 1/4"17 PRO COMFORT PEN NEEDLE 32
PEN NEEDLE, DIABETIC 32 GAUGE X	
5/16"	GAUGE X 3/16"17
PEN NEEDLE, DIABETIC 32 GAUGE X	PRO COMFORT PEN NEEDLE 32
5/32"	GAUGE X 5/32"17
PEN NEEDLE, DIABETIC 33 GAUGE X	PRODIGY INSULIN SYRINGE 0.3 ML
1/4"	31 GAUGE X 5/16"17
PEN NEEDLE, DIABETIC 33 GAUGE X 3/16"	PRODIGY INSULIN SYRINGE 0.5 ML
PEN NEEDLE, DIABETIC 33 GAUGE X	31 GAUGE X 5/16"17 PRODIGY INSULIN SYRINGE 1 ML 28
5/32"	GAUGE X 1/2"17
PEN NEEDLE, DIABETIC, SAFETY 31	PURE COMFORT ALCOHOL PADS 17
GAUGE X 5/32"	PURE COMFORT PEN NEEDLE 32
PENTIPS PEN NEEDLE 29 GAUGE X	GAUGE X 1/4"17
1/2"	PURE COMFORT PEN NEEDLE 32
PENTIPS PEN NEEDLE 31 GAUGE X	GAUGE X 3/16"17
1/4"	PURE COMFORT PEN NEEDLE 32
PENTIPS PEN NEEDLE 31 GAUGE X	GAUGE X 5/16"17
3/16"	

PURE COMFORT PEN NEEDLE 32	SAFETY PEN NEEDLE 31 GAUGE X
GAUGE X 5/32"17	3/16"
PURE COMFORT SAFETY PEN	SECUADO 3.8 MG/24 HOUR
NEEDLE 31 GAUGE X 1/4"17	TRANSDERMAL 24 HOUR PATCH5
PURE COMFORT SAFETY PEN	SECUADO 5.7 MG/24 HOUR
NEEDLE 31 GAUGE X 3/16"17	TRANSDERMAL 24 HOUR PATCH5
PURE COMFORT SAFETY PEN	SECUADO 7.6 MG/24 HOUR
NEEDLE 32 GAUGE X 5/32"17	TRANSDERMAL 24 HOUR PATCH5
RASUVO (PF) 10 MG/0.2 ML	SECURESAFE INSULIN SYRINGE 0.5
SUBCUTANEOUS AUTO-INJECTOR37	ML 29 GAUGE X 1/2"17
RASUVO (PF) 12.5 MG/0.25 ML	SECURESAFE INSULIN SYRINGE 1
SUBCUTANEOUS AUTO-INJECTOR37	ML 29 GAUGE X 1/2"17
RASUVO (PF) 15 MG/0.3 ML	SECURESAFE PEN NEEDLE 30
SUBCUTANEOUS AUTO-INJECTOR37	GAUGE X 5/16"17
RASUVO (PF) 17.5 MG/0.35 ML	SKY SAFETY PEN NEEDLE 30 GAUGE
SUBCUTANEOUS AUTO-INJECTOR37	X 3/16"17
RASUVO (PF) 20 MG/0.4 ML	SKY SAFETY PEN NEEDLE 30 GAUGE
SUBCUTANEOUS AUTO-INJECTOR37	X 5/16"17
RASUVO (PF) 22.5 MG/0.45 ML	SPRITAM 1,000 MG TABLET FOR
SUBCUTANEOUS AUTO-INJECTOR37	ORAL SUSPENSION43
RASUVO (PF) 25 MG/0.5 ML	SPRITAM 250 MG TABLET FOR ORAL
SUBCUTANEOUS AUTO-INJECTOR37	SUSPENSION43
RASUVO (PF) 30 MG/0.6 ML	SPRITAM 500 MG TABLET FOR ORAL
SUBCUTANEOUS AUTO-INJECTOR37	SUSPENSION43
RASUVO (PF) 7.5 MG/0.15 ML	SPRITAM 750 MG TABLET FOR ORAL
SUBCUTANEOUS AUTO-INJECTOR37	SUSPENSION43
REPATHA PUSHTRONEX 420 MG/3.5	STERILE PADS 2" X 2" BANDAGE 17
ML SUBCUTANEOUS WEARABLE	SURE COMFORT ALCOHOL PREP
INJECTOR	PADS17
REPATHA SURECLICK 140 MG/ML	SURE COMFORT INSULIN SYRINGE
SUBCUTANEOUS PEN INJECTOR15	
REPATHA SYRINGE 140 MG/ML	SURE COMFORT INSULIN SYRINGE
SUBCUTANEOUS SYRINGE15	0.3 ML 30 GAUGE X 1/2"17
rufinamide 200 mg tablet41	SURE COMFORT INSULIN SYRINGE
rufinamide 40 mg/ml oral suspension 41	0.3 ML 30 GAUGE X 5/16"17
rufinamide 400 mg tablet41	SURE COMFORT INSULIN SYRINGE
SAFESNAP INSULIN SYRINGE 0.3 ML	0.3 ML 31 GAUGE X 1/4"17
30 GAUGE X 5/16"17	SURE COMFORT INSULIN SYRINGE
SAFESNAP INSULIN SYRINGE 0.5 ML	0.3 ML 31 GAUGE X 5/16"17
29 GAUGE X 1/2"17	SURE COMFORT INSULIN SYRINGE
SAFESNAP INSULIN SYRINGE 0.5 ML	0.5 ML 30 GAUGE X 1/2"17
30 GAUGE X 5/16"17	SURE COMFORT INSULIN SYRINGE
SAFESNAP INSULIN SYRINGE 1 ML	0.5 ML 30 GAUGE X 5/16"17
28 GAUGE X 1/2"17	SURE COMFORT INSULIN SYRINGE
SAFESNAP INSULIN SYRINGE 1 ML	0.5 ML 31 GAUGE X 5/16"17
29 GAUGE X 1/2"17	SURE COMFORT INSULIN SYRINGE 1
	ML 28 GAUGE X 1/2"17

SURE COMFORT INSULIN SYRINGE 1	SURE-JECT INSULIN SYRINGE 1 ML
ML 29 GAUGE X 1/2"17	28 GAUGE X 1/2"17
SURE COMFORT INSULIN SYRINGE 1	SURE-JECT INSULIN SYRINGE 1 ML
ML 30 GAUGE X 1/2"17	29 GAUGE X 1/2"17
SURE COMFORT INSULIN SYRINGE 1	SURE-JECT INSULIN SYRINGE 1 ML
ML 30 GAUGE X 5/16"17	30 GAUGE X 5/16"17
SURE COMFORT INSULIN SYRINGE 1	SURE-JECT INSULIN SYRINGE 1 ML
ML 31 GAUGE X 1/4"17	31 GAUGE X 5/16"17
SURE COMFORT INSULIN SYRINGE 1	SURE-JECT INSULIN SYRINGE 1/2 ML
ML 31 GAUGE X 5/16"17	28 GAUGE X 1/2"17
SURE COMFORT INSULIN SYRINGE	SURE-PREP ALCOHOL PREP PADS 17
1/2 ML 28 GAUGE X 1/2" 17	SYRINGE WITH NEEDLE, SAFETY 0.5
SURE COMFORT INSULIN SYRINGE	ML 30 GAUGE X 1/2"17
1/2 ML 31 GAUGE X 1/4"	TECHLITE INSULIN SYRINGE (HALF
SURE COMFORT INSULIN SYRINGE	UNIT) 0.3 ML 29 GAUGE X 1/2"17
U-100 0.5 ML 29 GAUGE X 1/2"	TECHLITE INSULIN SYRINGE (HALF
SURE COMFORT PEN NEEDLE 29	UNIT) 0.3 ML 30 GAUGE X 5/16"17
GAUGE X 1/2"17	TECHLITE INSULIN SYRINGE (HALF
SURE COMFORT PEN NEEDLE 30	UNIT) 0.3 ML 31 GAUGE X 15/64"17
GAUGE X 5/16"17	TECHLITE INSULIN SYRINGE (HALF
SURE COMFORT PEN NEEDLE 31	UNIT) 0.3 ML 31 GAUGE X 5/16"17
GAUGE X 3/16"17	TECHLITE INSULIN SYRINGE (HALF
SURE COMFORT PEN NEEDLE 31	UNIT) 0.5 ML 30 GAUGE X 1/2"17
GAUGE X 5/16"17	TECHLITE INSULIN SYRINGE (HALF
SURE COMFORT PEN NEEDLE 32	UNIT) 0.5 ML 30 GAUGE X 5/16"17
GAUGE X 1/4"17	TECHLITE INSULIN SYRINGE (HALF
SURE COMFORT PEN NEEDLE 32	UNIT) 0.5 ML 31 GAUGE X 15/64"17
GAUGE X 5/32"17	TECHLITE INSULIN SYRINGE (HALF
SURE COMFORT SAFETY PEN	UNIT) 0.5 ML 31 GAUGE X 5/16"17
NEEDLE 31 GAUGE X 1/4"17	TECHLITE INSULIN SYRINGE 1 ML 29
SURE COMFORT SAFETY PEN	GAUGE X 1/2"17
NEEDLE 32 GAUGE X 5/32"17	TECHLITE INSULIN SYRINGE 1 ML 30
SURE-FINE PEN NEEDLES 29 GAUGE	
X 1/2"17	GAUGE X 1/2"17 TECHLITE INSULIN SYRINGE 1 ML 31
SURE-FINE PEN NEEDLES 31 GAUGE	GAUGE X 15/64"17
X 3/16"17	TECHLITE INSULIN SYRINGE 1 ML 31
SURE-FINE PEN NEEDLES 31 GAUGE	GAUGE X 5/16"17
X 5/16"17	TECHLITE PEN NEEDLE 29 GAUGE X
SURE-JECT INSULIN SYRINGE 0.3 ML	1/2"
	TECHLITE PEN NEEDLE 29 GAUGE X
29 GAUGE X 1/2"17 SURE-JECT INSULIN SYRINGE 0.3 ML	3/8"
30 GAUGE X 5/16"	TECHLITE PEN NEEDLE 31 GAUGE X
SURE-JECT INSULIN SYRINGE 0.5 ML	1/4"
29 GAUGE X 1/2"	
SURE-JECT INSULIN SYRINGE 0.5 ML	3/16"
30 GAUGE X 5/16"17	TECHLITE PEN NEEDLE 31 GAUGE X
	5/16"

TECHLITE PEN NEEDLE 32 GAUGE X	TOPCARE CLICKFINE 31 GAUGE X
1/4"	1/4" NEEDLE17
TECHLITE PEN NEEDLE 32 GAUGE X	TOPCARE CLICKFINE 31 GAUGE X
5/16"	5/16" NEEDLE17
TECHLITE PEN NEEDLE 32 GAUGE X	TOPCARE ULTRA COMFORT 0.3 ML
5/32"	29 GAUGE X 1/2" SYRINGE17
TECHLITE PLUS PEN NEEDLE 32	TOPCARE ULTRA COMFORT 0.3 ML
GAUGE X 5/32"17	30 GAUGE X 5/16" SYRINGE17
TERUMO INSULIN SYRINGE 0.3 ML	TOPCARE ULTRA COMFORT 0.3 ML
30 X 3/8"17	31 GAUGE X 5/16" SYRINGE17
TERUMO INSULIN SYRINGE 0.5 ML	TOPCARE ULTRA COMFORT 0.5 ML
29 GAUGE X 1/2"17	29 GAUGE X 1/2" SYRINGE
TERUMO INSULIN SYRINGE 1 ML 27	TOPCARE ULTRA COMFORT 0.5 ML
GAUGE X 1/2"17	30 GAUGE X 5/16" SYRINGE17
TERUMO INSULIN SYRINGE 1 ML 28	TOPCARE ULTRA COMFORT 0.5 ML
GAUGE X 1/2"17	31 GAUGE X 5/16" SYRINGE17
TERUMO INSULIN SYRINGE 1 ML 29	TOPCARE ULTRA COMFORT 1 ML 29
GAUGE X 1/2"17	GAUGE X 1/2" SYRINGE
TERUMO INSULIN SYRINGE 1/2 ML	TOPCARE ULTRA COMFORT 1 ML 30
27 GAUGE X 1/2"17	GAUGE X 5/16" SYRINGE
TERUMO INSULIN SYRINGE 1/2 ML	TOPCARE ULTRA COMFORT 1 ML 31
28 GAUGE X 1/2"17	GAUGE X 5/16" SYRINGE
TERUMO INSULIN SYRINGE 1/2 ML	TRUE COMFORT ALCOHOL PADS 17
30 X 3/8"17	TRUE COMFORT INSULIN SYRINGE
THINPRO INSULIN SYRINGE 0.3 ML	0.5 ML 31 GAUGE X 5/16"17
29 GAUGE X 1/2"17	TRUE COMFORT INSULIN SYRINGE 1
THINPRO INSULIN SYRINGE 0.3 ML	ML 31 GAUGE X 5/16"17
30 X 3/8"17	TRUE COMFORT PEN NEEDLE 31
THINPRO INSULIN SYRINGE 0.3 ML	GAUGE X 1/4"17
31 X 3/8"17	TRUE COMFORT PEN NEEDLE 31
THINPRO INSULIN SYRINGE 0.5 ML	GAUGE X 3/16"17
29 GAUGE X 1/2"17	
THINPRO INSULIN SYRINGE 0.5 ML	GAUGE X 5/16"17
31 X 3/8"17	TRUE COMFORT PEN NEEDLE 32
THINPRO INSULIN SYRINGE 1 ML 28	GAUGE X 1/4"17
GAUGE X 1/2"17	TRUE COMFORT PEN NEEDLE 32
THINPRO INSULIN SYRINGE 1 ML 29	GAUGE X 3/16"17
GAUGE X 1/2"17	TRUE COMFORT PEN NEEDLE 32
THINPRO INSULIN SYRINGE 1 ML 30	GAUGE X 5/32"17
GAUGE X 3/8"17	TRUE COMFORT PEN NEEDLE 33
THINPRO INSULIN SYRINGE 1 ML 31	GAUGE X 1/4"17
X 3/8"17	TRUE COMFORT PEN NEEDLE 33
THINPRO INSULIN SYRINGE 1/2 ML	GAUGE X 3/16"17
28 GAUGE X 1/2"17	TRUE COMFORT PEN NEEDLE 33
THINPRO INSULIN SYRINGE 1/2 ML	GAUGE X 5/32"17
30 X 3/8"17	TRUE COMFORT PRO ALCOHOL
	PADS17

TRUE COMFORT PRO INS SYRINGE	TRUEPLUS INSULIN 0.5 ML 31
0.5 ML 30 GAUGE X 1/2"17	GAUGE X 5/16" SYRINGE17
TRUE COMFORT PRO INS SYRINGE	TRUEPLUS INSULIN 1 ML 28 GAUGE
0.5 ML 30 GAUGE X 5/16"17	X 1/2" SYRINGE
TRUE COMFORT PRO INS SYRINGE	TRUEPLUS INSULIN 1 ML 29 GAUGE
0.5 ML 31 GAUGE X 5/16"17	X 1/2" SYRINGE17
TRUE COMFORT PRO INS SYRINGE 1	TRUEPLUS INSULIN 1 ML 30 GAUGE
ML 30 GAUGE X 1/2"17	X 5/16" SYRINGE17
TRUE COMFORT PRO INS SYRINGE 1	TRUEPLUS INSULIN 1 ML 31 GAUGE
ML 30 GAUGE X 5/16"17	X 5/16" SYRINGE17
TRUE COMFORT PRO INS SYRINGE 1	TRUEPLUS INSULIN 1/2 ML 28
ML 31 GAUGE X 5/16"17	GAUGE X 1/2" SYRINGE 17
TRUE COMFORT PRO INS SYRINGE 1	TRUEPLUS PEN NEEDLE 29 GAUGE X
ML 32 GAUGE X 5/16"17	1/2"
TRUE COMFORT PRO INS SYRINGE	TRUEPLUS PEN NEEDLE 31 GAUGE X
1/2 ML 32 GAUGE X 5/16" 17	1/4"
TRUE COMFORT SAFETY INSULIN	TRUEPLUS PEN NEEDLE 31 GAUGE X
SYRINGE 0.5 ML 30 GAUGE X 1/2" 17	3/16"
TRUE COMFORT SAFETY INSULIN	TRUEPLUS PEN NEEDLE 31 GAUGE X
SYRINGE 0.5 ML 30 GAUGE X 5/16" 17	5/16"17
TRUE COMFORT SAFETY INSULIN	TRUEPLUS PEN NEEDLE 32 GAUGE X
SYRINGE 0.5 ML 31 GAUGE X 5/16" 17	5/32"
TRUE COMFORT SAFETY INSULIN	ULTICARE 0.3 ML 30 GAUGE X 1/2"
SYRINGE 1 ML 30 GAUGE X 1/2" 17	SYRINGE17
TRUE COMFORT SAFETY INSULIN	ULTICARE 0.3 ML 31 GAUGE X 5/16"
SYRINGE 1 ML 30 GAUGE X 5/16" 17	SYRINGE17
TRUE COMFORT SAFETY INSULIN	ULTICARE 0.5 ML 30 GAUGE X 1/2"
SYRINGE 1 ML 31 GAUGE X 5/16" 17	SYRINGE17
TRUE COMFORT SAFETY INSULIN	ULTICARE 0.5 ML 31 GAUGE X 5/16"
SYRINGE 1 ML 32 GAUGE X 5/16" 17	SYRINGE17
TRUE COMFORT SAFETY PEN	ULTICARE 1 ML 30 GAUGE X 1/2"
NEEDLE 31 GAUGE X 1/4"17	SYRINGE17
TRUE COMFORT SAFETY PEN	
NEEDLE 31 GAUGE X 3/16"17	SYRINGE17
TRUE COMFORT SAFETY PEN	ULTICARE INSULIN SYRINGE (HALF
NEEDLE 32 GAUGE X 5/32"17	UNIT) 0.3 ML 31 GAUGE X 1/4"17
TRUEPLUS INSULIN 0.3 ML 29	ULTICARE INSULIN SYRINGE 0.3 ML
GAUGE X 1/2" SYRINGE17	31 GAUGE X 1/4"17
TRUEPLUS INSULIN 0.3 ML 30	ULTICARE INSULIN SYRINGE 1 ML
GAUGE X 5/16" SYRINGE17	31 GAUGE X 1/4"17
TRUEPLUS INSULIN 0.3 ML 31	ULTICARE INSULIN SYRINGE 1/2 ML
GAUGE X 5/16" SYRINGE17	31 GAUGE X 1/4"17
TRUEPLUS INSULIN 0.5 ML 29	ULTICARE PEN NEEDLE 29 GAUGE X
GAUGE X 1/2" SYRINGE17	1/2"
TRUEPLUS INSULIN 0.5 ML 30	ULTICARE PEN NEEDLE 31 GAUGE X
GAUGE X 5/16" SYRINGE17	1/4"

ULTICARE PEN NEEDLE 31 GAUGE X	ULTILET INSULIN SYRINGE 0.5 ML 30
3/16"	GAUGE X 5/16"17
ULTICARE PEN NEEDLE 31 GAUGE X	ULTILET INSULIN SYRINGE 0.5 ML 31
5/16"	GAUGE X 5/16"17
ULTICARE PEN NEEDLE 32 GAUGE X	ULTILET INSULIN SYRINGE 1 ML 29
1/4"	GAUGE17
ULTICARE PEN NEEDLE 32 GAUGE X	ULTILET INSULIN SYRINGE 1 ML 29
5/32"	GAUGE X 1/2"17
ULTICARE SAFETY PEN NEEDLE 30	ULTILET INSULIN SYRINGE 1 ML 30
GAUGE X 3/16"17	GAUGE X 5/16"17
ULTICARE SAFETY PEN NEEDLE 30	ULTILET INSULIN SYRINGE 1 ML 31
GAUGE X 5/16"17	GAUGE X 5/16"17
ULTIGUARD SAFEPACK-INSULIN	ULTILET INSULIN SYRINGE 1/2 ML 29 17
SYRINGE 0.3 ML 30 X 1/2"17	ULTILET PEN NEEDLE 29 GAUGE17
ULTIGUARD SAFEPACK-INSULIN	ULTILET PEN NEEDLE 32 GAUGE X
SYRINGE 0.3 ML 31 X 5/16"	5/32"
ULTIGUARD SAFEPACK-INSULIN	ULTRA COMFORT INSULIN SYRINGE
SYRINGE 1 ML 30 X 1/2"17	
ULTIGUARD SAFEPACK-INSULIN	ULTRA COMFORT INSULIN SYRINGE
SYRINGE 1 ML 31 X 5/16"	(HALF UNIT) 0.3 ML 31 GAUGE X
ULTIGUARD SAFEPACK-INSULIN	5/16"
SYRINGE 1/2 ML 30 X 1/2"17	ULTRA COMFORT INSULIN SYRINGE
ULTIGUARD SAFEPACK-INSULIN	0.3 ML 29 GAUGE X 1/2"17
SYRINGE 1/2 ML 31 X 5/16"17	ULTRA COMFORT INSULIN SYRINGE
ULTIGUARD SAFEPACK-PEN	0.3 ML 3017
NEEDLE 29 GAUGE X 1/2"17	ULTRA COMFORT INSULIN SYRINGE
ULTIGUARD SAFEPACK-PEN	0.3 ML 30 GAUGE X 5/16"17
NEEDLE 31 GAUGE X 1/4"17	ULTRA COMFORT INSULIN SYRINGE
ULTIGUARD SAFEPACK-PEN	0.3 ML 31 GAUGE X 5/16"17
NEEDLE 31 GAUGE X 3/16"17	ULTRA COMFORT INSULIN SYRINGE
ULTIGUARD SAFEPACK-PEN	0.5 ML 29 GAUGE X 1/2"17
NEEDLE 31 GAUGE X 5/16"17	ULTRA COMFORT INSULIN SYRINGE
ULTIGUARD SAFEPACK-PEN	
NEEDLE 32 GAUGE X 1/4"17	ULTRA COMFORT INSULIN SYRINGE
ULTIGUARD SAFEPACK-PEN	0.5 ML 31 GAUGE X 5/16"17
NEEDLE 32 GAUGE X 5/32"17	ULTRA COMFORT INSULIN SYRINGE
ULTILET ALCOHOL SWAB17	1 ML 28 GAUGE17
ULTILET INSULIN SYRINGE 0.3 ML 29	ULTRA COMFORT INSULIN SYRINGE
GAUGE17	1 ML 28 GAUGE X 1/2"17
ULTILET INSULIN SYRINGE 0.3 ML 29	ULTRA COMFORT INSULIN SYRINGE
GAUGE X 1/2"17	1 ML 29 GAUGE17
ULTILET INSULIN SYRINGE 0.3 ML 30	ULTRA COMFORT INSULIN SYRINGE
GAUGE X 5/16"17	1 ML 29 GAUGE X 1/2"17
ULTILET INSULIN SYRINGE 0.3 ML 31	ULTRA COMFORT INSULIN SYRINGE
GAUGE X 5/16"17	1 ML 30 GAUGE X 5/16"17
ULTILET INSULIN SYRINGE 0.5 ML 29	ULTRA COMFORT INSULIN SYRINGE
GAUGE X 1/2"17	

ULTRA COMFORT INSULIN SYRINGE	ULTRACARE INSULIN SYRINGE 1 ML
1 ML 31 GAUGE X 5/16"17	30 GAUGE X 5/16"17
ULTRA COMFORT INSULIN SYRINGE	ULTRACARE INSULIN SYRINGE 1 ML
1/2 ML 28 GAUGE X 1/2" 17	31 GAUGE X 5/16"17
ULTRA COMFORT INSULIN SYRINGE	ULTRACARE PEN NEEDLE 31 GAUGE
1/2 ML 2917	X 1/4"17
ULTRA COMFORT INSULIN SYRINGE	ULTRACARE PEN NEEDLE 31 GAUGE
1/2 ML 30 GAUGE17	X 3/16"17
ULTRA FLO INSULIN SYRINGE (HALF	ULTRACARE PEN NEEDLE 31 GAUGE
UNIT) 0.3 ML 30 GAUGE X 1/2"17	X 5/16"17
ULTRA FLO INSULIN SYRINGE (HALF	ULTRACARE PEN NEEDLE 32 GAUGE
UNIT) 0.3 ML 30 GAUGE X 5/16"17	X 1/4"17
ULTRA FLO INSULIN SYRINGE (HALF	ULTRACARE PEN NEEDLE 32 GAUGE
UNIT) 0.3 ML 31 GAUGE X 5/16"17	X 3/16"17
ULTRA FLO INSULIN SYRINGE 0.3	ULTRACARE PEN NEEDLE 32 GAUGE
ML 29 GAUGE X 1/2"17	X 5/32"17
ULTRA FLO INSULIN SYRINGE 0.3	ULTRACARE PEN NEEDLE 33 GAUGE
ML 30 GAUGE X 5/16"17	X 5/32"17
ULTRA FLO INSULIN SYRINGE 0.3	ULTRA-FINE INSULIN SYRINGE
ML 31 GAUGE X 5/16"17	(HALF UNIT) 0.3 ML 31 GAUGE X
ULTRA FLO INSULIN SYRINGE 0.5	15/64"
ML 29 GAUGE X 1/2"17	ULTRA-FINE INSULIN SYRINGE
ULTRA FLO PEN NEEDLE 29 GAUGE	(HALF UNIT) 0.3 ML 31 GAUGE X
X 1/2"17	5/16"
ULTRA FLO PEN NEEDLE 31 GAUGE	ULTRA-FINE INSULIN SYRINGE 0.3
X 3/16"17	ML 30 GAUGE X 1/2"17
ULTRA FLO PEN NEEDLE 31 GAUGE	ULTRA-FINE INSULIN SYRINGE 0.5
X 5/16"17	ML 30 GAUGE X 1/2"17
ULTRA FLO PEN NEEDLE 32 GAUGE	ULTRA-FINE INSULIN SYRINGE 0.5
X 5/32"17	ML 31 GAUGE X 5/16"17
ULTRA FLO PEN NEEDLE 33 GAUGE	ULTRA-FINE INSULIN SYRINGE 1 ML
X 5/32"17	30 GAUGE X 1/2"17
ULTRA THIN PEN NEEDLE 32 GAUGE	ULTRA-FINE INSULIN SYRINGE 1 ML
X 5/32"17	31 GAUGE X 5/16"17
ULTRACARE INSULIN SYRINGE 0.3	ULTRA-FINE PEN NEEDLE 29 GAUGE
ML 30 GAUGE X 5/16"17	X 1/2"17
ULTRACARE INSULIN SYRINGE 0.3	ULTRA-FINE PEN NEEDLE 32 GAUGE
ML 31 GAUGE X 5/16"17	X 1/4"17
ULTRACARE INSULIN SYRINGE 0.5	ULTRA-THIN II (SHORT) INSULIN
ML 30 GAUGE X 1/2"17	SYRINGE 0.3 ML 30 GAUGE X 5/16" 17
ULTRACARE INSULIN SYRINGE 0.5	ULTRA-THIN II (SHORT) INSULIN
ML 30 GAUGE X 5/16"17	SYRINGE 0.3 ML 31 GAUGE X 5/16" 17
ULTRACARE INSULIN SYRINGE 0.5	ULTRA-THIN II (SHORT) INSULIN
ML 31 GAUGE X 5/16"17	SYRINGE 0.5 ML 30 GAUGE X 5/16" 17
ULTRACARE INSULIN SYRINGE 1 ML	ULTRA-THIN II (SHORT) INSULIN
30 GAUGE X 1/2"17	SYRINGE 0.5 ML 31 GAUGE X 5/16" 17

ULTRA-THIN II (SHORT) INSULIN	UNIFINE PENTIPS PLUS MAXFLOW
SYRINGE 1 ML 30 GAUGE X 5/16" 17	30 GAUGE X 3/16" NEEDLE17
ULTRA-THIN II (SHORT) INSULIN	UNIFINE PROTECT 30 GAUGE X 3/16"
SYRINGE 1 ML 31 GAUGE X 5/16" 17	NEEDLE17
ULTRA-THIN II (SHORT) PEN NDL 31	UNIFINE PROTECT 30 GAUGE X 5/16"
GAUGE X 5/16" NEEDLÉ17	NEEDLE17
ULTRA-THIN II INSULIN PEN	UNIFINE PROTECT 32 GAUGE X 5/32"
NEEDLES 29 GAUGE X 1/2"17	NEEDLE17
ULTRA-THIN II INSULIN SYRINGE 0.5	UNIFINE SAFECONTROL PEN
ML 29 GAUGE X 1/2"17	NEEDLE 30 GAUGE X 3/16"17
ULTRA-THIN II INSULIN SYRINGE 1	UNIFINE SAFECONTROL PEN
ML 29 GAUGE X 1/2"17	NEEDLE 30 GAUGE X 5/16"17
UNIFINE OTC PEN NEEDLE 31	UNIFINE SAFECONTROL PEN
GAUGE X 3/16"17	NEEDLE 31 GAUGE X 1/4"17
UNIFINE OTC PEN NEEDLE 32	UNIFINE SAFECONTROL PEN
GAUGE X 5/32"17	NEEDLE 31 GAUGE X 3/16"17
UNIFINE PEN NEEDLE 32 GAUGE X	UNIFINE SAFECONTROL PEN
5/32"	NEEDLE 31 GAUGE X 5/16"17
UNIFINE PENTIPS 29 GAUGE NEEDLE.17	UNIFINE SAFECONTROL PEN
UNIFINE PENTIPS 29 GAUGE X 1/2"	NEEDLE 32 GAUGE X 5/32"17
NEEDLE17	UNIFINE ULTRA PEN NEEDLE 31
UNIFINE PENTIPS 31 GAUGE X 1/4"	GAUGE X 1/4"17
NEEDLE17	UNIFINE ULTRA PEN NEEDLE 31
UNIFINE PENTIPS 31 GAUGE X 3/16"	GAUGE X 3/16"17
NEEDLE17	UNIFINE ULTRA PEN NEEDLE 31
UNIFINE PENTIPS 31 GAUGE X 5/16"	GAUGE X 5/16"17
NEEDLE17	UNIFINE ULTRA PEN NEEDLE 32
UNIFINE PENTIPS 32 GAUGE X 1/4"	GAUGE X 5/32"17
NEEDLE17	VANISHPOINT INSULIN SYRINGE 1
UNIFINE PENTIPS 32 GAUGE X 5/32"	ML 30 GAUGE X 3/16"17
NEEDLE17	VANISHPOINT SYRINGE 0.5 ML 30
UNIFINE PENTIPS 33 GAUGE X 5/32"	GAUGE X 1/2"17
NEEDLE17	
UNIFINE PENTIPS MAXFLOW 30	GAUGE X 1/2"17
GAUGE X 3/16" NEEDLE17	
UNIFINE PENTIPS PLUS 29 GAUGE X	VERIFINE INSULIN SYRINGE 0.3 ML
1/2" NEEDLE	31 GAUGE X 5/16"17
UNIFINE PENTIPS PLUS 31 GAUGE X	VERIFINE INSULIN SYRINGE 0.5 ML
1/4" NEEDLE	29 GAUGE X 1/2"17
UNIFINE PENTIPS PLUS 31 GAUGE X	VERIFINE INSULIN SYRINGE 0.5 ML
3/16" NEEDLE	
UNIFINE PENTIPS PLUS 31 GAUGE X	VERIFINE INSULIN SYRINGE 1 ML 29
5/16" NEEDLE	GAUGE X 1/2"17
UNIFINE PENTIPS PLUS 32 GAUGE X	VERIFINE INSULIN SYRINGE 1 ML 31
5/32" NEEDLE	GAUGE X 5/16"17
	VERIFINE PEN NEEDLE 29 GAUGE X
5/32" NEEDLE	1/2"

VERIFINE PEN NEEDLE 31 GAUGE X
1/4"
VERIFINE PEN NEEDLE 31 GAUGE X
3/16"
VERIFINE PEN NEEDLE 31 GAUGE X
5/16"
VERIFINE PEN NEEDLE 32 GAUGE X
1/4"
3/16"
VERIFINE PEN NEEDLE 32 GAUGE X
5/32"
VERIFINE PLUS PEN NEEDLE 31
GAUGE X 3/16"17
VERIFINE PLUS PEN NEEDLE 31
GAUGE X 5/16"17
VERIFINE PLUS PEN NEEDLE 32
GAUGE X 5/32"17
VERIFINE PLUS PEN NEEDLE-
SHARPS CONTAINER 32 GAUGE X
5/32"
VERSACLOZ 50 MG/ML ORAL
SUSPENSION8
VERSALON 2" X 2" SPONGE17
VRAYLAR 1.5 MG (1)-3 MG (6)
CAPSULES IN A DOSE PACK7
VRAYLAR 1.5 MG CAPSULE7
VRAYLAR 3 MG CAPSULE7
VRAYLAR 4.5 MG CAPSULE7
VRAYLAR 6 MG CAPSULE7
WEBCOL TOPICAL PADS17
XATMEP 2.5 MG/ML ORAL SOLUTION 6